

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
345-306	09-34								
345-363	09-30								
340-025	08-05								
340-800	08-42								
340-802	08-43								
390-170	08-34	4-1/16	31/64				XXX	.150	
355-701	08-27	4-1/4	17/32				1.00	.117	
335-729	09-01	6-7/16	3/8				1.50	.090	
305-680	09-14	9-5/8	3/8				2.00	.134	
325-761	08-17	10-1/4	3/4				2.50	.203	
325-787	08-17	11	3/4				2.50	.203	
345-009	09-19	11-9/16	1-3/8	3/8	3-1/16	✓	2.50	.150	
330-425	08-56	11-3/4	3/4				2.50	.187	
360-009	08-40	11-31/32	.395	.330	2.375		2.50	.187	✓
340-309	08-40	11-31/32	.395	.330	2.375		2.00	.164	
350-025	09-24	12-1/8	3/4 x 5/8	1/4	1-5/8		2.00	.203	
355-027	09-26	12-1/4	.397	.335	3.25		2.00	.150	
335-798	09-01	12-1/2	1-1/2	29/64	2-1/2		3.50	.125	
345-017	09-19	13	1-3/8	3/8	3-1/16	✓	2.50	.150	
340-310	08-40	13-3/4	.403	.331	2.375		2.00	.164	
350-116	09-27	13-7/8	3/4				2.00	.203	
320-507	08-31	13-7/8	5/8				2.00	.204	
360-843	09-27	13-7/8	3/4				2.50	.203	✓
305-786	08-34	13-15/16	5/8				2.25	.149	
305-783	08-34	13-15/16	5/8				2.00	.204	
360-842	09-27	14	5/8				2.50	.250	✓
330-258	08-47	14	11/16				2.00	.203	
350-041	09-27	14	3/4 x 5/8	1/4	1-5/8		2.00	.203	
330-382	08-47	14-1/16	11/16				2.50	.204	
350-140	09-26	14-1/8	3/4	1/4	1-5/8		2.00	.203	
340-311	08-40	14-1/8	.403	.331	1.6		2.00	.164	
340-314	08-40	14-1/8	.472				2.36	.160	
315-002	08-25	14-3/8	11/16				2.00	.187	
315-006	08-25	14-1/2	45/64				2.50	.187	
315-036	08-25	14-1/2	11/16				2.50	.187	
315-044	08-25	14-1/2	45/64				2.00	.187	
315-242	08-24	14-1/2	5/8				2.50	.203	
320-259	08-59	14-1/2	1-1/8	25/64	3-1/4		2.50	.187	
325-803	08-17	14-1/2	3/4				2.50	.203	
350-108	09-28	14-1/2	3/4				2.00	.203	
345-090	09-19	14-1/2	3/4	13/32	3-1/16	✓	2.00	.150	
360-014	08-24	14-1/2	5/8				2.50	.203	✓
355-007	09-26	14-1/2	.399	.334	3.24		2.00	.150	
355-026	09-26	14-1/2	.397	.335	3.25		2.00	.150	
360-900	08-25	14-1/2	11/16				2.50	.203	✓
360-911	08-34	14-1/2	5/8	none	none		2-1/2	.203	✓
325-031	08-37	14-9/16	.630				2.75	.187	
340-002	08-40	14-5/8	5 pt star				2.50	.204	
340-604	08-05	14-5/8	5/8	5/16	1-3/8		2.50	.150	
340-562	08-05	14-5/8	1-1/4	15/32	3		2.50	.150	
360-503	08-40	14-5/8	5 pt star				2-1/2	.203	✓
335-533	09-01	14-13/16	6pt star(11/16)	5/16	2-1/2		3.00	.125	
335-125	09-01	14-13/16	13/32	5/16	2-1/2		3.00	.150	
330-084	08-34	14-27/32	3/8	1/2	1-5/8		2.00	.150	
325-134	08-17	14-7/8	3/4				3.00	.203	
315-762	08-36	14-7/8	7/16	1/2	1-5/8		2.00	.150	
325-878	08-17	14-7/8	3/4				2.50	.204	
360-607	09-02	14-7/8	6 pt star (5/8)	none	none		2.50	.187	✓

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
340-058	08-40	14-7/8	5/8				2.50	.204	
335-453	09-28	14-7/8	6 pt star (5/8)	3/8	2-1/2		2.50	.149	
335-449	09-01	14-7/8	6 pt star (5/8)	5/16	2-1/2		3.00	.125	
305-784	08-34	14-7/8	5/8				2-1/4	.187	
325-884	09-28	14-7/8	6 pt star (5/8)	3/8	2-1/2		2.50	.203	
315-237	08-32	15	5/8				2.5	.250	
320-330	08-33	15	1/2				2.50	.240	
355-005	09-26	15	13/32	11/32	3-9/32		2	.150	
320-545	09-37	15	1/2				2.00	.203	
335-786	09-09	15-1/32	7/8 x 1				2.25	.150	
335-851	09-08	15-1/32	7/8 x 1				2.25	.125	
325-837	08-18	15-1/8	3/4				2.50	.203	
355-069	08-27	15-1/4	15/16				2.50	.204	
355-015	08-34	15-1/4	5/8				2.50	.204	
340-312	08-40	15-5/16	.403	.331	1.6		2.00	.164	
330-555	08-56	15-5/16	11/16	.338	1-1/2		2.00	.204	
310-326	08-13	15-5/16	3/8	3/8	2-3/4		2.00	.187	
335-547	09-02	15-5/16	13/32	5/16	2-1/2		2.00	.134	
345-074	09-19	15-5/16	3/4	13/32	2-9/16		2.00	.150	
340-315	08-40	15-5/16	.472				2.36	.160	
340-034	08-40	15-3/8	3/8				2.25	.187	
360-504	08-05	15-3/8	5 pt star				2.25	.187	✓
340-035	08-05	15-3/8	5 pt star				2.25	.160	
340-036	08-05	15-3/8	5 pt star				2.25	.187	
360-850	09-28	15.4	.660	none	none		2-1/4	.150	✓
345-039	09-28	15-1/2	5/8				2.50	.203	
340-070	08-06	15-1/2	5 pt star				2.25	.187	
340-092	08-06	15-1/2	5 pt star				2.25	.160	
360-505	08-06	15-1/2	5 pt star				2.50	.187	✓
360-885	09-28	15-1/2	5/8				2.50	.203	✓
340-495	08-06	15-1/2	5 pt star				2.25	.160	
355-490	09-24	15-1/2	3/4				2.50	.312	
345-114	09-28	15-1/2	5/8				2.50	.187	
345-454	09-28	15-1/2	5/8				2.50	.187	
310-763	08-16	15-9/16	1-1/4	13/32	2-5/8	✓	2.50	.187	
335-040	09-10	15-11/16	27/32				2.25	.134	
335-012	09-09	15-3/4	27/32				2.25	.187	
360-700	09-10	15-3/4	27/32				2.25	.187	✓
335-038	09-09	15-3/4	27/32				2.25	.187	
360-495	08-47	15-13/16	13/16	none	none		3.00	.164	✓
330-260	08-47	15-13/16	13/16	none	none		2-1/2	.164	
325-879	08-18	15-7/8	3/4				3.00	.204	
360-492	09-18	16	.680				2-1/2	.203	✓
325-873	08-18	16	3/4	5/16	2-1/2		2.50	.203	
330-448	09-18	16	.680				2.50	.203	
360-496	08-48	16	.705				2.50	.203	✓
330-266	08-48	16	.705				2.00	.203	
310-516	08-15	16	5/8				2.50	.203	
345-109	09-21	16	1	3/8	2-9/16		2-1/2	.203	
325-811	08-18	16-1/16	3/4				2.50	.203	
350-124	09-28	16-1/16	3/4				2.00	.203	
360-844	09-28	16-1/16					2.50	.203	✓
345-005	09-20	16-1/8	3/4	13/32	2-9/16		2.00	.203	
345-106	09-19	16-1/8	3/4	13/32	2-9/16		2.00	.203	
305-623	09-14	16-1/8	3/8				2.00	.134	
335-044	09-21	16-1/8	.795				2-1/2	.204	
305-453	08-03	16-3/16	5/8	none	none		2-1/2	.250	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
340-489	08-40	16-3/16	.950	.322	2-3/8		2.00	.150	
340-500	08-41	16-1/4	5/8				2.50	.204	
355-183	09-28	16-1/4	5/8	none	none		2.50	.250	
360-609	09-02	16-1/4	6 pt star (5/8)	none	none		2.50	.187	✓
360-001	08-27	16-1/4	15/16	none	none		2.50	.204	✓
325-880	08-18	16-1/4	3/4				2.50	.204	
340-003	08-41	16-1/4	5 pt star				2.50	.204	
355-040	08-27	16-1/4	15/16				2.50	.204	
335-455	09-02	16-1/4	6 pt star (5/8)	5/16	2-1/2		3.00	.125	
335-452	09-29	16-1/4	6 pt star (5/8)	3/8	2-1/2		2.50	.150	
360-916	09-28	16-1/4	5/8				2.50	.204	✓
355-035	08-27	16-1/4	15/16				3	.204	
355-031	08-27	16-1/4	15/16				2.50	.204	
325-142	08-18	16-1/4	3/4				3.00	.203	
310-102	08-12	16-1/4	5/8				2.50	.203	
335-525	09-02	16-1/4	6pt star (11/16)	5/16	2-1/2		3.00	.125	
355-028	09-28	16-1/4	5/8				2.50	.204	
335-117	09-02	16-1/4	13/32	5/16	2-1/2		3.00	.149	
355-033	08-27	16-1/4	15/16				3	.204	
325-885	09-29	16-1/4	6 pt star (5/8)	3/8	2-1/2		2.50	.203	
360-516	08-41	16-1/4	5 pt star	none	none		2-1/2	.204	✓
330-030	09-22	16-1/2	13/16	none	none		2-1/4	.149	
345-450	09-29	16-1/2	5/8	none	none		2-1/4	.160	
340-316	08-41	16-1/2	.472				2.36	.160	
335-130	09-22	16-1/2	.800	none	none		2	.204	
340-109	09-16	16-1/2	5/8				2.50	.203	
340-113	09-16	16-1/2	5/8				3.00	.204	
310-197	08-15	16-1/2	5/8				2.50	.203	
330-696	09-22	16-1/2	5/8				2.50	.203	
340-313	08-41	16-1/2	.403	.331	1.6		2.00	.164	
345-502	09-29	16-1/2	5/8				2-1/2	.250	
335-120	09-21	16-1/2	3/8				2.75	.160	
325-003	08-37	16-1/2	1.09	.24 x .33	1.96		2.25	.095	
360-917	09-22	16-1/2	5/8				2.50	.204	✓
325-868	08-19	16-1/2	3/4	5/16	2-1/2		2.50	.204	
305-171	08-26	16-1/2	3/4	13/32	3-1/8	✓	2.25	.187	
325-881	08-19	16-1/2	3/4				3.00	.203	
325-856	08-19	16-1/2	3/4	5/16	2-1/2		2.50	.203	
325-859	08-19	16-1/2	3/4				2.50	.203	
340-100	09-29	16-1/2	5/8	none	none		2-1/2	.240	
340-570	08-06	16-9/16	1-1/4	15/32	3		2.50	.187	
340-612	08-06	16-9/16	5/8	5/16	1-3/8		2.50	.120	
330-373	09-18	16-5/8	13/16				2.50	.204	
330-383	09-18	16-5/8	13/16				2.50	.204	
305-603	08-03	16-5/8	3/4				2.50	.180	
305-771	08-03	16-5/8	3/4				2.50	.204	
330-563	08-56	16-5/8	11/16	.338	1-1/2		2.00	.204	
330-447	09-18	16-5/8	3/4				2.50	.203	
360-432	09-18	16-5/8	13/16				2.50	.203	✓
340-053	08-41	16-5/8	5 pt star				2.50	.203	
330-435	08-56	16-5/8	.718				2.00	.203	
360-506	08-41	16-5/8	5 pt star				2.50	.203	✓
340-077	08-41	16-5/8	5 pt star				2.50	.204	
330-371	08-48	16-5/8	13/16				2.50	.203	
330-434	08-56	16-5/8	29/32	none	none		2.50	.250	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
330-495	08-56	16-5/8	.718				2.00	.250	
330-497	08-56	16-5/8	23/32	none	none		2-1/2	.250	
330-498	08-56	16-11/16	.715	None	None		2-1/2	.250	
355-000	09-26	16-11/16	3 lobed	none	none		2.362	.134	
330-433	08-56	16-11/16	.718				2.00	.250	
305-464	08-03	16-11/16	3/4				2-1/2	.203	
345-082	09-20	16-11/16	3/4	13/32	3-1/16	✓	2.00	.150	
345-751	09-37	16-3/4	5/8			✓	1.75	.203	
345-003	09-20	16-3/4	1			✓	2.50	.203	
330-428	08-57	16-3/4	5/8				1.75	.203	
335-123	09-22	16-15/16	1/2				2.50	.203	
335-136	09-22	16-15/16	1/2				2.50	.203	
320-240	08-34	17	5/8				2.50	.240	
360-923	08-34	17	5/8				2.50	.204	✓
315-442	08-24	17	5/8				2.50	.204	
320-204	08-34	17	5/8				2.50	.240	
310-505	08-15	17	5/8				2.50	.250	
345-505	09-29	17	5/8				2.50	.250	
360-475	08-48	17	11/16	13/32	3-11/16		2-1/2	.187	✓
330-300	08-49	17	.800				2-1/2	.203	
345-124	09-20	17	3/4	13/32	2-9/16		2.00	.187	
325-861	08-19	17	3/4				3.00	.204	
310-366	08-16	17	7/8 x 1-1/4				2.50	.188	
360-446	08-49	17	7 pt star				2-1/2	.187	✓
330-408	08-48	17	11/16	13/32	3-11/16		2-1/2	.164	
330-410	08-49	17	7 pt star				2-3/4	.160	
350-199	09-29	17	5/8				2.00	.204	
320-251	08-34	17	5/8				2.50	.240	
315-165	08-24	17	5/8				2.50	.203	
310-300	08-13	17	3/8	3/8	2-3/4		2.00	.204	
320-515	08-34	17	5/8				2.00	.203	
340-317	08-41	17	.472				2.36	.134	
330-314	08-48	17	11/16	13/32	3-11/16		2-1/2	.164	
330-321	08-49	17	7 pt star	none	none		2-1/2	.187	✓
360-476	08-49	17	.800	none	none		3.00	.250	✓
360-454	08-49	17	.800				2-1/2	.203	✓
330-379	08-49	17-1/16	7/8	none	none		3	.240	
360-470	08-49	17-1/16	7/8	none	none		2-1/2	.250	✓
360-430	08-49	17-3/16	11/16	none	none		3.00	.250	✓
330-308	08-49	17-3/16	11/16				2-1/2	.204	
325-845	08-19	17-3/16	3/4				2.50	.203	
340-172	08-41	17-1/4	.405				2.345	.204	
335-554	09-03	17-1/4	3/8	5/16	2-1/2		2.00	.150	
335-451	09-03	17-1/4	6 pt star (5/8)	5/16	2-1/2		2.50	.187	
325-500	09-03	17-1/4	6 pt star (5/8)	none	none		2.50	.150	
360-509	08-42	17-3/8	5 pt star				2.25	.149	✓
340-381	08-42	17-3/8	5 pt star				2.25	.187	
340-380	08-42	17-3/8	5 pt star				2.25	.149	
340-125	08-41	17-3/8	3/8				2.25	.187	
320-244	08-35	17-7/16	5/8				2-1/4	.187	
355-036	08-28	17-1/2	15/16				3.00	.204	
345-212	09-29	17-1/2	5/8				2.25	.164	
345-210	09-29	17-1/2	5/8				2.25	.170	
360-845	09-29	17-1/2	5/8				2.25	.187	✓
360-573	09-27	17-1/2	13/32	13/32	3.00		2.50	.187	✓
345-214	09-29	17-1/2	5/8	none	none		2-1/4	.160	
355-045	08-28	17-1/2	15/16				3.00	.204	
325-829	08-20	17-5/8	3/4				2.50	.203	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
320-511	08-35	17-11/16	5/8				2.00	.240	
320-512	08-35	17-11/16	5/8				2.50	.240	
335-092	09-18	17-11/16	27/32				2.25	.150	
340-060	08-42	17-3/4	5 pt star				2.5	.204	
325-168	08-20	17-7/8	3/4				2.50	.204	
310-089	08-13	17-7/8	1/2 x 3/4				2.00	.203	
325-507	09-30	17-7/8	6 pt star (5/8)				2.50	.187	
325-510	09-30	17-7/8	6 pt star (5/8)				2-1/2	.150	
325-511	09-03	17-7/8	6 pt star (5/8)	none	none		2-1/2	.149	
360-076	09-30	17-7/8	6 pt star (5/8)				2-1/2	.187	✓
340-318	08-42	17-7/8	1/2				2.36	.204	
325-505	08-20	17-7/8	Bow Tie				2.5	.164	
360-075	08-20	17-7/8	3/4				2.50	.187	
325-887	08-20	17-7/8	3/4				2.375	.164	
325-506	08-20	17.9	3/4				2.375	.187	
360-913	09-38	18	1/2				2.50	.203	✓
340-004	08-42	18	5 pt star				2.50	.204	
345-553	09-30	18	5/8				2.50	.250	
360-410	09-30	18	1/2				2.50	.203	✓
340-633	09-16	18	5/8				2.50	.203	
315-235	09-22	18	5/8				2.00	.240	
360-918	09-30	18	5/8				2-1/2	.204	✓
345-018	09-30	18	1/2				2.50	.187	
355-218	09-31	18	5/8				2.50	.204	
340-252	08-07	18	5 pt star				2.25	.187	
340-253	08-07	18	6 pt star			✓	2.25	.187	
320-323	08-33	18	1/2				2.50	.240	
335-448	09-03	18	15/16 x 11/16	5/16	2-1/2		2.25	.134	
335-446	09-03	18	15/16 X 11/16	5/16	2-1/2		1.75	.125	
300-129	08-01	18	1	3/8 x 1-1/2			2.25	.149	
300-186	08-01	18	1	3/8 x 1-1/2			2.25	.149	
300-004	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
300-061	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
310-052	09-22	18	5/8	none	none		2.50	.250	
300-533	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
355-067	09-31	18	15/16				2.50	.204	
355-041	09-31	18	15/16				2.50	.204	
310-110	08-49	18	5/8				2.50	.203	
330-647	08-50	18	5/8				2-1/2	.203	
340-121	09-16	18	5/8				3.00	.203	
355-016	09-22	18	5/8	none	none		2.50	.150	
345-439	09-30	18	5/8				2.00	.187	
320-546	09-37	18	1/2				2.00	.203	
355-020	08-28	18	1/2				2.50	.203	
320-274	08-36	18	3/8				2.50	.187	
340-158	09-16	18	5/8				2.50	.203	
345-462	09-30	18	1/2				2.50	.187	
345-470	09-30	18	5/8				2.00	.203	
335-562	09-03	18	3/8	5/16	2-1/2		2.00	.150	
360-029	09-17	18	5/8				2.50	.204	✓
345-464	09-31	18	5/8				2.50	.187	
360-846	09-31	18	5/8				2.50	.187	✓
360-008	09-31	18	15/16	none	none		3	.250	✓
360-003	09-31								

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
360-003	09-31	18	15/16	none	none		2-1/2	.204	✓
340-487	08-42	18	.680				2.25	.125	
320-550	09-38	18	1/2	none	none		2.50	.240	
345-452	09-31	18	5/8	none	none		2-1/2	.250	
305-451	08-04	18	5/8	none	none		2-1/2	.250	
355-002	09-26	18-1/8	3 lobed	none	none		2.52	.134	
305-649	09-15	18-1/8	3/8				2.00	.134	
355-030	09-26	18-1/8	.385	.326	2.12		2.00	.134	
345-006	09-23	18-9/64	3/4	13/32	2-9/16		2.00	.203	
305-524	09-15	18-5/32	3/8				2.00	.140	
340-588	08-07	18-3/16	3/8				2.50	.134	
340-153	08-42	18-3/16	5 pt star				2.25	.144	
335-170	09-04	18-3/16	13/32	5/16	2-1/2		3.00	.150	
360-513	08-42	18-3/16	5 pt star				2-1/2	.187	✓
325-005	08-38	18-3/16	.831	.416	3.45		2.25	.150	
340-154	08-42	18-3/16	5 pt star				2.25	.187	
340-016	08-43	18-13/64	3/8				2.25	.187	
335-810	09-10	18-1/4	7/8 x 1				2.25	.149	
335-115	09-10	18-1/4	7/8 x 1				2.25	.149	
340-182	08-43	18-1/4	5 pt star				2-1/2	.187	
360-715	09-10	18-1/4	7/8 X 1				2.25	.187	✓
325-159	08-20	18-5/16	3/4				2.50	.203	
325-007	08-38	18-7/16	.836	.564	3.469		2.25	.150	
305-457	08-04	18-7/16	5/8	none	none		2-1/2	.203	
340-146	08-43	18-1/2	5 pt star				2.50	.204	
335-045	09-23	18-1/2	.795				2-1/2	.204	
360-608	09-04	18-1/2	6 pt star (5/8)	5/16	2-1/2		3	.203	✓
325-314	08-21	18-1/2	3/4				3.00	.203	
325-047	08-38	18-1/2	.831	.416	3-1/2		2.25	.150	
340-148	08-08	18-1/2	5 pt star				2.25	.150	
360-502	08-43	18-1/2	5 pt star				2.50	.187	✓
320-101	08-59	18-1/2	3/8				2.50	.134	
335-475	09-04	18-1/2	6 pt star (5/8)	5/16	2-1/2		3.00	.204	
340-180	08-43	18-1/2	5 pt star				3.00	.187	
310-164	08-14	18-1/2	3/4				2.50	.187	
345-108	09-20	18-1/2	3/4	13/32	2-9/16		2.00	.187	
345-116	09-20	18-1/2	3/4	13/32	2-9/16		2.50	.187	
330-384	08-50	18-5/8	13/16				2.50	.204	
330-365	09-18	18-5/8	13/16				2.50	.204	
360-986	08-57	18-5/8	1-1/8				3.00	.250	✓
360-447	08-50	18-5/8	7 pt star				2-1/2	.187	✓
330-412	08-50	18-5/8	7 pt star				2-3/4	.187	
360-406	09-18	18-5/8	13/16				2.50	.204	✓
330-436	08-57	18-5/8	1-1/8				2.50	.250	
325-009	08-38	18-5/8	.831	.416	3.45		2.25	.150	
330-381	08-50	18-5/8	13/16				2.50	.203	
360-984	08-57	18-5/8	.718	none	none		2.50	.250	✓
330-440	08-57	18-5/8	.890	none	none		2-1/2	.250	
330-442	08-57	18-5/8	.890	none	none		2-1/2	.250	
330-554	08-57	18-5/8	23/32	none	none		2-1/2	.250	
360-989	08-57	18-5/8	7/8	none	none		3.00	2.50	✓
325-501	09-04	18-5/8	6 pt star (5/8)	none	none		2.50	.150	
330-278	08-50	18-11/16	1 x 1-1/8				2.50	.204	
345-400	09-31	18-3/4	5/8	none	none		2-1/4	.164	
350-157	09-31	18-3/4	3/4				2.00	.203	
355-001	09-31	18-3/4	5/8	none	none		2-1/4	.164	
310-298	08-14	18-3/4	3/8	3/8	2-3/4		2	.187	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
360-415	09-31	18-3/4	5/8	none	none		2-1/2	.187	✓
360-478	08-51	18-7/8	13/16	none	none		2-1/2	.240	✓
330-354	08-51	18-7/8	13/16				2-3/4	.250	
360-402	08-51	18-7/8	13/16				3	.250	✓
340-488	08-43	18-15/16	.950	.332	2-3/8		2.00	.150	
330-480	08-51	19	7/8				2.50	.250	
360-672	08-51	19	7/8				2.50	.240	✓
345-043	09-32	19	1/2	none	none		2-1/2	.250	
325-862	08-21	19	3/4				3.00	.204	
360-848	09-32	19	1/2	none	none		2-1/2	.250	✓
330-345	08-37	19	7/16	13/32	1-5/8		2.00	.155	
345-330	09-32	19	7/16				2.25	.140	
345-256	09-29	19	7/16				2.00	.140	
335-570	09-04	19	3/8	5/16	2-1/2		2.00	.150	
340-007	08-43	19	5/8				3	.240	
340-001	08-43	19	5/8				2-1/2	.240	
300-541	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-079	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-012	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-194	08-01	19	1	3/8 x 1-1/2			2.25	.149	
300-137	08-01	19	1	3/8 x 1-1/2			2.25	.149	
335-830	09-10	19	13/32	13/32	1-7/8		2.125	.150	
310-069	08-16	19	1/2	none	none		2-1/2	.250	
335-447	09-04	19	Bow Tie	5/16	2.50		2.25	.125	
330-304	08-51	19	7/8				3.00	.250	
360-400	08-51	19	7/8				3.00	.250	✓
340-319	08-43	19-1/8	.488	.342			2.36	.240	
335-430	09-04	19-1/4	6 pt star (5/8)	5/16	2-1/2		2-1/4	.164	
345-038	09-32	19-1/4	5/8				2.50	.187	
340-164	08-44	19-5/16	5 pt star				2.25	.187	
335-549	09-04	19-5/16	6 pt star (5/8)	none	none		2.75	.149	
360-610	09-04	19-5/16	6 pt star (5/8)	5/16	2-1/2		2.75	.149	✓
360-501	08-44	19-5/16	5 pt star				2.50	.187	✓
360-802	09-32	19-5/16	5/8				2.50	.187	✓
335-610	09-04	19-5/16	6 pt star (5/8)	none	none		3.00	.149	
360-510	08-44	19-5/16	3/8				2.25	.187	✓
340-162	08-44	19-5/16	5 pt star				2.25	.149	
340-022	08-44	19-5/16	3/8				2.25	.187	
340-133	08-09	19-5/16	3/8				2.25	.149	
340-240	08-09	19-5/16	1-1/4	15/32	3		2.25	.149	
340-079	08-44	19-5/16	5 pt star				2.25	.134	
345-165	09-32	19-5/16	5/8				2.50	.187	
340-081	08-44	19-5/16	5 pt star				2.25	.150	
360-800	09-32	19-5/16	5/8				2.50	.187	✓
335-121	09-10	19-3/8	13/32	none	none		2.25	.134	
340-042	08-09	19-3/8	3/8				2.25	.187	
335-877	09-05	19-3/8	13/32	5/16	2-1/2		3.00	.150	
335-790	09-05	19-3/8	13/32	7/16	2-1/2		3.00	.149	
325-167	08-21	19-3/8	3/4				3.00	.203	
325-175	08-21	19-3/8	3/4				3.00	.203	
325-857	08-21	19-3/8	3/4	5/16	2-1/2		2.75	.187	
325-183	08-21	19-3/8	3/4	5/16	2-1/2		3.00	.204	
335-493	09-05	19-3/8	13/32	5/16	2-1/2		3.00	.149	
325-058	08-38	19-7/16	.825	.413	3-15/32		2.75	.160	
335-197	09-23	19-7/16	1				2.25	.203	
325-050	08-38	19-7/16	.825	.413	3-15/32		2.25	.150	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
325-068	08-38	19-1/2	.630				2.75	.203	
325-076	08-38	19-1/2	.630				2.75	.203	
320-341	08-59	19-1/2	1-1/8	25/64	3-1/4		2.50	.134	
335-008	09-11	19-1/2	27/32				2.25	.150	
335-182	09-11	19-1/2	27/32				2.25	.134	
330-316	08-52	19-1/2	11/16				3.00	.204	
330-290	08-52	19-1/2	11/16				2.50	.204	
335-118	09-11	19-1/2	27/32				2.25	.187	
335-003	09-11	19-1/2	27/32				2.75	.134	
330-403	08-52	19-1/2	11/16				2.50	.204	
335-021	09-11	19-1/2	27/32				2.25	.134	
360-702	09-10	19-1/2	27/32				2.25	.187	✓
330-292	08-52	19-1/2	11/16				3.00	.204	
360-290	08-52	19-1/2	11/16				3	.203	✓
355-032	08-29	19-1/2	15/16				3.00	.204	
330-413	08-51	19-1/2	7 pt star	none	none		3.00	.203	
330-418	08-51	19-1/2	7 pt star				2.50	.203	
360-448	08-51	19-1/2	7 pt star				3.00	.203	✓
360-449	08-51	19-1/2	7 pt star				2.50	.203	✓
360-493	08-51	19-1/2	7 pt star	none	none		3.00	.250	✓
340-047	08-43	19-5/8	5 pt star				2-1/4	.150	
340-048	08-43	19-5/8	6 pt star			✓	2-1/4	.150	
305-599	09-15	19-11/16	3/8				2.00	.134	
305-631	09-15	19-11/16	3/8				2.00	.134	
345-050	09-32	19-3/4	7/16	3/8	2-7/16		2-1/4	.129	
325-753	08-21	19-7/8	3/4	1/2	2-1/4		2.00	.187	
340-041	08-09	19-15/16	5/8	3/8	1-7/8		2-1/2	.149	
335-760	09-11	19-15/16	13/32	13/32	2-1/2		2.25	.150	
340-012	08-44	19-15/16	5/8	3/8	1-7/8		2-1/2	.149	
360-903	08-44	19-15/16	5/8	3/8	1-7/8		2.50	.149	✓
340-051	08-44	20	5/8	3/8	1-7/8		2.25	.134	
355-095	09-37	20	5/8	13/64	3		2.75	.164	
345-060	09-32	20	5/8	none	none		2-1/2	.250	
335-022	09-11	20	3/8				2.25	.150	
335-438	09-05	20	Bow Tie	5/16	2-1/2		2.25	.125	
335-439	09-05	20	Bow Tie	5/16	2-1/2		2.25	.125	
335-010	09-05	20	.822	3/8	2-1/2		2.25	.125	
335-001	09-05	20	.822	3/8	2-1/2		2.25	.134	
335-720	09-05	20	.822	3/8	2-1/2		2.25	.134	
340-174	09-17	20	5/8				2.50	.204	
335-745	09-05	20	3/4	3/8	2-1/2		2.00	.150	
340-075	08-09	20	3/8				2.50	.149	
335-943	09-05	20	.822	3/8	2-1/2		2.00	.150	
340-044	08-44	20	5/8	3/8	1-7/8		2.00	.134	
325-779	08-22	20	3/4				2.50	.203	
315-515	08-32	20	3/8				1.75	.150	
330-795	08-59	20	5/8				2.50	.134	
360-803	09-32	20	1/2				2-1/2	.250	✓
300-525	08-01	20	3/8	3/8 x 1-1/2			2.25	.149	
300-145	08-01	20	1	3/8 x 1-1/2			2.25	.149	
300-418	08-01	20	3/8	3/8 x 1-1/2			2.00	.149	
300-020	08-01	20	3/8	3/8 slot	3/8 slot		2-1/4	.149	
300-087	08-01	20	3/8	3/8 x 1-1/2			2.25	.149	
360-809	09-32	20	5/8	none	none		2-1/2	.203	✓
345-769	09-38	20-3/16	5/8				2.00	.204	
345-777	09-38	20-1/4	5/8			✓	2.00	.204	
305-141	08-16	20-1/4	3/4				2.00	.250	
345-275	09-33	20-1/4	7/16				2.25	.134	
305-277	09-15	20-1/4	3/8				2.00	.187	
305-247	08-04	20-5/16	3/4				2.50	.204	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
325-017	08-39	20-5/16	.804	13/32	3-15/32		2.25	.134	
335-024	09-11	20-5/16	27/32				2.25	.134	
360-719	09-11	20-5/16	27/32				2.50	.187	✓
305-708	09-15	20-5/16	3/8				2.00	.134	
335-608	09-06	20-23/64	27/64	21/64	2-1/2	✓	2.00	.150	
360-704	09-12	20-3/8	27/32				2.25	.187	✓
330-550	08-57	20-3/8	.718	none	none		2.50	.203	
335-104	09-11	20-3/8	27/32				2.75	.134	
340-786	09-19	20-3/8	3/8	3/8	2		2.50	.187	
335-016	09-12	20-3/8	27/32				2.25	.187	
335-030	09-11	20-3/8	27/32				2.25	.150	
335-166	09-12	20-3/8	27/32				2.25	.134	
355-246	09-27	20-13/32	13/32	5/16	2-1/8		3-5/16	.095	
330-548	08-57	20-7/16	11/16				2.00	.204	
325-144	08-22	20-31/64	3/4				3.00	.203	
360-077	08-22	20-31/64	3/4				3.00	.203	✓
310-506	08-29	20-1/2	5/8				2.50	.250	
330-518	08-57	20-1/2	15/16				2.25	.240	
345-555	09-33	20-1/2	5/8				2.50	.250	
355-732	09-27	20-1/2	.655 X .755				2.25	.187	
355-050	09-27	20-1/2	13/32	13/32	3		2.25	.187	
360-987	08-58	20-1/2	1-1/8				2.50	.250	✓
345-171	09-33	20-1/2	5/8				2.50	.204	
355-054	08-29	20-1/2	5/8				2.50	.204	
360-922	08-35	20-1/2	5/8				2.50	.204	✓
320-239	08-35	20-1/2	5/8				2.50	.240	
320-254	08-35	20-1/2	5/8				2.50	.240	
360-924	08-26	20-1/2	5/8				2.50	.204	✓
330-357	08-52	20-1/2	.906				2.50	.313	
330-282	08-52	20-1/2	25/32				2.00	.203	
320-523	08-35	20-1/2	1				2.25	.250	
320-564	08-35	20-1/2	5/8				2.00	.240	
305-722	08-04	20-1/2	11/16	3/8	3-3/4		2.75	.134	
360-401	08-52	20-1/2	.906				3	.250	✓
355-042	08-29	20-1/2	15/16				3.00	.204	
355-049	08-29	20-1/2	15/16				2.50	.240	
355-048	08-29	20-1/2	15/16				2.50	.240	
355-039	08-29	20-1/2	5/8				3.00	.204	
355-188	08-29	20-1/2	1/2				2.50	.204	
320-253	08-35	20-1/2	5/8				2.50	.240	
330-552	08-58	20-1/2	1-1/8				2.50	.250	
360-810	09-33	20-1/2	1/2	none	none		2-1/2	.250	✓
360-811	09-33	20-1/2	5/8	none	none		3.00	.250	✓
360-002	08-29	20-1/2	15/16	none	none		2-1/2	.204	✓
330-444	08-58	20-1/2	.890	none	none		2-1/2	.250	
330-534	08-58	20-1/2	.715	none	none		2-1/2	.250	
360-580	09-27	20-1/2	13/32	13/32	3		3	.250	✓
330-241	08-58	20-1/2	11/16	none	none		2.375	.203	
330-553	08-58	20-1/2	1-1/8				2.50	.250	
345-110	09-23	20-9/16	1	3/8	2-9/16		2-1/2	.203	
305-730	08-35	20-9/16	3/8				2.75	.140	
360-030	08-35	20-9/16	3/8				2.75	.164	✓
325-011	08-38	20-5/8	.831	.416	3.455		2.25	.150	
325-060	08-38	20-43/64	.844	.563	3.469		2.25	.160	
345-433	09-38	20-11/16	5/8				2.50	.240	
330-419	08-58	20-11/16	3/4	9/16	3-17/32		2.25	.150	
335-042	09-23	20-11/16	3/8	3/8	2-3/4		2.75	.160	
335-240	09-23	20-11/16	3/8	3/8	2-3/4		2.75	.160	
335-356	09-23	20-11/16	3/8	3/8	2-3/4		2.75	.160	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
350-603	09-38	20-3/4	3/4 x 1-1/4				2.25	.250	
325-852	08-22	20-3/4	3/4				2.50	.204	
355-046	08-30	20-3/4	15/16				3.00	.204	
335-028	09-12	20-3/4	13/32				2.25	.134	
325-056	08-38	20-3/4	1-1/4	9/16	3-1/2		2.75	.134	
335-234	09-23	20-3/4	3/8	none	none		2-1/2	.149	
355-034	08-30	20-3/4	15/16				3.00	.204	
335-007	09-12	20-13/16	13/32				2.25	.134	
325-296	08-34	20-7/8	.845	.415	3-7/16		2.25	.150	
350-538	09-38	20-7/8	3/4 x 1-1/4	5/16	3	✓	2.25	.240	
330-348	08-52	20-7/8	7/8	3/8	3-11/16		2-3/4	.134	
335-806	09-12	20-7/8	13/32				2.75	.150	
335-869	09-12	20-7/8	13/32	13/32	2-1/2		2.25	.150	
330-845	08-59	20-7/8	5/8	17/32	2-9/16		3.00	.134	
330-779	08-59	20-7/8	5/8				2.50	.134	
325-001	08-38	20-7/8	.845	.415	3-7/16		2.25	.150	
315-523	08-32	20-7/8	3/8	3/8 x 1-1/2	3		1.75	.150	
345-051	09-33	20-7/8	7/16	3/8	2-7/16		2.25	.150	
360-804	09-33	20-7/8	7/16	3/8	2-7/16		2.25	.149	✓
325-057	08-39	20-7/8	.845	.415	3-7/16		2.25	.160	
325-021	08-39	20-7/8	.830	13/32	3-15/32		2.25	.095	
360-300	08-52	20-7/8	7/8	3/8	3-11/16		2.750	.149	✓
325-013	08-39	20-29/32	.780	.535	3.6		4.125	.095	
310-081	08-14	20-15/16	1/2	3/8	2-1/2		2.00	.187	
335-002	09-06	20-15/16	.822	3/8	2-1/2		2.00	.134	
360-420	09-34	20-15/16	7/16	3/8	2-7/16		2.25	.150	✓
345-496	09-34	20-15/16	7/16	3/8	2-7/16		2.25	.134	
345-203	09-33	20-15/16	7/16	3/8	2-7/16		2.25	.134	
335-607	09-06	20-23/24	27/64	21/64	2-1/2		2.00	.150	
325-023	08-39	21	1-17/64	13/32	3-15/32		2.625	.095	
360-500	08-45	21	5 pt star				2.50	.187	✓
335-450	09-06	21	Bow Tie	5/16	2-1/2		2.25	.134	
340-626	09-17	21	5/8				2.50	.204	
340-628	09-17	21	5/8				2-1/2	.203	
340-179	08-45	21	5 pt star				2.25	.187	
335-741	09-06	21	Bow Tie	5/16	2-1/2		2.25	.134	
360-921	09-17	21	5/8				2.50	.203	✓
310-072	08-13	21	5/8				2.50	.250	
340-484	08-09	21	5 pt star				5-5/8	.150	
340-485	08-09	21	6 pt star			✓	5-5/8	.150	
340-254	08-45	21	5/8	3/8	1-7/8		2.25	.134	
330-479	08-53	21	.906				2.50	.313	
360-078	08-53	21	.906				2.50	.250	✓
340-065	08-45	21	5 pt star				2.50	.204	
360-104	08-16	21	1/2				3.00	.250	✓
360-915	09-38	21	1/2				2.50	.250	✓
340-069	08-45	21	5 pt star				2.25	.150	
325-863	08-22	21	3/4				3.00	.204	
340-020	08-45	21	5/8				2.50	.203	
330-458	08-53	21	3/8	.480	2		2-3/4	.125	
310-071	08-16	21	1/2				2.25	.250	
320-547	09-38	21	1/2				2.50	.250	
330-001	08-37	21	3/8	3/8	2		2.50	.187	
335-814	09-06	21	.822	3/8	2-1/2		2.25	.125	
340-066	08-45	21	5 pt star				2.25	.134	
345-348	09-34	21	7/16				2.25	.134	
345-397	09-34	21	7/16	3/8	2-7/16		2.25	.134	
340-178	08-45	21	5 pt star				2.25	.149	
335-935	09-06	21	.822	3/8	2-1/2		2.50	.187	
335-596	09-06	21	3/8	5/16	2-1/2		2.00	.150	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
310-078	09-24	21	5/8	none	none		2.50	.250	
310-086	08-13	21	5/8				2.50	.250	
325-019	08-39	21	.845	.415	3-7/16		2.25	.149	
330-019	08-37	21	7/16	15/32	1-5/8		2.00	.149	
330-118	08-37	21	3/8	15/32	1-5/8		2.00	.164	
310-037	08-12	21	3/8	3/8	2		2.50	.150	
300-095	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
300-038	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
300-426	08-01	21	3/8	3/8 x 1-1/2			2.00	.149	
300-517	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
360-451	08-53	21	.906				3.00	.250	✓
340-071	08-10	21	5/8	3/8	1-7/8		2.75	.134	
340-177	08-45	21	5 pt star				2.25	.187	
360-499	08-45	21	5 pt star				3.00	.164	✓
335-217	09-24	21	13/16	3/8	2-1/2		2-1/4	.134	
360-105	09-06	21	bow-tie	5/16	2-1/2		3	.149	✓
360-515	08-45	21	5 pt star	none	none		2-1/2	.204	✓
325-032	08-39	21	.804	.415	3.378		4-1/4	.110	
335-432	09-06	21-1/16	6 pt star (5/8)	5/16	2-1/2		2-1/4	.164	
340-057	08-46	21-1/8	5/8	3/8	1-7/8		2-3/4	.134	
360-507	08-10	21-1/8	5/8	3/8	1-7/8		2.50	.187	✓
325-512	08-23	21-3/16	6 pt star (5/8)	5/16	2-1/2		2.75	.187	
335-503	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.149	
360-622	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.164	✓
335-616	09-07	21-3/16	6 pt star (5/8)	none	none		3.00	.149	
335-551	09-07	21-3/16	6 pt star (5/8)	none	none		3.00	.149	
360-616	09-07	21-3/16	6 pt star (5/8)	5/16	2-1/2		2.50	.187	✓
335-067	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.149	
335-782	09-07	21-3/16	13/32	7/16	2-1/2		3.00	.149	
335-198	09-24	21-3/16	.798	none	none		2-1/4	.170	
360-919	09-24	21-3/16	.975				2-1/2	.160	✓
335-621	09-07	21-3/16	6 pt star	5/16	2-1/2		2-1/4	.187	
335-200	09-24	21-3/16	.975				2.25	.170	
335-617	09-07	21-3/16	6 pt star (5/8)	5/16	2-1/2		2.750	.149	
360-070	08-23	21-3/16	6 pt star (5/8)	none	none		2.75	.187	✓
325-888	08-23	21-3/16	6 pt star (5/8)				3.00	.164	
325-055	08-39	21-1/4	.804 (20mm)	.408 (10 mm)	3-1/2		3.125	.117	
335-005	09-13	21-1/4	27/32				2.75	.134	
325-860	08-23	21-1/4	3/8	17/32	4-1/2		2.50	.203	
335-020	09-13	21-1/4	27/32				2.25	.150	
335-162	09-13	21-1/4	27/32				2.25	.150	
325-876	08-23	21-1/4	3/4	5/16	2-1/2		3.00	.204	
360-701	09-18	21-1/4	27/32				2.25	.187	✓
335-167	09-13	21-1/4	27/32				2.25	.187	
335-019	09-18	21-1/4	27/32				2.25	.134	
325-858	08-23	21-1/4	3/4	5/16	2-1/2		2.75	.187	
330-032	09-24	21-5/16	13/16	none	none		2	.204	
360-914	09-24	21-5/16	13/16	none	none		2-1/2	.204	✓
330-386	08-53	21-3/8	13/16				2.750	.187	
360-450	08-53	21-3/8	7 pt star	none	none		3.00	.203	✓
330-411	08-53	21-3/8	7 pt star				2.75	.203	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
330-450	NEW	21-3/8	.800	none	none		3	.160	
330-446	08-53	21-3/8	13/16				2.50	.203	
330-339	09-18	21-3/8	11/16	13/32	3-11/16		2.50	.164	
360-404	08-54	21-3/8	11/16	13/32	3-45/64		2.50	.187	✓
330-414	08-48	21-3/8	7 pt star				2.75	.155	
360-403	08-54	21-3/8	13/16				2.75	.187	✓
360-407	08-54	21-3/8	13/16				2.50	.203	✓
360-405	09-19	21-7/16	11/16				2.50	.203	✓
330-449	09-19	21-7/16	11/16				2.50	.160	
360-462	09-34	21-1/2	1/2				2.50	.250	✓
330-415	08-54	21-1/2	7 pt star			✓	2.75	.187	
330-416	08-54	21-1/2	7 pt star				2.75	.187	
345-421	09-34	21-1/2	1/2				2.50	.187	
335-068	09-24	21-5/8	13/32	13/32	1-7/8		2.00	.135	
360-720	09-19	21-5/8	13/32				2.25	.187	✓
330-309	08-55	21-5/8	13/16				2.50	.250	
360-408	08-55	21-5/8	13/16				3.00	.250	✓
305-023	09-15	21-5/8	3/8				2.00	.187	
360-926	09-34	21-11/16	1/2				2-1/2	.250	✓
345-045	09-34	21-11/16	1/2				2.50	.250	
345-227	09-35	21-11/16	5/8				2.25	.160	
305-700	09-15	21-11/16	3/8				2.00	.134	
345-225	09-35	21-11/16	5/8				2.25	.164	
360-847	09-35	21-11/16	5/8				2.25	.160	✓
360-820	09-35	21-11/16	5/8				2.25	.164	✓
345-396	09-35	21-11/16	5/8	none	none		2-1/4	.160	
360-511	08-46	21-3/4	5/8	3/8	1-7/8		3	.149	✓
300-513	08-46	21-3/4	5/8	3/8	1-7/8		2.25	.155	
340-008	08-46	21-3/4	5/8	3/8	1-7/8		2.50	.149	
340-620	08-11	21-3/4	3/8				2.50	.149	
345-322	09-35	21-3/4	7/16				2.25	.150	
360-806	09-35	21-3/4	7/16				2.25	.150	✓
340-236	08-46	21-3/4	5/8	3/8	1-7/8		2.25	.134	
310-318	08-14	21-13/16	1/2	3/8	2-1/2		2.00	.187	
335-111	09-13	21-7/8	13/32	13/32	2-1/2		2.25	.150	
360-435	08-55	21-7/8	29/32				3	.250	✓
305-463	08-04	21-15/16	3/4				2.50	.203	
355-051	09-27	22	13/32	13/32	3		2.25	.187	
355-097	09-37	22	5/8	13/64	3	✓	2.75	.164	
355-098	09-37	22	5/8	13/64	3		2.75	.164	
335-642	09-08	22	15/16 x 11/16	5/16	2-1/2		2.25	.125	
335-722	09-08	22	.822	3/8	2-1/2		2.25	.125	
335-499	09-14	22	13/32				2.25	.149	
335-742	09-08	22	Bow Tie	5/16	2-1/2		2.25	.134	
355-170	09-35	22	.885	none	none		2-3/4	.187	
335-950	09-08	22	.822	3/8	2-1/2		2.00	.150	
335-497	09-08	22	3/4	3/8	2-1/2		2.00	.150	
335-737	09-08	22	13/32	5/16	2-1/2		2.00	.187	
300-434	08-01	22	3/8	3/8 x 1-1/2			2.00	.149	
300-509	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
300-046	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
300-103	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
340-376	08-46	22	5 pt star				2.25	.134	
355-171	09-35	22	.885	none	none	✓	2-3/4	.187	
340-023	08-46	22	5 pt star				2.5	.134	
335-236	09-25	22	3/8	none	none		2-1/2	.150	
360-512	08-46	22	5 pt star	none	none		2-1/2	.187	✓
345-054	09-35	22	1/2	none	none		2-1/2	.250	
345-055	09-35	22	1/2	none	none		2-1/2	.250	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
360-934	09-35	22	1/2	none	none		2-1/2	.187	✓
340-322	08-46	22-3/16	.489	.342			2.36	.240	
310-209	08-15	22-3/16	1/2	3/8	2-1/2		2.00	.187	
325-795	08-23	22-1/4	3/4				2.50	.203	
355-179	08-30	22-1/4	15/16				2-1/2	.187	
345-102	09-21	22-1/4	3/4	13/32	2-9/16		2.00	.203	
330-133	08-37	22-5/16	1/2	none	none		2-1/2	.250	
360-931	08-32	22-1/2	5/8	none	none		3	.250	✓
355-037	08-30	22-3/4	15/16				3.00	.204	
355-047	08-30	22-3/4	15/16				3.00	.204	
330-364	08-37	23	17/32	13/32	2-7/8		2.50	.250	
330-363	08-37	23	17/32	13/32	2-7/8	✓	2.50	.250	
340-006	08-46	23	5 pt star				2.75	.164	
340-010	08-46	23	5 pt star				2.25	.187	
360-508	08-46	23	5 pt star				2.75	.150	✓
335-470	09-08	23-1/4	6 pt star (5/8)				3	.150	
360-107	09-09	23-1/4	6 pt star (5/8)	none	none		3	.149	✓
335-467	09-09	23-1/4	6 pt star (5/8)	none	none		3-1/8	.149	
335-468	09-08	23-1/4	6 pt star (5/8)				2-1/2	.187	
305-494	08-36	23-3/4	1	none	none		2-1/2	.203	
335-472	09-09	24	6 pt star (5/8)	5/16	2-1/2		2-1/4	.125	
315-833	08-24	24	5/8				3.00	.250	
355-043	08-30	24-7/16	5/8				3.00	.204	
345-764	09-38	24-1/2	1			✓	2.50	.204	
355-044	08-31	24-1/2	15/16				3.00	.204	
355-129	08-31	24-1/2	15/16				3.00	.204	
330-571	08-58	24-1/2	15/16				2.50	.250	
340-129	09-17	24-1/2	5/8				2.50	.250	
320-519	08-36	24-1/2	5/8				2.50	.240	
360-004	08-31	24-1/2	15/16	none	none		2-1/2	.204	✓
360-007	08-31	24-1/2	15/16	none	none		3.00	.250	✓
345-412	09-36	24-1/2	5/8				3.00	.250	
360-808	09-36	24-1/2	1/2				2-1/2	.250	✓
330-427	08-58	24-1/2	1-1/8				2.50	.250	
360-995	09-36	24-9/16	5/8	none	none		3	.250	✓
345-434	09-38	24-5/8	5/8				2.50	.240	
345-223	09-36	24-3/4	1/2				2.50	.250	
360-824	09-36	24-3/4	1/2				2.50	.250	✓
355-038	08-31	24-3/4	15/16				3.00	.204	
335-687	09-09	24-7/8	3/8	5/16	2-1/2		2.50	.187	
330-688	08-55	24-15/16	.906	none	none		2-1/2	.313	
330-255	08-55	24-15/16	.906	none	none		2.50	.313	
360-436	08-55	24-15/16	29/32				3	.250	✓
355-099	09-37	25	5/8	13/64	3	✓	2.75	.187	
355-100	09-37	25	5/8	13/64	3		2.75	.187	
360-828	09-36	25	3/4				2.50	.250	✓
310-034	08-16	25	1/2				2.25	.250	
360-826	09-32	25	3/4			✓	2.50	.203	✓
330-134	08-37	25	7/16	13/32	2-7/8		2.50	.250	
310-060	08-47	25	5/8				2.50	.250	
335-398	09-25	25	1-1/16	17/32	7-1/2		2.75	.187	
345-314	09-36	25	3/4			✓	2.50	.250	
355-177	09-36	25	.885	none	none	✓	2-3/4	.187	
355-176	09-36	25	.885	none	none		2-3/4	.187	
345-180	09-36	25-3/16	1/2	none	none		2-1/2	.250	

BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
345-177	09-36	25-3/16	1/2				2.50	.250	
335-299	09-25	26	1-1/16	9/16	7-1/2		2.75	.187	
355-181	08-31	26	1/2			✓	2.50	.204	
355-182	08-31	26	1/2				2.50	.204	
335-134	09-09	26	13/32	5/16	2-1/2		3.00	.149	
305-493	08-04	26-55/64	29/64	25/64	4		2.75	.187	
360-497	08-55	27	13/16	none	none		3.00	.250	✓
360-830	09-37	27	1/2				2.50	.250	✓
305-805	08-05	28	3/4	3/8	11		2.75	.187	
335-289	09-25	28	1-1/16	9/16	7-1/2		2.75	.160	
330-399	08-55	29-1/2	11/16				2.50	.204	
330-329	08-55	29-1/2	11/16				2.50	.204	
325-053	08-39	29-9/16	.630	.480	4-5/16		2.75	.187	
340-005	08-47	29-5/8	5 pt star				2-1/4	.170	
360-514	08-47	29-5/8	5/8	none	none		3.00	.149	✓
305-468	09-15	29-7/8	1/2	25/64 x 15/16	2-11/16		2.75	.187	
305-839	08-05	30	3/4	3/8	11		2.75	.187	
335-454	09-09	30	6 pt star	21/64	2-1/2		2.75	.160	
335-215	09-14	30	27/32				2.75	.150	
360-930	09-25	30	1-1/16	9/16	7-1/2		2.75	.187	✓
360-707	09-14	30	27/32				2.50	.187	✓
335-281	09-25	30	7/8				2.75	.187	
335-004	09-14	30	7/8 x 1				2.75	.160	
335-307	09-25	30	1-1/16	9/16	7-1/2		2.75	.187	
335-646	09-09	30	3/8	5/16	2-1/2		3.00	.150	
335-116	09-14	30	7/8 x 1				2.25	.150	
335-135	09-14	30	27/32				2.25	.187	
335-330	09-14	30	27/32				2-3/4	.160	
345-338	09-37	31-3/8	5/8				2.50	.187	
345-413	09-37	31-3/8	5/8				2.50	.187	
305-847	08-05	32	3/4	25/64	11		2.75	.187	
335-293	09-25	33	1-1/16	9/16	7-1/2		2.75	.160	
335-331	09-25	33	1-1/16	9/16	7-1/2		2.75	.187	