

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole | Outer Hole | Centre/Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|-------------|------------|---------------|----|-------|------------|-------------|
| 355-010 | NLA    | 3-1/2    | 1/2         | none       | none          |    | 1.00  | .120       |             |
| 390-170 | 50-05  | 4-1/16   | 31/64       |            |               |    | XXX   | .150       |             |
| 330-100 | 08-34  | 4-1/8    | 1/2         | 7/32       |               |    | 3.00  | .120       |             |
| 355-701 | 08-26  | 4-3/16   | 9/16        |            |               |    | 1.00  | .117       |             |
| 335-729 | 09-01  | 6-7/16   | 3/8         |            |               |    | 1.50  | .090       |             |
| 355-187 | 08-26  | 7        | 1/2         |            |               |    | 2.50  | .160       |             |
| 305-680 | 09-14  | 9-5/8    | 3/8         |            |               |    | 2.00  | .134       |             |
| 355-180 | 08-26  | 10       | 1/2         |            |               |    | 2.50  | .187       |             |
| 325-761 | 08-18  | 10-1/4   | 3/4         |            |               |    | 2.50  | .203       |             |
| 345-128 | 09-25  | 10-1/2   | 5/8         |            |               |    | 2.50  | .134       |             |
| 325-787 | 08-18  | 11       | 3/4         |            |               |    | 2.50  | .203       |             |
| 330-874 | B-ref  | 11-1/16  | 41/64       | 3/8        | 2-19/32       |    |       | .075       |             |
| 345-009 | 08-03  | 11-9/16  | 1-3/8       | 25/64      | 3-1/16        | ✓  | 2.50  | .164       |             |
| 330-425 | 08-48  | 11-3/4   |             |            |               |    | 2.50  | .187       |             |
| 340-309 | 08-38  | 11-31/32 | .395        | .330       | 2.375         |    | 2.00  | .164       |             |
| 360-009 | 08-38  | 11-31/32 | .395        | .330       | 2.375         |    | 2.50  | .187       | ✓           |
| 350-025 | 09-25  | 12-1/8   | 3/4 x 5/8   | 1/4        | 1-5/8         |    | 2.00  | .203       |             |
| 350-132 | 09-25  | 12-1/8   | 3/4         | 1/4        | 1-5/8         |    | 2.00  | .203       |             |
| 355-027 | 09-24  | 12-1/4   | .397        | .335       | 3.25          |    | 2.00  | .150       |             |
| 335-798 | 09-01  | 12-1/2   | 1-1/2       | 29/64      | 2-1/2         |    | 3.50  | .125       |             |
| 340-118 | 08-33  | 12-21/32 | 5/8         |            |               |    | 2.50  | .203       |             |
| 305-250 | 08-03  | 12-7/8   | 1           | 13/32      | 2-9/16        | ✓  | 2.00  | .164       |             |
| 330-035 | 08-34  | 12-15/16 | 1/2         | 1/2        | 1-5/8         |    | 2.00  | .155       |             |
| 345-017 | 08-03  | 13       | 1-3/8       | 25/64      | 3-1/16        | ✓  | 2.50  | .164       |             |
| 310-268 | 08-12  | 13-1/2   | 3/8         | 21/64      | 2-11/16       |    | 2.00  | .187       |             |
| 310-755 | 08-17  | 13-3/4   | 1-1/4       | 13/32      | 2-5/8         | ✓  | 2.50  | .187       |             |
| 340-310 | 08-38  | 13-3/4   | .403        | .331       | 2.375         |    | 2.00  | .164       |             |
| 360-010 | 08-38  | 13-3/4   | .403        | .331       | 2.375         |    | 2.50  | .187       | ✓           |
| 305-786 | 08-03  | 13-7/8   | 5/8         |            |               |    | 2.25  | .149       |             |
| 305-783 | 08-03  | 13-7/8   | 5/8         |            |               |    | 2.00  | .204       |             |
| 320-507 | 08-32  | 13-7/8   | 5/8         |            |               |    | 2.00  | .204       |             |
| 350-116 | 09-25  | 13-7/8   | 3/4         |            |               |    | 2.00  | .203       |             |
| 360-843 | 09-25  | 13-7/8   | 3/4         |            |               |    | 2.50  | .203       | ✓           |
| 330-258 | 08-42  | 14       | 11/16       |            |               |    | 2.00  | .203       |             |
| 330-522 | NLA    | 14       | 3/4         |            |               |    | 2.50  | .187       |             |
| 350-041 | 09-25  | 14       | 3/4 x 5/8   | 1/4        | 1-5/8         |    | 2.00  | .203       |             |
| 330-382 | 08-42  | 14-1/16  | 11/16       |            |               |    | 2.50  | .204       |             |
| 350-033 | 09-25  | 14-1/8   | 3/4 x 5/8   | 1/4        | 1-5/8         |    | 2.00  | .203       |             |
| 350-140 | 09-25  | 14-1/8   | 3/4         | 1/4        | 1-5/8         |    | 2.00  | .203       |             |
| 315-002 | 08-24  | 14-3/8   | 45/64       |            |               |    | 2.00  | .187       |             |
| 345-112 | 09-26  | 14-15/32 | 3/4         |            |               |    | 2.50  | .187       |             |
| 305-573 | 09-14  | 14-1/2   | 3/8         |            |               |    | 2.00  | .134       |             |
| 315-006 | 08-24  | 14-1/2   | 45/64       |            |               |    | 2.50  | .187       |             |
| 315-036 | 08-24  | 14-1/2   | 45/64       |            |               |    | 2.50  | .187       |             |
| 315-044 | 08-24  | 14-1/2   | 45/64       |            |               |    | 2.00  | .187       |             |
| 315-242 | 08-23  | 14-1/2   | 5/8         |            |               |    | 2.50  | .203       |             |
| 320-259 | 08-50  | 14-1/2   | 1-1/8       | 25/64      | 3-1/4         |    | 2.50  | .187       |             |
| 325-803 | 08-18  | 14-1/2   | 3/4         |            |               |    | 2.50  | .203       |             |
| 345-090 | 09-19  | 14-1/2   | 3/4         | 25/64      | 3-1/16        | ✓  | 2.00  | .187       |             |
| 350-108 | 09-26  | 14-1/2   | 3/4         |            |               |    | 2.00  | .203       |             |
| 335-105 | 09-20  | 14-1/2   | 17/32       | 17/64      | 2-9/16        |    | 2.00  | .187       |             |
| 305-124 | 09-14  | 14-1/2   | 10 mm       | .345       | 3-1/4         |    | 2.00  | .170       |             |
| 355-007 | 09-24  | 14-1/2   | .399        | .334       | 3.24          |    | 2.00  | .150       |             |
| 355-026 | 09-24  | 14-1/2   | .397        | .335       | 3.25          |    | 2.00  | .150       |             |
| 360-900 | 08-24  | 14-1/2   | 45/64       |            |               |    | 2.50  | .203       | ✓           |
| 360-014 | 08-23  | 14-1/2   | 5/8         |            |               |    | 2.50  | .203       | ✓           |
| 320-051 | 08-29  | 14-9/16  | 3/8         |            |               |    | 2.50  | .164       |             |
| 345-025 | 08-03  | 14-9/16  | 1-3/8       | 25/64      | 3-1/16        | ✓  | 2.50  | .164       |             |
| 325-031 | 08-35  | 14-9/16  | .630        |            |               |    | 2.75  | .187       |             |
| 340-562 | 08-06  | 14-19/32 | 1-1/4       | 15/32      | 3             |    | 2.50  | .187       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|------------|----------------|----|-------|------------|-------------|
| 340-604 | 08-05  | 14-19/32 | 5/8          | 5/16       | 1-3/8          |    | 2.50  | .150       |             |
| 330-209 | 08-48  | 14-5/8   | 11/16        |            |                |    | 2.00  | .204       |             |
| 340-002 | 08-38  | 14-5/8   | 5 point star |            |                |    | 2.50  | .204       |             |
| 305-508 | 09-14  | 14-11/16 | 3/8          |            |                |    | 2.00  | .150       |             |
| 305-748 | 08-03  | 14-11/16 | 3/4          |            |                |    | 2.50  | .187       |             |
| 305-789 | 08-03  | 14-11/16 | 3/4          |            |                |    | 2.00  | .203       |             |
| 310-276 | 08-13  | 14-3/4   | 3/8          | 21/64      | 2-11/16        |    | 2.25  | .187       |             |
| 335-513 | 09-01  | 14-3/4   | 5/8          | 5/16       | 1-5/16         |    | 2.00  | .187       |             |
| 335-539 | 09-01  | 14-3/4   | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .187       |             |
| 335-125 | 09-02  | 14-13/16 | 13/32        | 5/16       | 2-1/2          |    | 3.00  | .149       |             |
| 335-533 | 09-02  | 14-13/16 | 11/16 star   | 5/16       | 2-1/2          |    | 3.00  | .120       |             |
| 350-853 | 09-34  | 14-13/16 | 3/4 x 1-1/4  |            |                | ✓  | 2.25  | .240       |             |
| 360-605 | 09-02  | 14-13/16 | 11/16 star   | 5/16       | 2-1/2          |    | 3.00  | .164       | ✓           |
| 335-449 | 09-02  | 14-13/16 | 5/8 star     | 5/16       | 2-1/2          |    | 3.00  | .120       |             |
| 360-607 | 09-02  | 14-13/16 | 5/8 star     | 5/16       | 2-1/2          |    | 3.00  | .164       | ✓           |
| 330-084 | 08-34  | 14-27/32 | 3/8          | 1/2        | 1-5/8          |    | 2.00  | .150       |             |
| 315-762 | 08-33  | 14-7/8   | 7/16         | 1/2        | 1-5/8          |    | 2.00  | .150       |             |
| 325-134 | 08-18  | 14-7/8   | 3/4          |            |                |    | 3.00  | .203       |             |
| 325-138 | 08-18  | 14-7/8   | 3/4          |            |                |    | 3.00  | .203       |             |
| 340-058 | 08-38  | 14-7/8   | 5/8          |            |                |    | 2.50  | .204       |             |
| 325-878 | 08-18  | 14-7/8   | 3/4          |            |                |    | 2.50  | .204       |             |
| 325-884 | 08-18  | 14-7/8   | 5/8 star     | 3/8        | 2-1/2          |    | 2.50  | .203       |             |
| 335-453 | 09-02  | 14-29/32 | 11/16 star   | 5/16       | 2-1/2          |    | 2.50  | .149       |             |
| 360-603 | 08-13  | 14-29/32 | 11/16 star   | 5/16       | 2-1/2          |    | 2.50  | .149       | ✓           |
| 335-000 | 09-01  | 14-15/16 | 3/4 x 1      |            |                |    | 2.00  | .149       |             |
| 320-545 | 09-32  | 15       | 1/2          |            |                |    | 2.00  | .203       |             |
| 320-330 | 08-31  | 15       | 1/2          |            |                |    | 2.50  | .240       |             |
| 335-851 | 09-09  | 15-1/32  | 7/8 x 1      |            |                |    | 2.25  | .125       |             |
| 335-786 | 09-09  | 15-3/32  | 7/8 x 1      |            |                |    | 2.25  | .150       |             |
| 325-837 | 08-18  | 15-1/8   | 3/4          |            |                |    | 2.50  | .203       |             |
| 355-069 | 08-26  | 15-1/4   | 15/16        |            |                |    | 2.50  | .204       |             |
| 335-794 | 09-09  | 15-1/4   | 7/8 x 1      |            |                |    | 2.25  | .149       |             |
| 355-015 | 08-26  | 15-1/4   | 5/8          |            |                |    | 2.50  | .204       |             |
| 355-070 | 08-26  | 15-1/4   | 15/16        |            |                |    | 2.50  | .204       |             |
| 305-268 | 08-03  | 15-5/16  | .867         | .406       | 2-9/16         |    | 2.00  | .164       |             |
| 310-326 | 08-13  | 15-5/16  | 3/8          | 3/8        | 2-3/4          |    | 2.00  | .187       |             |
| 330-555 | 08-48  | 15-5/16  | 11/16        | 11/32      | 1-1/2          |    | 2.00  | .204       |             |
| 335-547 | 09-02  | 15-5/16  | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .134       |             |
| 345-074 | 09-19  | 15-5/16  | 3/4          | 13/32      | 2-9/16         |    | 2.00  | .187       |             |
| 340-025 | 08-06  | 15-5/16  | 1-1/4        | 15/32      | 3              |    | 2.25  | .149       |             |
| 340-034 | 08-38  | 15-11/32 | 3/8          |            |                |    | 2.25  | .187       |             |
| 340-035 | 08-06  | 15-3/8   | 5 point star |            |                |    | 2.25  | .149       |             |
| 340-036 | 08-06  | 15-3/8   | 5 point star |            |                |    | 2.25  | .187       |             |
| 360-504 | 08-06  | 15-3/8   | 5 point star |            |                |    | 2.25  | .149       | ✓           |
| 345-454 | 09-26  | 15-1/2   | 5/8          |            |                |    | 2.50  | .187       |             |
| 345-039 | 09-26  | 15-1/2   | 5/8          |            |                |    | 2.50  | .203       |             |
| 340-092 | 08-06  | 15-1/2   | 5 point star |            |                |    | 2.25  | .160       |             |
| 340-495 | 08-06  | 15-1/2   | 5 point star |            |                |    | 2.25  | .160       |             |
| 360-885 | 09-26  | 15-1/2   | 5/8          |            |                |    | 2.50  | .203       | ✓           |
| 360-505 | 08-06  | 15-1/2   | 5 point star |            |                |    | 2.25  | .149       | ✓           |
| 355-490 | 09-24  | 15-1/2   | 3/4          |            |                |    | 2.50  | .312       |             |
| 345-114 | 09-26  | 15-1/2   | 5/8          |            |                |    | 2.50  | .187       |             |
| 310-763 | 08-17  | 15-9/16  | 1-1/4        | 13/32      | 2-5/8          | ✓  | 2.50  | .187       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|------------|----------------|----|-------|------------|-------------|
| 340-070 | 08-06  | 15-9/16  | 5 point star |            |                |    | 2.25  | .187       |             |
| 325-092 | 08-35  | 15-11/16 | .630         |            |                |    | 2.75  | .187       |             |
| 335-040 | 09-09  | 15-11/16 | 27/32        |            |                |    | 2.25  | .134       |             |
| 360-700 | 09-09  | 15-11/16 | 27/32        |            |                |    | 2.25  | .187       | ✓           |
| 335-038 | 09-09  | 15-3/4   | 27/32        |            |                |    | 2.25  | .187       |             |
| 335-012 | 09-09  | 15-3/4   | 27/32        |            |                |    | 2.25  | .187       |             |
| 325-879 | 08-18  | 15-7/8   | 3/4          |            |                |    | 3.00  | .204       |             |
| 310-516 | 08-15  | 16       | 5/8          |            |                |    | 2.50  | .203       |             |
| 310-771 | 08-17  | 16       | 1-1/4        | 13/32      | 2-5/8          | ✓  | 2.50  | .187       |             |
| 330-266 | 08-42  | 16       | 11/16        |            |                |    | 2.00  | .203       |             |
| 330-670 | 08-42  | 16       | 5/8          |            |                |    | 2.50  | .204       |             |
| 330-448 | 09-17  | 16       | 43/64        |            |                |    | 2.50  | .203       |             |
| 325-873 | 08-18  | 16       | 3/4          | 5/16       | 2-1/2          |    | 2.50  | .203       |             |
| 360-496 | 08-42  | 16       | 11/16        |            |                |    | 2.50  | .203       | ✓           |
| 360-492 | 09-17  | 16       | 11/16        |            |                |    | 2.50  | .203       | ✓           |
| 325-811 | 08-18  | 16-1/16  | 3/4          |            |                |    | 2.50  | .203       |             |
| 350-058 | 09-26  | 16-1/16  | 3/4 x 5/8    | 1/4        | 1-5/8          |    | 2.00  | .203       |             |
| 350-124 | 09-26  | 16-1/16  | 3/4          |            |                |    | 2.00  | .203       |             |
| 305-013 | 09-14  | 16-1/16  | 3/8          |            |                |    | 2.00  | .134       |             |
| 360-844 | 09-26  | 16-1/16  |              |            |                |    | 2.50  | .203       | ✓           |
| 305-516 | 09-14  | 16-1/8   | 3/8          |            |                |    | 2.00  | .134       |             |
| 305-623 | 09-14  | 16-1/8   | 3/8          |            |                |    | 2.00  | .134       |             |
| 345-106 | 09-19  | 16-1/8   | 3/4          | 13/32      | 2-9/16         |    | 2.00  | .203       |             |
| 345-005 | 09-19  | 16-9/64  | 3/4          | 13/32      | 2-9/16         |    | 2.00  | .203       |             |
| 335-919 | 09-02  | 16-3/16  | 13/32        | 5/16       | 2-1/2          |    | 3.00  | .149       |             |
| 340-489 | 08-38  | 16-3/16  | .950         | .322       | 2-3/8          |    | 2.00  | .150       |             |
| 340-490 | 08-38  | 16-3/16  | .405         | .330       | 2-3/8          |    | 2.00  | .150       |             |
| 335-455 | 09-03  | 16-15/64 | 5/8 star     | 5/16       | 2-1/2          |    | 3.00  | .120       |             |
| 360-609 | 09-03  | 16-15/64 | 5/8 star     | 5/16       | 2-1/2          |    | 3.00  | .120       | ✓           |
| 355-031 | 08-27  | 16-1/4   | 15/16        |            |                |    | 2.50  | .204       |             |
| 305-780 | 08-04  | 16-1/4   | 5/8          |            |                |    | 2.25  | .149       |             |
| 310-003 | 08-34  | 16-1/4   | 5/8          | 1/4        | 1-5/8          |    | 2.50  | .250       |             |
| 310-102 | 08-11  | 16-1/4   | 5/8          |            |                |    | 2.50  | .203       |             |
| 325-142 | 08-19  | 16-1/4   | 3/4          |            |                |    | 3.00  | .203       |             |
| 335-117 | 09-02  | 16-1/4   | 13/32        | 5/16       | 2-1/2          |    | 3.00  | .149       |             |
| 335-901 | 09-02  | 16-1/4   | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .149       |             |
| 335-525 | 09-03  | 16-1/4   | 11/16 star   | 5/16       | 2-1/2          |    | 3.00  | .120       |             |
| 355-028 | 08-26  | 16-1/4   | 5/8          |            |                |    | 2.50  | .204       |             |
| 315-208 | 08-29  | 16-1/4   | 5/8          |            |                |    | 2.50  | .250       |             |
| 335-015 | 09-20  | 16-1/4   | 5/8          | 11/32      | 1-5/8          |    | 2.50  | .240       |             |
| 360-916 | 09-21  | 16-1/4   | 5/8          |            |                |    | 2.50  | .204       | ✓           |
| 360-606 | 09-03  | 16-1/4   | 11/16 star   | 5/16       | 2-1/2          |    | 3.00  | .164       |             |
| 335-452 | 09-03  | 16-1/4   | 11/16 star   | 5/16       | 2-1/2          |    | 2.50  | .149       |             |
| 325-148 | 08-19  | 16-1/4   | 3/4          |            |                |    | 3.00  | .203       |             |
| 340-500 | 08-39  | 16-1/4   | 5/8          |            |                |    | 2.50  | .204       |             |
| 355-183 | 08-26  | 16-1/4   | 5/8          | 11/32      | 1-5/8          |    | 2.50  | .240       |             |
| 305-480 | 08-04  | 16-1/4   | 5/8          | 1/4        | 1-5/8          |    | 2.50  | .250       |             |
| 360-602 | cross  | 16-1/4   | 11/16 star   | 5/16       | 2-1/2          |    | 2.50  | .149       | ✓           |
| 355-040 | 08-27  | 16-1/4   | 15/16        |            |                |    | 2.50  | .204       |             |
| 340-003 | 08-38  | 16-1/4   | 5 point star |            |                |    | 2.50  | .204       |             |
| 325-880 | 08-19  | 16-1/4   | 3/4          |            |                |    | 2.50  | .204       |             |
| 325-885 | 08-19  | 16-9/32  | 5/8 star     | 3/8        | 2-1/2          |    | 2.50  | .203       |             |
| 335-802 | 09-10  | 16-3/8   | 7/8 x 1      |            |                |    | 2.25  | .150       |             |
| 305-171 | 08-25  | 16-3/8   | 3/4          | 13/32      | 3-1/8          | ✓  | 2.25  | .187       |             |
| 350-264 | 09-33  | 16-7/16  | 1-1/4        | 11/32      | 3-1/8          |    | 2.00  | .149       |             |
| 325-856 | 08-19  | 16-7/16  | 3/4          | 5/16       | 2-1/2          |    | 2.50  | .203       |             |
| 360-108 | 08-19  | 16-7/16  | 3/4          | 5/16       | 2-1/2          |    | 2.50  | .203       | ✓           |
| 330-696 | 08-42  | 16-1/2   | 5/8          |            |                |    | 2.50  | .203       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole | Centre/Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|------------|---------------|----|-------|------------|-------------|
| 340-109 | 09-16  | 16-1/2   | 5/8          |            |               |    | 2.50  | .203       |             |
| 310-197 | 08-15  | 16-1/2   | 5/8          |            |               |    | 2.50  | .203       |             |
| 340-113 | 09-16  | 16-1/2   | 5/8          |            |               |    | 3.00  | .203       |             |
| 335-126 | 09-21  | 16-1/2   | 5/8          |            |               |    | 2.50  | .203       |             |
| 325-868 | 08-19  | 16-1/2   | 3/4          | 5/16       | 2-1/2         |    | 2.50  | .204       |             |
| 335-120 | 09-21  | 16-1/2   | 3/8          |            |               |    | 2.75  | .164       |             |
| 360-917 | 09-21  | 16-1/2   | 5/8          |            |               |    | 2.50  | .204       | ✓           |
| 325-003 | 08-36  | 16-1/2   | 1.09         | .24 x .33  | 1.96          |    | 2.25  | .095       |             |
| 325-859 | 08-19  | 16-1/2   | 3/4          |            |               |    | 2.50  | .203       |             |
| 325-881 | 08-19  | 16-1/2   | 3/4          |            |               |    | 3.00  | .203       |             |
| 305-771 | 08-04  | 16-9/16  | 3/4          |            |               |    | 2.50  | .203       |             |
| 335-034 | 09-01  | 16-9/16  | 17/32        | 17/64      | 2-9/16        |    | 2.00  | .187       |             |
| 335-521 | 09-03  | 16-9/16  | 5/8          | 5/16       | 1-5/16        |    | 2.00  | .150       |             |
| 340-570 | 08-07  | 16-9/16  | 1-1/4        | 15/32      | 3             |    | 2.50  | .187       |             |
| 340-612 | 08-06  | 16-9/16  | 5/8          | 5/16       | 1-3/8         |    | 2.50  | .120       |             |
| 340-116 | 08-06  | 16-9/16  | 3/8          |            |               |    | 2.50  | .134       |             |
| 330-447 | 08-42  | 16-9/16  | 11/16        |            |               |    | 2.50  | .203       |             |
| 360-988 | NLA    | 16-9/16  | 3/4          |            |               |    | 2.50  | .203       | ✓           |
| 305-603 | 08-04  | 16-19/32 | 3/4          |            |               |    | 2.50  | .187       |             |
| 305-464 | 08-04  | 16-39/64 | 3/4          |            |               |    | 2.50  | .203       |             |
| 330-563 | 08-49  | 16-5/8   | 11/16        | 11/32      | 1-1/2         |    | 2.00  | .204       |             |
| 340-547 | 08-07  | 16-5/8   | 5/8 x 3/4    |            |               |    | 2.50  | .134       |             |
| 330-373 | 08-42  | 16-5/8   | 13/16        |            |               |    | 2.50  | .204       |             |
| 330-383 | 08-42  | 16-5/8   | 13/16        |            |               |    | 2.50  | .204       |             |
| 330-371 | 08-42  | 16-5/8   | 13/16        |            |               |    | 2.50  | .203       |             |
| 305-325 | 08-04  | 16-5/8   | 3/4          |            |               |    | 2.50  | .204       |             |
| 360-432 | 08-42  | 16-5/8   | 13/16        |            |               |    | 2.50  | .203       | ✓           |
| 340-053 | 08-39  | 16-5/8   | 5 point star |            |               |    | 2.50  | .203       |             |
| 360-506 | 08-39  | 16-5/8   | 5 point star |            |               |    | 2.50  | .203       | ✓           |
| 340-077 | 08-39  | 16-5/8   | 5 point star |            |               |    | 2.50  | .204       |             |
| 340-077 | 08-39  | 16-5/8   | 5/8 star     |            |               |    | 2.50  | .204       |             |
| 345-033 | 08-03  | 16-11/16 | 1-3/8        | 25/64      | 3-1/16        | ✓  | 2.50  | .164       |             |
| 345-082 | 08-03  | 16-11/16 | 3/4          | 13/32      | 3-1/16        | ✓  | 2.00  | .187       |             |
| 330-435 | 08-49  | 16-11/16 | 23/32        |            |               |    | 2.00  | .203       |             |
| 345-751 | 09-32  | 16-3/4   | 5/8          |            |               | ✓  | 1.75  | .203       |             |
| 330-428 | 09-32  | 16-3/4   | 5/8          |            |               |    | 1.75  | .203       |             |
| 345-003 | 09-20  | 16-3/4   | 1            |            |               | ✓  | 2.50  | .203       |             |
| 350-855 | 09-34  | 16-3/4   | 3/4 X 1-1/4  |            |               |    | 2.25  | .250       |             |
| 350-512 | 09-34  | 16-7/8   | 3/4 x 1-1/4  | 5/16       | 3             | ✓  | 2.25  | .240       |             |
| 305-140 | NLA    | 16-7/8   | 3/4          |            |               |    | 2.00  | .250       |             |
| 345-197 | 09-26  | 16-15/16 | 5/8          |            |               |    | 2.50  | .187       |             |
| 335-123 | 09-21  | 16-15/16 | 1/2          |            |               |    | 2.50  | .203       |             |
| 335-136 | 09-21  | 16-15/16 | 1/2          |            |               |    | 2.50  | .203       |             |
| 360-426 | 09-21  | 16-15/16 | 1/2          |            |               |    | 2.50  | .203       | ✓           |
| 310-300 | 08-13  | 16-31/32 | 3/8          | 3/8        | 2-3/4         |    | 2.00  | .187       |             |
| 305-465 | NLA    | 16-31/32 | 3/4          |            |               |    | 2.50  | .250       |             |
| 310-292 | 08-13  | 17       | 3/8          | 5/16       | 2-11/16       |    | 2.00  | .187       |             |
| 310-789 | 08-17  | 17       | 1-1/4        | 13/32      | 2-5/8         | ✓  | 2.50  | .187       |             |
| 320-515 | 08-32  | 17       | 5/8          |            |               |    | 2.00  | .203       |             |
| 350-199 | 09-27  | 17       | 5/8          |            |               |    | 2.00  | .204       |             |
| 315-165 | 08-23  | 17       | 5/8          |            |               |    | 2.50  | .187       |             |
| 320-251 | 08-32  | 17       | 5/8          |            |               |    | 2.50  | .250       |             |
| 320-240 | 08-32  | 17       | 5/8          |            |               |    | 2.50  | .250       |             |
| 360-923 | 08-32  | 17       | 5/8          |            |               |    | 2.50  | .204       | ✓           |
| 315-442 | 08-23  | 17       | 5/8          |            |               |    | 2.50  | .204       |             |
| 320-204 | 08-32  | 17       | 5/8          |            |               |    | 2.50  | .240       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole      | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|-----------------|----------------|----|-------|------------|-------------|
| 345-124 | 09-20  | 17       | 3/4          | 13/32           | 2-9/16         |    | 2.00  | .187       |             |
| 310-505 | 08-15  | 17       | 5/8          |                 |                |    | 2.50  | .250       |             |
| 345-505 | 09-27  | 17       | 5/8          |                 |                |    | 2.50  | .250       |             |
| 360-475 | 08-43  | 17       | 11/16        | 13/32           | 3-45/64        |    | 2.50  | .187       | ✓           |
| 330-300 | 08-43  | 17       | 51/64        |                 |                |    | 2.50  | .204       |             |
| 325-861 | 08-19  | 17       | 3/4          |                 |                |    | 3.00  | .204       |             |
| 330-408 | 08-43  | 17       | 11/16        | 13/32           | 3-45/64        |    | 2.50  | .164       |             |
| 310-366 | 08-17  | 17       | 7/8 x 1-1/4  |                 |                |    | 2.50  | .188       |             |
| 360-446 | 08-43  | 17       | 7 point star |                 |                |    | 2.50  | .187       | ✓           |
| 330-410 | 08-43  | 17       | 7 point star |                 |                |    | 2.75  | .160       |             |
| 360-454 | 08-43  | 17       | 51/64        |                 |                |    | 2.50  | .203       | ✓           |
| 305-276 | 08-03  | 17-1/16  | .867         | .406            | 2-9/16         |    | 2.00  | .164       |             |
| 335-026 | 09-01  | 17-1/16  | 27/32        | 25/64           | 2-9/16         |    | 2.00  | .187       |             |
| 330-445 | 08-43  | 17-3/32  | 13/16        |                 |                |    | 2.50  | .203       |             |
| 360-477 | 08-43  | 17-3/32  | 13/16        |                 |                |    | 2.50  | .203       | ✓           |
| 305-174 | 08-25  | 17-5/32  | 3/8          | 21/64           | 2-11/16        |    | 2.25  | .203       |             |
| 325-845 | 08-19  | 17-3/16  | 3/4          |                 |                |    | 2.50  | .203       |             |
| 330-308 | 08-43  | 17-3/16  | 11/16        |                 |                |    | 2.50  | .204       |             |
| 315-770 | 08-34  | 17-1/4   | 7/16         | 1/2             | 1-5/8          |    | 2.00  | .150       |             |
| 330-076 | 08-34  | 17-1/4   | 3/4 x 9/16   | 1/4             | 1-1/2          |    | 2.00  | .150       |             |
| 335-653 | 09-03  | 17-1/4   | 13/32        | 5/16            | 2-1/2          |    | 2.50  | .187       |             |
| 360-532 | 08-39  | 17-1/4   | .405         |                 |                |    | 2.50  | .204       | ✓           |
| 335-554 | 09-03  | 17-5/16  | 13/32        | 5/16            | 2-1/2          |    | 2.00  | .150       |             |
| 335-451 | 09-03  | 17-5/16  | 11/16 star   | 5/16            | 2-1/2          |    | 2.50  | .187       |             |
| 340-125 | 08-39  | 17-3/8   | 3/8          |                 |                |    | 2.25  | .187       |             |
| 340-017 | 08-07  | 17-3/8   | 1-1/4        | 15/32           | 3              |    | 2.50  | .187       |             |
| 340-380 | 08-39  | 17-3/8   | 5 point star |                 |                |    | 2.25  | .149       |             |
| 340-381 | 08-39  | 17-3/8   | 5 point star |                 |                |    | 2.25  | .187       |             |
| 360-509 | 08-39  | 17-3/8   | 5 point star |                 |                |    | 2.25  | .149       | ✓           |
| 330-274 | 08-43  | 17-7/16  | 11/16        |                 |                |    | 2.00  | .203       |             |
| 335-018 | 09-01  | 17-7/16  | 5/8          | 3/16            | 2-9/64         |    | 2.00  | .149       |             |
| 345-210 | 09-27  | 17-1/2   | 5/8          |                 |                |    | 2.25  | .170       |             |
| 360-845 | 09-27  | 17-1/2   | 5/8          |                 |                |    | 2.25  | .187       | ✓           |
| 320-267 | 08-50  | 17-9/16  | 1-1/8        | 25/64           | 3-1/4          |    | 2.50  | .187       |             |
| 325-829 | 08-19  | 17-5/8   | 3/4          |                 |                |    | 2.50  | .203       |             |
| 320-511 | 08-32  | 17-11/16 | 5/8          |                 |                |    | 2.00  | .250       |             |
| 320-512 | 08-32  | 17-11/16 | 5/8          |                 |                |    | 2.50  | .240       |             |
| 335-092 | 09-10  | 17-11/16 | 27/32        |                 |                |    | 2.25  | .150       |             |
| 335-752 | 09-10  | 17-7/8   | 3/8          | 11/32 x 1/2slot | 2-3/8          |    | 2.25  | .149       |             |
| 340-505 | 08-07  | 17-7/8   | 5/8          |                 |                |    | 2.50  | .150       |             |
| 310-089 | 08-13  | 17-7/8   | 1/2 x 3/4    |                 |                |    | 2.00  | .203       |             |
| 325-507 | 08-20  | 17-7/8   | 5/8 star     |                 |                |    | 2.50  | .187       |             |
| 325-510 | 08-20  | 17-7/8   | 5/8 star     |                 |                |    | 2.375 | .164       |             |
| 325-887 | 08-20  | 17-7/8   | 3/4          |                 |                |    | 2.375 | .164       |             |
| 360-075 | 08-20  | 17-7/8   | 3/4          |                 |                |    | 2.50  | .187       |             |
| 325-506 | 08-20  | 17.9     | 3/4          |                 |                |    | 2.375 | .187       |             |
| 325-168 | 08-20  | 17-29/32 | 3/4          |                 |                |    | 2.50  | .204       |             |
| 315-788 | 08-29  | 17-15/16 | 1/2          | 1/2             | 1-5/8          | ✓  | 2.00  | .150       |             |
| 345-553 | 09-27  | 17-31/32 | 5/8          |                 |                |    | 2.50  | .250       |             |
| 355-067 | 08-27  | 18       | 15/16        |                 |                |    | 2.50  | .204       |             |
| 355-041 | 08-27  | 18       | 15/16        |                 |                |    | 2.50  | .204       |             |
| 300-004 | 08-01  | 18       | 3/8          | 3/8 x 1-1/2     |                |    | 2.25  | .149       |             |
| 300-061 | 08-01  | 18       | 3/8          | 3/8 x 1-1/2     |                |    | 2.25  | .149       |             |
| 300-129 | 08-01  | 18       | 1            | 3/8 x 1-1/2     |                |    | 2.25  | .149       |             |
| 300-186 | 08-01  | 18       | 1            | 3/8 x 1-1/2     |                |    | 2.25  | .149       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole  | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|-------------|----------------|----|-------|------------|-------------|
| 300-533 | 08-01  | 18       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 310-011 | 08-12  | 18       | 5/8          | 11/32       | 1-5/8          |    | 2.50  | .187       |             |
| 310-052 | 09-21  | 18       | 5/8          | 1/4         | 1-5/8          |    | 2.50  | .250       |             |
| 310-110 | 08-12  | 18       | 5/8          |             |                |    | 2.50  | .203       |             |
| 330-647 | 08-44  | 18       | 5/8          |             |                |    | 2.50  | .203       |             |
| 330-753 | 08-48  | 18       | 5/8          |             |                |    | 2.50  | .125       |             |
| 335-257 | 09-21  | 18       | 7/8          |             |                |    | 2.75  | .187       |             |
| 335-562 | 09-03  | 18       | 13/32        | 5/16        | 2-1/2          |    | 2.00  | .150       |             |
| 340-158 | 09-16  | 18       | 5/8          |             |                |    | 2.50  | .203       |             |
| 345-355 | 09-27  | 18       | 7/16         |             |                |    | 2.25  | .140       |             |
| 345-439 | 09-28  | 18       | 5/8          |             |                |    | 2.00  | .187       |             |
| 345-462 | 09-27  | 18       | 1/2          |             |                |    | 2.50  | .187       |             |
| 345-470 | 09-28  | 18       | 5/8          |             |                |    | 2.00  | .203       |             |
| 355-016 | 09-21  | 18       | 5/8          | 1/4         | 1-5/8          |    | 2.50  | .187       |             |
| 340-121 | 09-16  | 18       | 5/8          |             |                |    | 3.00  | .203       |             |
| 355-012 | 08-27  | 18       | 1/2          |             |                |    | 2.50  | .204       |             |
| 355-020 | 08-27  | 18       | 1/2          |             |                |    | 2.50  | .203       |             |
| 310-015 | 08-11  | 18       | 5/8          |             |                |    | 2.00  | .203       |             |
| 355-184 | 08-27  | 18       | 5/8          |             |                |    | 2.50  | .250       |             |
| 320-546 | 09-33  | 18       | 1/2          |             |                |    | 2.00  | .203       |             |
| 320-274 | 08-33  | 18       | 3/8          |             |                |    | 2.50  | .187       |             |
| 345-018 | 09-27  | 18       | 1/2          |             |                |    | 2.50  | .187       |             |
| 355-218 | 08-27  | 18       | 5/8          |             |                |    | 2.50  | .204       |             |
| 315-235 | 08-29  | 18       | 5/8          |             |                |    | 2.50  | .250       |             |
| 360-918 | 09-21  | 18       | 5/8          |             |                |    | 2.50  | .203       | ✓           |
| 340-800 | 08-39  | 18       | .394         | .331        | 2.560          |    | 3.00  | .095       |             |
| 355-087 | 09-25  | 18       | .397         | .336        | 3.55           |    | 2.25  | .240       |             |
| 335-448 | 09-04  | 18       | 1 x 11/16    | 5/16        | 2-1/2          |    | 2.25  | .134       |             |
| 335-446 | 09-04  | 18       | 1 x 11/16    | 5/16        | 2-1/2          |    | 1.75  | .125       |             |
| 320-323 | 08-31  | 18       | 1/2          |             |                |    | 2.50  | .240       |             |
| 340-252 | 08-07  | 18       | 5 point star |             |                |    | 2.25  | .187       |             |
| 340-253 | 08-07  | 18       | 6 point star |             |                |    | 2.25  | .187       |             |
| 345-046 | 09-27  | 18       | 1/2          |             |                |    | 2.50  | .203       |             |
| 340-633 | 09-16  | 18       | 5/8          |             |                |    | 2.50  | .203       |             |
| 340-634 | NLA    | 18       | 5/8          |             |                |    | 3.00  | .203       |             |
| 360-410 | 09-27  | 18       | 1/2          |             |                |    | 2.50  | .203       | ✓           |
| 340-148 | 08-08  | 18       | 5 point star |             |                |    | 2.25  | .150       |             |
| 340-063 | 08-39  | 18       | 5/8          |             |                |    | 2.50  | .203       |             |
| 360-418 | 09-27  | 18       | 1/2          |             |                |    | 2.50  | .250       | ✓           |
| 360-913 | 09-33  | 18       | 1/2          |             |                |    | 2.50  | .203       | ✓           |
| 340-004 | 08-39  | 18       | 5 point star |             |                |    | 2.50  | .204       |             |
| 305-649 | 09-14  | 18-1/8   | 3/8          |             |                |    | 2.00  | .134       |             |
| 305-648 | 09-15  | 18-1/8   | 3/8          |             |                |    | 2.00  | .140       |             |
| 355-030 | 09-24  | 18-1/8   | .385         | .326        | 2.12           |    | 2.00  | .134       |             |
| 345-006 | 09-20  | 18-9/64  | 3/4          | 13/32       | 2-9/16         |    | 2.00  | .203       |             |
| 305-524 | 09-14  | 18-5/32  | 3/8          |             |                |    | 2.00  | .140       |             |
| 340-153 | 08-39  | 18-3/16  | 5 point star |             |                |    | 2.25  | .144       |             |
| 340-588 | 08-08  | 18-3/16  | 3/8          |             |                |    | 2.50  | .125       |             |
| 340-154 | 08-39  | 18-3/16  | 5 point star |             |                |    | 2.25  | .187       |             |
| 325-005 | 08-36  | 18-3/16  | .831         | .416        | 3.45           |    | 2.25  | .150       |             |
| 360-513 | 08-39  | 18-3/16  | 5 point star |             |                |    | 2.25  | .149       | ✓           |
| 340-016 | 08-40  | 18-13/64 | 3/8          |             |                |    | 2.25  | .187       |             |
| 335-141 | 09-10  | 18-1/4   | 7/8 x 1      |             |                |    | 3.00  | .150       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole  | Centre/ Centre | LH | Width | Thick- ness | Shark Tooth |
|---------|--------|----------|--------------|-------------|----------------|----|-------|-------------|-------------|
| 335-810 | 09-10  | 18-1/4   | 7/8 x 1      |             |                |    | 2.25  | .149        |             |
| 350-272 | 09-33  | 18-1/4   | 1-1/4        | 11/32       | 3-1/8          |    | 2.00  | .155        |             |
| 335-115 | 09-10  | 18-1/4   | 7/8 x 1      |             |                |    | 2.25  | .149        |             |
| 360-715 | 09-10  | 18-1/4   | 7/8 X 1      |             |                |    | 2.25  | .187        | ✓           |
| 335-170 | 09-04  | 18-9/32  | 13/32        | 5/16        | 2-1/2          |    | 3.00  | .149        |             |
| 325-159 | 08-20  | 18-5/16  | 3/4          |             |                |    | 2.50  | .203        |             |
| 350-082 | 09-28  | 18-5/16  | 3/4 x 5/8    | 1/4         | 1-5/8          |    | 1.75  | .203        |             |
| 350-090 | 09-28  | 18-5/16  | 3/4 x 5/8    | 1/4         | 1-5/8          | ✓  | 1.75  | .203        |             |
| 340-760 | 08-30  | 18-3/8   | 3/8          | 3/8         | 2              |    | 2.50  | .187        |             |
| 335-129 | NLA    | 18-3/8   | 1/2          |             |                |    | 2.50  | .203        |             |
| 325-007 | 08-36  | 18-7/16  | .836         | .564        | 3.469          |    | 2.25  | .150        |             |
| 330-043 | 08-34  | 18-15/32 | 1/2          | 1/2         | 1-5/8          |    | 2.50  | .155        |             |
| 345-117 | 09-20  | 18-15/32 | 3/4          | 13/32       | 2-9/16         |    | 2.75  | .164        |             |
| 340-180 | 08-40  | 18-1/2   | 5 point star |             |                |    | 3.00  | .187        |             |
| 335-475 | 09-04  | 18-1/2   | 5/8 star     | 5/16        | 2-1/2          |    | 3.00  | .204        |             |
| 320-101 | 08-50  | 18-1/2   | 3/8          |             |                |    | 2.50  | .134        |             |
| 335-372 | 09-21  | 18-1/2   | 17/32        | 17/64       | 2-9/64         |    | 2.00  | .187        |             |
| 345-108 | 09-20  | 18-1/2   | 3/4          | 13/32       | 2-9/16         |    | 2.00  | .187        |             |
| 345-116 | 09-20  | 18-1/2   | 3/4          | 13/32       | 2-9/16         | ✓  | 2.50  | .164        |             |
| 310-164 | 08-14  | 18-1/2   | 3/4          |             |                |    | 2.50  | .187        |             |
| 315-143 | 08-24  | 18-1/2   | 45/64        |             |                |    | 2.50  | .187        |             |
| 325-047 | 08-36  | 18-1/2   | .831         | .416        | 3-1/2          |    | 2.25  | .150        |             |
| 325-314 | 08-20  | 18-1/2   | 3/4          |             |                |    | 3.00  | .203        |             |
| 355-093 | 09-32  | 18-1/2   | 1/2          |             |                |    | 2.75  | .187        |             |
| 325-160 | 08-20  | 18-1/2   | 3/4          |             |                |    | 2.50  | .203        |             |
| 360-906 | NLA    | 18-1/2   | 1/2          |             |                |    | 2.75  | .187        | ✓           |
| 360-502 | 08-08  | 18-1/2   | 5 point star |             |                |    | 2.50  | .187        | ✓           |
| 330-365 | 08-44  | 18-5/8   | 13/16        |             |                |    | 2.50  | .204        |             |
| 330-384 | 08-44  | 18-5/8   | 13/16        |             |                |    | 2.50  | .204        |             |
| 330-436 | 08-49  | 18-5/8   | 1-1/8        |             |                |    | 2.50  | .250        |             |
| 325-009 | 08-36  | 18-5/8   | .831         | .416        | 3.45           |    | 2.25  | .150        |             |
| 330-381 | 08-44  | 18-5/8   | 13/16        |             |                |    | 2.50  | .203        |             |
| 360-406 | 08-44  | 18-5/8   | 13/16        |             |                |    | 2.50  | .204        | ✓           |
| 360-447 | 08-44  | 18-5/8   | 7 point star |             |                |    | 2.50  | .203        | ✓           |
| 330-412 | 08-44  | 18-5/8   | 7 point star |             |                |    | 2.75  | .187        |             |
| 330-278 | 08-44  | 18-11/16 | 1 x 1-1/8    |             |                |    | 2.50  | .204        |             |
| 360-393 | 08-44  | 18-11/16 | 1 x 1-1/8    |             |                |    | 2.50  | .204        | ✓           |
| 340-802 | 08-40  | 18-45/64 | .400         | .337        | 2.560          |    | 2.50  | .134        |             |
| 310-219 | 08-14  | 18-3/4   | 3/8          | 3/8         | 2-3/4          |    | 2.00  | .187        |             |
| 335-349 | 09-22  | 18-3/4   | 3/8          |             |                |    | 2.50  | .149        |             |
| 350-157 | 09-28  | 18-3/4   | 3/4          |             |                |    | 2.00  | .203        |             |
| 330-837 | 08-50  | 18-7/8   | 5/8          | 17/32       | 2-19/32        |    | 3.00  | .125        |             |
| 330-354 | 08-44  | 18-29/32 | 51/64        |             |                |    | 2.50  | .203        |             |
| 360-402 | 08-44  | 18-29/32 | 51/64        |             |                |    | 2.50  | .250        | ✓           |
| 330-761 | 08-50  | 18-15/16 | 5/8          |             |                |    | 2.50  | .125        |             |
| 340-488 | 08-40  | 18-15/16 | .950         | .332        | 2-3/8          |    | 2.00  | .150        |             |
| 300-012 | 08-01  | 19       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149        |             |
| 300-079 | 08-01  | 19       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149        |             |
| 300-137 | 08-01  | 19       | 1            | 3/8 x 1-1/2 |                |    | 2.25  | .149        |             |
| 300-194 | 08-01  | 19       | 1            | 3/8 x 1-1/2 |                |    | 2.25  | .149        |             |
| 300-400 | NLA    | 19       | 3/8          | 3/8 x 1-1/2 |                |    | 2.00  | .149        |             |
| 300-541 | 08-01  | 19       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149        |             |
| 335-570 | 09-04  | 19       | 13/32        | 5/16        | 2-1/2          |    | 2.00  | .150        |             |
| 345-256 | 09-28  | 19       | 7/16         |             |                |    | 2.00  | .140        |             |
| 345-272 | 09-28  | 19       | 7/16         |             |                |    | 2.25  | .155        |             |
| 345-298 | 09-28  | 19       | 7/16         |             |                |    | 2.25  | .140        |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole | Centre/ Centre | LH | Width | Thick- ness | Shark Tooth |
|---------|--------|----------|--------------|------------|----------------|----|-------|-------------|-------------|
| 345-330 | 09-28  | 19       | 7/16         |            |                |    | 2.25  | .140        |             |
| 330-345 | 08-34  | 19       | 7/16         | 13/32      | 1-5/8          |    | 2.00  | .155        |             |
| 335-011 | 09-04  | 19       | 53/64        | 5/16       | 2-1/2          |    | 2.00  | .149        |             |
| 360-621 | 09-04  | 19       | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .150        | ✓           |
| 335-062 | 09-04  | 19       | 53/64        | 13/32      | 2-1/2          |    | 2.25  | .134        |             |
| 330-480 | 08-45  | 19       | 7/8          |            |                |    | 2.50  | .240        |             |
| 360-672 | 08-45  | 19       | 7/8          |            |                |    | 2.50  | .250        | ✓           |
| 325-862 | 08-20  | 19       | 3/4          |            |                |    | 3.00  | .204        |             |
| 360-419 | NLA    | 19       | 1/2          |            |                |    | 2.50  | .250        | ✓           |
| 320-127 | 08-31  | 19-7/32  | 3/8          |            |                |    | 2.50  | .164        |             |
| 340-022 | 08-40  | 19-9/32  | 3/8          |            |                |    | 2.25  | .149        |             |
| 340-079 | 08-40  | 19-9/32  | 5 point star |            |                |    | 2.25  | .134        |             |
| 340-164 | 08-40  | 19-9/32  | 5 point star |            |                |    | 2.25  | .187        |             |
| 360-501 | 08-40  | 19-9/32  | 5 point star |            |                |    | 2.50  | .187        | ✓           |
| 340-162 | 08-40  | 19-9/32  | 5 point star |            |                |    | 2.25  | .140        |             |
| 360-510 | 08-40  | 19-9/32  | 3/8          |            |                |    | 2.25  | .187        | ✓           |
| 340-081 | 08-08  | 19-9/32  | 5 point star | none       | none           |    | 2.25  | .150        |             |
| 335-790 | 09-05  | 19-5/16  | 13/32        | 29/64      | 2-1/2          |    | 3.00  | .149        |             |
| 340-133 | 08-09  | 19-5/16  | 3/8          |            |                |    | 2.25  | .149        |             |
| 340-240 | 08-09  | 19-5/16  | 1-1/4        | 15/32      | 3              |    | 2.25  | .149        |             |
| 345-165 | 09-28  | 19-5/16  | 5/8          |            |                |    | 2.50  | .187        |             |
| 335-549 | 09-04  | 19-5/16  | 5/8 star     | 5/16       | 2-1/2          |    | 2.75  | .149        |             |
| 360-610 | 09-04  | 19-5/16  | 5/8 star     | 5/16       | 2-1/2          |    | 2.75  | .149        | ✓           |
| 360-802 | 09-28  | 19-5/16  | 5/8          |            |                |    | 2.50  | .187        | ✓           |
| 335-610 | 09-04  | 19-5/16  | 5/8 star     | 5/16       | 2-1/2          |    | 3.00  | .149        |             |
| 360-619 | 09-05  | 19-5/16  | 13/32        | 29/64      | 22-1/2         |    | 3.00  | .149        | ✓           |
| 345-038 | 09-28  | 19-21/64 | 5/8          |            |                |    | 2.50  | .187        |             |
| 340-042 | 08-09  | 19-11/32 | 3/8          |            |                |    | 2.25  | .187        |             |
| 360-494 | 08-40  | 19-11/32 | 3/8          |            |                |    | 2.50  | .150        | ✓           |
| 310-136 | 08-14  | 19-3/8   | 1/2          | 3/8        | 2-1/2          |    | 2.00  | .187        |             |
| 325-167 | 08-21  | 19-3/8   | 3/4          |            |                |    | 3.00  | .203        |             |
| 325-175 | 08-21  | 19-3/8   | 3/4          |            |                |    | 3.00  | .203        |             |
| 335-877 | 09-05  | 19-3/8   | 13/32        | 5/16       | 2-1/2          |    | 3.00  | .149        |             |
| 335-885 | 09-05  | 19-3/8   | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .149        |             |
| 335-121 | 09-10  | 19-3/8   | 3/8          |            |                |    | 2.25  | .134        |             |
| 335-493 | 09-05  | 19-3/8   | 13/32        | 5/16       | 2-1/2          |    | 3.00  | .149        |             |
| 325-183 | 08-20  | 19-3/8   | 3/4          | 5/16       | 2-1/2          |    | 3.00  | .204        |             |
| 325-857 | 08-21  | 19-3/8   | 3/4          | 5/16       | 2-1/2          |    | 2.75  | .187        |             |
| 360-097 | NLA    | 19-3/8   | 3/4          |            |                |    | 3.00  | .203        | ✓           |
| 320-200 | 08-04  | 19-7/16  | 3/4          |            |                |    | 2.75  | .187        |             |
| 320-374 | 08-50  | 19-7/16  | 3/8          |            |                |    | 2.50  | .134        |             |
| 325-035 | 08-36  | 19-7/16  | .845         | .410       | 3-15/32        |    | 2.75  | .160        |             |
| 325-043 | 08-36  | 19-7/16  | .845         | .410       | 3-15/32        |    | 2.75  | .160        |             |
| 325-050 | 08-36  | 19-7/16  | .825         | .413       | 3-15/32        |    | 2.25  | .150        |             |
| 335-008 | 09-10  | 19-7/16  | 27/32        |            |                |    | 2.25  | .150        |             |
| 335-182 | 09-10  | 19-7/16  | 27/32        |            |                |    | 2.25  | .134        |             |
| 335-118 | 09-10  | 19-7/16  | 27/32        |            |                |    | 2.25  | .187        |             |
| 325-082 | 08-36  | 19-7/16  | .630         |            |                |    | 2.75  | .187        |             |
| 325-058 | 08-36  | 19-7/16  | .825         | .413       | 3-15/32        |    | 2.75  | .160        |             |
| 335-197 | 09-22  | 19-7/16  | 1            |            |                |    | 2.25  | .203        |             |
| 360-702 | 09-10  | 19-7/16  | 27/32        |            |                |    | 2.25  | .187        | ✓           |
| 335-021 | 09-10  | 19-7/16  | 27/32        |            |                |    | 2.25  | .134        |             |
| 330-418 | 08-45  | 19-7/16  | 7 point star |            |                |    | 2.50  | .203        |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole  | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|-------------|----------------|----|-------|------------|-------------|
| 360-449 | 08-45  | 19-7/16  | 7 point star |             |                |    | 2.50  | .203       | ✓           |
| 340-596 | 08-09  | 19-15/32 | 1-1/4 x 7/8  |             |                |    | 2.50  | .134       |             |
| 320-333 | 08-50  | 19-1/2   | 1-1/8        | 25/64       | 3-1/4          |    | 2.50  | .134       |             |
| 320-341 | 08-50  | 19-1/2   | 1-1/8        | 25/64       | 3-1/4          |    | 2.50  | .134       |             |
| 325-068 | 08-37  | 19-1/2   | .630         |             |                |    | 2.75  | .203       |             |
| 325-076 | 08-36  | 19-1/2   | .630         |             |                |    | 2.75  | .203       |             |
| 330-290 | 08-45  | 19-1/2   | 11/16        |             |                |    | 2.50  | .204       |             |
| 330-316 | 08-45  | 19-1/2   | 11/16        |             |                |    | 3.00  | .204       |             |
| 335-003 | 09-11  | 19-1/2   | 27/32        |             |                |    | 2.75  | .134       |             |
| 330-403 | 08-45  | 19-1/2   | 11/16        |             |                |    | 2.50  | .204       |             |
| 325-091 | 08-36  | 19-1/2   | .630         |             |                |    | 2.75  | .187       |             |
| 330-292 | 08-45  | 19-1/2   | 11/16        |             |                |    | 3.00  | .204       |             |
| 360-290 | 08-45  | 19-1/2   | 11/16        |             |                |    | 2.50  | .204       | ✓           |
| 360-910 | 08-37  | 19-1/2   | .630         |             |                |    | 2.75  | .203       | ✓           |
| 360-712 | 09-11  | 19-1/2   | 27/32        |             |                |    | 2.75  | .134       | ✓           |
| 335-023 | CROSS  | 19-1/2   | 27/32        |             |                |    | 2.50  | .134       |             |
| 330-413 | 08-45  | 19-1/2   | 7 point star |             |                |    | 3.00  | .203       |             |
| 360-448 | 08-45  | 19-1/2   | 7 point star |             |                |    | 3.00  | .203       | ✓           |
| 305-599 | 09-15  | 19-11/16 | 3/8          |             |                |    | 2.00  | .134       |             |
| 305-631 | 09-15  | 19-11/16 | 3/8          |             |                |    | 2.00  | .134       |             |
| 305-633 | 09-15  | 19-11/16 | 3/8          |             |                |    | 2.00  | .134       |             |
| 330-878 | 08-50  | 19-3/4   | 5/8          | 17/32       | 2-19/32        |    | 3.00  | .134       |             |
| 325-753 | 08-21  | 19-7/8   | 3/4          | 1/2         | 2-1/4          |    | 2.00  | .187       |             |
| 305-078 | NLA    | 19-15/16 | 3/8          | 3/8 x 5/16  | 2-11/16        |    | 2.00  | .134       |             |
| 330-027 | 08-35  | 19-15/16 | 7/16         | 15/32       | 1-5/8          |    | 2.00  | .187       |             |
| 335-760 | 09-11  | 19-15/16 | 13/32        | 13/32       | 2-1/2          |    | 2.25  | .150       |             |
| 340-012 | 08-40  | 19-15/16 | 5/8          | 3/8         | 1-7/8          |    | 2.50  | .149       |             |
| 360-903 | 08-40  | 19-15/16 | 5/8          | 3/8         | 1-7/8          |    | 2.50  | .149       | ✓           |
| 310-088 | 08-14  | 19-31/32 | 1/2          | 3/8         | 2-1/2          |    | 2.00  | .187       |             |
| 300-020 | 08-01  | 20       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-087 | 08-01  | 20       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-145 | 08-01  | 20       | 1            | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-202 | 08-01  | 20       | 1            | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-418 | 08-01  | 20       | 3/8          | 3/8 x 1-1/2 |                |    | 2.00  | .149       |             |
| 300-525 | 08-01  | 20       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 305-532 | 09-15  | 20       | 3/8          | 5/16        | 2-1/8          |    | 2.00  | .150       |             |
| 315-515 | 08-29  | 20       | 3/8          |             |                |    | 1.75  | .150       |             |
| 325-779 | 08-21  | 20       | 3/4          |             |                |    | 2.50  | .203       |             |
| 330-795 | 08-51  | 20       | 5/8          |             |                |    | 2.50  | .134       |             |
| 335-588 | 09-05  | 20       | 13/32        | 5/16        | 2-1/2          |    | 2.00  | .150       |             |
| 335-745 | 09-05  | 20       | 3/4          | 3/8         | 2-1/2          |    | 2.00  | .150       |             |
| 335-943 | 09-05  | 20       | 53/64        | 13/32       | 2-1/2          |    | 2.00  | .150       |             |
| 340-075 | 08-09  | 20       | 3/8          |             |                |    | 2.50  | .149       |             |
| 340-141 | 09-17  | 20       | 5/8          |             |                |    | 3.00  | .203       |             |
| 340-174 | 09-17  | 20       | 5/8          |             |                |    | 2.50  | .203       |             |
| 330-312 | 08-35  | 20       | 3/8          | 15/32       | 1-5/8          |    | 2.25  | .149       |             |
| 340-044 | 08-40  | 20       | 5/8          | 3/8         | 1-7/8          |    | 2.00  | .134       |             |
| 335-010 | 09-22  | 20       | 53/64        | 13/32       | 2-1/2          |    | 2.25  | .120       |             |
| 335-001 | 09-05  | 20       | 53/64        | 13/32       | 2-1/2          |    | 2.25  | .134       |             |
| 335-720 | 09-05  | 20       | 53/64        | 13/32       | 2-1/2          |    | 2.25  | .134       |             |
| 330-337 | 08-35  | 20       | 29/64        | 15/32       | 2-1/2          |    | 2.00  | .156       |             |
| 330-338 | 08-33  | 20       | 7/16         | 15/32       | 2-1/2          |    | 2.00  | .164       |             |
| 335-438 | 09-06  | 20       | 1 x 11/16    | 5/16        | 2-1/2          |    | 2.25  | .134       |             |
| 335-439 | 09-06  | 20       | 1 x 11/16    | 5/16        | 2-1/2          |    | 2.25  | .134       |             |
| 335-022 | 09-11  | 20       | 13/32        |             |                |    | 2.25  | .134       |             |
| 340-051 | 08-09  | 20       | 5/8          | 3/8         | 1-7/8          |    | 2.25  | .134       |             |
| 355-095 | 09-32  | 20       | 5/8          | 13/64       | 3              |    | 2.75  | .164       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole    | Outer Hole | Centre/ Centre | LH | Width  | Thick- ness | Shark Tooth |
|---------|--------|----------|----------------|------------|----------------|----|--------|-------------|-------------|
| 345-156 | CROSS  | 20-1/32  | 5/8            |            |                |    | 2.50   | .250        |             |
| 360-422 | NLA    | 20-1/32  | 5/8            |            |                |    | 2.50   | .250        | ✓           |
| 355-139 | 09-24  | 20-1/8   | .411           | .341       | 2.185          |    | 2.00   | 1.60        |             |
| 355-141 | 09-24  | 20-1/8   | .411           | .442       | 2.185          |    | 2.00   | .160        |             |
| 345-769 | 09-33  | 20-3/16  | 5/8            |            |                |    | 2.00   | .203        |             |
| 345-777 | 09-33  | 20-3/16  | 5/8            |            |                | ✓  | 2.00   | .203        |             |
| 305-141 | 08-16  | 20-1/4   | 3/4            |            |                |    | 2.00   | .250        |             |
| 305-277 | 09-15  | 20-1/4   | 3/8            |            |                |    | 2.00   | .187        |             |
| 345-275 | 09-29  | 20-1/4   | 7/16           |            |                |    | 2.25   | .134        |             |
| 335-024 | 09-11  | 20-9/32  | 27/32          |            |                |    | 2.25   | .134        |             |
| 360-719 | 09-11  | 20-9/32  | 27/32          |            |                |    | 2.25   | .149        | ✓           |
| 305-708 | 09-15  | 20-5/16  | 3/8            |            |                |    | 2.00   | .134        |             |
| 305-247 | 08-04  | 20-5/16  | 3/4            |            |                |    | 2.50   | .204        |             |
| 325-017 | 08-37  | 20-5/16  | .804           | 13/32      | 3-15/32        |    | 2.25   | .134        |             |
| 360-101 | NLA    | 20-5/16  | 3/4            |            |                |    | 2.50   | .204        | ✓           |
| 335-030 | 09-11  | 20-11/32 | 27/32          |            |                |    | 2.25   | .134        |             |
| 305-289 | 08-04  | 20-11/32 | 3/4            |            |                |    | 2.50   | .204        |             |
| 335-608 | 09-06  | 20-23/64 | 27/64          | 21/64      | 2-1/2          | ✓  | 2.00   | .150        |             |
| 335-016 | 09-11  | 20-3/8   | 27/32          |            |                |    | 2.25   | .187        |             |
| 335-166 | 09-11  | 20-3/8   | 27/32          |            |                |    | 2.25   | .134        |             |
| 340-786 | 09-19  | 20-3/8   | 3/8            | 3/8        | 2              |    | 2.50   | .187        |             |
| 305-172 | NLA    | 20-3/8   | 3/4            | 13/32      | 3-1/8          | ✓  | 2.25   | .187        |             |
| 335-104 | 09-11  | 20-3/8   | 27/32          |            |                |    | 2.75   | .134        |             |
| 360-704 | 09-11  | 20-3/8   | 27/32          |            |                |    | 2.25   | .187        | ✓           |
| 330-518 | 08-49  | 20-3/8   | 23/32          |            |                |    | 2.50   | .250        |             |
| 330-550 | 08-49  | 20-3/8   | 23/32          |            |                |    | 2.50   | .203        |             |
| 355-246 | 09-24  | 20-13/32 | 13/32          | 5/16       | 2-1/8          |    | 3-5/16 | .095        |             |
| 330-282 | 08-46  | 20-7/16  | 25/32          |            |                |    | 2.00   | .203        |             |
| 330-548 | 08-49  | 20-7/16  | 11/16          |            |                |    | 2.00   | .204        |             |
| 315-206 | NLA    | 20-7/16  | .710           |            |                |    | 2.00   | .250        |             |
| 330-016 | 08-30  | 20-7/16  | 11/16          |            |                |    | 2.75   | .250        |             |
| 325-144 | 08-21  | 20-31/64 | 3/4            |            |                |    | 3.00   | .203        |             |
| 360-077 | 08-21  | 20-31/64 | 3/4            |            |                |    | 3.00   | .203        | ✓           |
| 355-042 | 08-28  | 20-1/2   | 15/16          |            |                |    | 3.00   | .204        |             |
| 355-049 | 08-28  | 20-1/2   | 15/16          |            |                |    | 2.50   | .240        |             |
| 355-048 | 08-28  | 20-1/2   | 15/16          |            |                |    | 2.50   | .240        |             |
| 355-039 | 08-28  | 20-1/2   | 5/8            |            |                |    | 3.00   | .204        |             |
| 305-722 | 08-04  | 20-1/2   | 11/16          | 3/8        | 3-3/4          |    | 2.75   | .134        |             |
| 310-217 | 08-14  | 20-1/2   | 3/8            | 3/8        | 3-1/8          |    | 2.00   | .203        |             |
| 320-523 | 08-33  | 20-1/2   | 1              |            |                |    | 2.25   | .250        |             |
| 320-564 | 08-32  | 20-1/2   | 5/8            |            |                |    | 2.00   | .250        |             |
| 330-357 | 08-46  | 20-1/2   | 29/32          |            |                |    | 2.50   | .313        |             |
| 355-052 | 08-27  | 20-1/2   | 1/2            |            |                |    | 2.50   | .204        |             |
| 315-506 | 08-23  | 20-1/2   | 5/8            |            |                |    | 2.50   | .250        |             |
| 355-188 | 08-27  | 20-1/2   | 1/2            |            |                |    | 2.50   | .204        |             |
| 320-253 | 08-25  | 20-1/2   | 5/8            |            |                |    | 2.50   | .250        |             |
| 320-239 | 08-33  | 20-1/2   | 5/8            |            |                |    | 2.50   | .250        |             |
| 320-254 | 08-33  | 20-1/2   | 5/8            |            |                |    | 2.50   | .240        |             |
| 360-924 | 08-25  | 20-1/2   | 5/8            |            |                |    | 2.50   | .204        | ✓           |
| 345-171 | 09-29  | 20-1/2   | 5/8            |            |                |    | 2.50   | .204        |             |
| 360-926 | NLA    | 20-1/2   | 45/64          |            |                |    | 2.50   | .204        | ✓           |
| 355-054 | 08-28  | 20-1/2   | 5/8            |            |                |    | 2.50   | .204        |             |
| 360-922 | 08-32  | 20-1/2   | 5/8            |            |                |    | 2.50   | .204        | ✓           |
| 310-506 | 08-16  | 20-1/2   | 5/8            |            |                |    | 2.50   | .250        |             |
| 345-555 | 09-29  | 20-1/2   | 5/8            |            |                |    | 2.50   | .250        |             |
| 355-732 | 09-24  | 20-1/2   | .655 X<br>.755 |            |                |    | 2.25   | .187        |             |
| 355-050 | 09-25  | 20-1/2   | 13/32          | 13/32      | 3              |    | 2.25   | .187        |             |
| 305-730 | 08-05  | 20-9/16  | 3/8            |            |                |    | 2.75   | .140        |             |
| 345-058 | 08-03  | 20-9/16  | 1-1/2          | .385       | 6-1/4          |    | 2.50   | .164        |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole | Outer Hole  | Centre/Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|-------------|-------------|---------------|----|-------|------------|-------------|
| 330-552 | 08-49  | 20-9/16  | 1-1/8       |             |               |    | 2.50  | .250       |             |
| 310-792 | 08-17  | 20-9/16  | 1-1/4       | 13/32       | 3-5/8         | ✓  | 2.50  | .203       |             |
| 360-030 | 08-05  | 20-9/16  | 3/8         |             |               |    | 2.75  | .164       | ✓           |
| 360-987 | 08-49  | 20-9/16  | 1-1/8       |             |               |    | 2.50  | .250       | ✓           |
| 355-503 | 09-16  | 20-5/8   | 5/8         |             |               |    | 2.25  | .182       |             |
| 325-011 | 08-37  | 20-5/8   | .831        | .416        | 3.455         |    | 2.25  | .150       |             |
| 325-060 | 08-37  | 20-43/64 | .844        | .563        | 3.469         |    | 2.25  | .160       |             |
| 305-607 | 09-15  | 20-11/16 | 3/8         | 3/8 x 15/16 | 2-1/16        |    | 2.00  | .134       |             |
| 335-042 | 09-22  | 20-11/16 | 3/8         | 3/8         | 2-3/4         |    | 2.75  | .165       |             |
| 335-240 | 09-22  | 20-11/16 | 3/8         | 3/8         | 2-3/4         |    | 2.75  | .164       |             |
| 335-356 | 09-22  | 20-11/16 | 3/8         | 3/8         | 2-3/4         |    | 2.75  | .160       |             |
| 330-419 | 08-49  | 20-11/16 | 3/4         |             |               |    | 2.25  | .150       |             |
| 310-794 | 08-17  | 20-11/16 | 1-1/4       | 13/32       | 3-5/8         |    | 2.50  | .187       |             |
| 345-433 | 09-33  | 20-11/16 | 5/8         |             |               |    | 2.50  | .240       |             |
| 325-852 | 08-21  | 20-3/4   | 3/4         |             |               |    | 2.50  | .204       |             |
| 350-603 | 09-34  | 20-3/4   | 3/4 x 1-1/4 |             |               |    | 2.25  | .250       |             |
| 335-163 | 09-22  | 20-3/4   | 3/8         | 3/8         | 2-3/4         |    | 5.50  | .134       |             |
| 335-028 | 09-11  | 20-3/4   | 13/32       |             |               |    | 2.25  | .134       |             |
| 330-811 | 08-51  | 20-13/16 | 5/8         |             |               |    | 2.50  | .134       |             |
| 330-845 | 08-51  | 20-13/16 | 5/8         | 17/32       | 2-19/32       |    | 3.00  | .125       |             |
| 330-332 | 08-35  | 20-13/16 | 7/16        | 13/32       | 2-7/8         |    | 2.50  | .250       |             |
| 335-007 | 09-12  | 20-13/16 | 13/32       |             |               |    | 2.25  | .134       |             |
| 330-003 | 08-51  | 20-55/64 | 3/8         | .540        | 3             |    | 3.00  | .125       |             |
| 315-523 | 08-29  | 20-7/8   | 3/8         | 3/8 x 1-1/2 | 3             |    | 1.75  | .150       |             |
| 325-001 | 08-37  | 20-7/8   | .845        | .415        | 3-7/16        |    | 2.25  | .150       |             |
| 330-852 | 08-51  | 20-7/8   | 7/8         | 3/8 x 7/16  | 3-23/32       |    | 3.00  | .125       |             |
| 335-806 | 09-12  | 20-7/8   | 13/32       |             |               |    | 2.75  | .150       |             |
| 335-869 | 09-12  | 20-7/8   | 13/32       | 13/32       | 2-1/2         |    | 2.25  | .150       |             |
| 345-363 | 09-29  | 20-7/8   | 7/16        |             |               |    | 2.25  | .140       |             |
| 350-538 | 09-34  | 20-7/8   | 3/4 x 1-1/4 | 5/16        | 3             | ✓  | 2.25  | .240       |             |
| 345-189 | 09-29  | 20-7/8   | 5/8         |             |               |    | 2.50  | .187       |             |
| 325-296 | 08-37  | 20-7/8   | .845        | .415        | 3-7/16        |    | 2.25  | .150       |             |
| 325-021 | 08-37  | 20-7/8   | .830        | 13/32       | 3-15/32       |    | 2.25  | .095       |             |
| 325-057 | 08-37  | 20-7/8   | .845        | .415        | 3-7/16        |    | 2.25  | .160       |             |
| 345-051 | 09-29  | 20-7/8   | 7/16        | 3/8         | 2-7/16        |    | 2.25  | .149       |             |
| 360-804 | 09-29  | 20-7/8   | 7/16        | 3/8         | 2-7/16        |    | 2.25  | .149       | ✓           |
| 325-013 | 08-37  | 20-29/32 | .780        | .535        | 3.6           |    | 4.125 | .095       |             |
| 345-496 | 09-29  | 20-15/16 | 7/16        | 3/8         | 2-7/16        |    | 2.25  | .134       |             |
| 330-348 | 08-46  | 20-15/16 | 29/32       | 13/32       | 3-11/16       |    | 2.75  | .134       |             |
| 345-203 | 09-29  | 20-15/16 | 7/16        | 3/8         | 2-7/16        |    | 2.25  | .134       |             |
| 335-002 | 09-06  | 20-15/16 | 53/64       | 13/32       | 2-1/2         |    | 2.00  | .150       |             |
| 310-081 | 08-14  | 20-15/16 | 1/2         | 3/8         | 2-1/2         |    | 2.00  | .187       |             |
| 360-601 | 08-51  | 20-15/16 | 5/8         | 17/32       | 2-19/32       |    | 3.00  | .149       | ✓           |
| 360-420 | 09-29  | 20-15/16 | 7/16        | 3/8         | 2-7/16        |    | 2.25  | .150       | ✓           |
| 335-607 | 09-06  | 20-23/24 | 27/64       | 21/64       | 2-1/2         |    | 2.00  | .150       |             |
| 300-038 | 08-01  | 21       | 3/8         | 3/8 x 1-1/2 |               |    | 2.25  | .149       |             |
| 300-095 | 08-01  | 21       | 3/8         | 3/8 x 1-1/2 |               |    | 2.25  | .149       |             |
| 300-426 | 08-01  | 21       | 3/8         | 3/8 x 1-1/2 |               |    | 2.00  | .149       |             |
| 300-517 | 08-01  | 21       | 3/8         | 3/8 x 1-1/2 |               |    | 2.25  | .149       |             |
| 310-037 | 08-12  | 21       | 3/8         | 3/8         | 2             |    | 2.50  | .187       |             |
| 310-078 | 09-17  | 21       | 5/8         |             |               |    | 2.50  | .250       |             |
| 310-086 | 08-12  | 21       | 5/8         |             |               |    | 2.50  | .250       |             |
| 325-019 | 08-37  | 21       | .845        | .415        | 3-7/16        |    | 2.25  | .149       |             |
| 330-019 | 08-35  | 21       | 7/16        | 15/32       | 1-5/8         |    | 2.00  | .149       |             |
| 330-118 | 08-35  | 21       | 3/8         | 15/32       | 1-5/8         |    | 2.00  | .164       |             |
| 330-779 | 08-51  | 21       | 5/8         |             |               |    | 2.50  | .134       |             |
| 335-265 | 09-22  | 21       | 7/8         |             |               |    | 2.75  | .187       |             |
| 335-323 | 09-22  | 21       | 7/8         |             |               |    | 2.75  | .187       |             |
| 335-596 | 09-06  | 21       | 13/32       | 5/16        | 2-1/2         |    | 2.00  | .150       |             |
| 335-935 | 09-06  | 21       | 53/64       | 13/32       | 2-1/2         |    | 2.50  | .187       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length  | Centre Hole  | Outer Hole | Centre/Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|---------|--------------|------------|---------------|----|-------|------------|-------------|
| 335-968 | 09-06  | 21      | 15/32        | 5/16       | 2-1/2         |    | 2.50  | .187       |             |
| 345-280 | 09-29  | 21      | 7/16         |            |               |    | 2.25  | .155       |             |
| 345-306 | 09-29  | 21      | 7/16         |            |               |    | 2.25  | .134       |             |
| 345-348 | 09-29  | 21      | 7/16         |            |               |    | 2.25  | .134       |             |
| 345-397 | 09-29  | 21      | 7/16         | 3/8        | 2-7/16        |    | 2.25  | .134       |             |
| 335-814 | 09-06  | 21      | 53/64        | 13/32      | 2-1/2         |    | 2.25  | .134       |             |
| 310-071 | 08-16  | 21      | 1/2          |            |               |    | 2.25  | .250       |             |
| 330-011 | NLA    | 21      | 5/8          |            |               |    | 2.50  | .250       |             |
| 320-547 | 09-22  | 21      | 1/2          |            |               |    | 2.50  | .250       |             |
| 330-001 | 08-35  | 21      | 3/8          | 3/8        | 2             |    | 2.50  | .187       |             |
| 340-626 | 08-52  | 21      | 5/8          |            |               |    | 2.50  | .204       |             |
| 340-628 | 09-17  | 21      | 5/8          |            |               |    | 3.00  | .203       |             |
| 335-741 | 09-07  | 21      | 1 x 11/16    | 5/16       | 2-1/2         |    | 2.25  | .134       |             |
| 360-921 | 09-17  | 21      | 5/8          |            |               |    | 2.50  | .204       | ✓           |
| 325-023 | 08-37  | 21      | 1-17/64      | 13/32      | 3-15/32       |    | 2.625 | .095       |             |
| 335-450 | 09-07  | 21      | 1 x 11/16    | 5/16       | 2 1/2         |    | 2.25  | .134       |             |
| 325-442 | 08-21  | 21      | 1/2          |            |               |    | 2.00  | .250       |             |
| 360-078 | 08-46  | 21      | 7/8          |            |               |    | 2.50  | .250       | ✓           |
| 340-484 | 08-09  | 21      | 5 point star |            |               |    | 5-5/8 | .150       |             |
| 340-485 | 08-09  | 21      | 6 point star |            |               |    | 5-5/8 | .150       |             |
| 340-254 | 08-10  | 21      | 5/8          | 3/8        | 1-7/8         |    | 2.25  | .134       |             |
| 330-479 | 08-46  | 21      | 7/8          |            |               |    | 2.50  | .313       |             |
| 310-072 | 08-12  | 21      | 5/8          |            |               |    | 2.50  | .250       |             |
| 325-863 | 08-22  | 21      | 3/4          |            |               |    | 3.00  | .204       |             |
| 360-106 | 08-16  | 21      | 1/2          |            |               |    | 2.25  | .250       | ✓           |
| 360-110 | NLA    | 21      | 3/4          |            |               |    | 2.50  | .203       | ✓           |
| 340-020 | 08-41  | 21      | 5/8          |            |               |    | 2.50  | .203       |             |
| 360-915 | 09-33  | 21      | 1/2          |            |               |    | 2.50  | .250       | ✓           |
| 340-065 | 08-41  | 21      | 5 point star |            |               |    | 2.50  | .204       |             |
| 360-104 | 08-16  | 21      | 1/2          |            |               |    | 2.50  | .250       | ✓           |
| 360-451 | 08-46  | 21      | 29/32        |            |               |    | 3.00  | .250       | ✓           |
| 340-178 | 08-41  | 21-3/32 | 5 point star |            |               |    | 2.25  | .149       |             |
| 340-066 | 08-41  | 21-3/32 | 5 point star |            |               |    | 2.25  | .134       |             |
| 340-179 | 08-41  | 21-3/32 | 5 point star |            |               |    | 2.25  | .187       |             |
| 360-500 | 08-41  | 21-3/32 | 5 point star |            |               |    | 2.50  | .187       | ✓           |
| 340-057 | 08-10  | 21-3/32 | 5/8          | 3/8        | 1-7/8         |    | 2.75  | .149       |             |
| 360-507 | 08-10  | 21-3/32 | 5/8          |            |               |    | 2.50  | .187       | ✓           |
| 340-069 | 08-41  | 21-3/32 | 5 point star |            |               |    | 2.25  | .149       |             |
| 325-512 | 08-22  | 21-1/8  | 5/8 star     | 5/16       | 2-1/2         |    | 2.75  | .187       |             |
| 325-888 | 08-22  | 21-1/8  | 5/8 star     |            |               |    | 3.00  | .187       |             |
| 360-070 | 08-22  | 21-1/8  | 5/8 star     | 5/16       | 2-1/2         |    | 2.75  | .187       | ✓           |
| 325-858 | 08-22  | 21-5/32 | 3/4          | 5/16       | 2-1/2         |    | 2.75  | .187       |             |
| 335-067 | 09-07  | 21-3/16 | 13/32        | 5/16       | 2-1/2         |    | 3.00  | .149       |             |
| 335-782 | 09-07  | 21-3/16 | 13/32        | 7/16       | 2-1/2         |    | 3.00  | .149       |             |
| 335-503 | 09-07  | 21-3/16 | 13/32        | 5/16       | 2-1/2         |    | 3.00  | .149       |             |
| 335-551 | 09-07  | 21-3/16 | 5/8 star     | 5/16       | 2-1/2         |    | 3.00  | .149       |             |
| 360-616 | 09-07  | 21-3/16 | 5/8 star     | 5/16       | 2-1/2         |    | 2.75  | .149       | ✓           |
| 360-622 | 09-07  | 21-3/16 | 13/32        | 5/16       | 2-1/2         |    | 3.00  | .164       | ✓           |
| 335-616 | 09-07  | 21-3/16 | 5/8 star     | 5/16       | 2-1/2         |    | 3.00  | .149       |             |
| 335-019 | 09-12  | 21-3/16 | 27/32        |            |               |    | 2.25  | .134       |             |
| 325-860 | 08-22  | 21-1/4  | 3/8          | 17/32      | 4-1/2         |    | 2.50  | .203       |             |
| 335-005 | 09-12  | 21-1/4  | 27/32        |            |               |    | 2.75  | .134       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole  | Centre/ Centre | LH | Width | Thick-ness | Shark Tooth |
|---------|--------|----------|--------------|-------------|----------------|----|-------|------------|-------------|
| 335-162 | 09-12  | 21-1/4   | 27/32        |             |                |    | 2.25  | .150       |             |
| 325-876 | 08-22  | 21-1/4   | 3/4          | 5/16        | 2-1/2          |    | 3.00  | .204       |             |
| 335-020 | 09-12  | 21-1/4   | 27/32        |             |                |    | 2.25  | .134       |             |
| 335-167 | 09-12  | 21-1/4   | 27/32        |             |                |    | 2.25  | .187       |             |
| 360-701 | 09-12  | 21-1/4   | 27/32        |             |                |    | 2.25  | .187       | ✓           |
| 360-040 | 08-21  | 21-1/4   | 3/4          | 5/16        | 2-1/2          |    | 3.00  | .203       | ✓           |
| 330-446 | 08-47  | 21-3/8   | 13/16        |             |                |    | 2.50  | .203       |             |
| 330-339 | 08-47  | 21-3/8   | 11/16        | 13/32       | 3-45/64        |    | 2.50  | .164       |             |
| 360-404 | 08-47  | 21-3/8   | 11/16        | 13/32       | 3-45/64        |    | 2.50  | .187       | ✓           |
| 360-407 | 08-47  | 21-3/8   | 13/16        |             |                |    | 2.50  | .203       | ✓           |
| 360-445 | 08-47  | 21-3/8   | 7 point star |             |                |    | 2.50  | .187       | ✓           |
| 330-414 | 08-47  | 21-3/8   | 7 point star |             |                |    | 2.75  | .155       |             |
| 330-417 | 08-47  | 21-3/8   | 7 point star |             |                |    | 2.75  | .203       |             |
| 330-411 | 08-47  | 21-3/8   | 7 point star |             |                |    | 2.75  | .203       |             |
| 360-450 | 08-47  | 21-3/8   | 7 point star |             |                |    | 2.75  | .203       | ✓           |
| 320-358 | 08-51  | 21-15/32 | 1-1/8        | 25/64       | 3-1/4          |    | 2.50  | .134       |             |
| 330-449 | 08-47  | 21-15/32 | 11/16        |             |                |    | 2.50  | .164       |             |
| 360-405 | 08-47  | 21-15/32 | 11/16        |             |                |    | 2.50  | .203       | ✓           |
| 320-069 | 08-51  | 21-1/2   | 3/8          |             |                |    | 2.50  | .203       |             |
| 320-978 | NLA    | 21-1/2   | 3/8          |             |                |    | 2.50  | .250       |             |
| 345-421 | 09-30  | 21-1/2   | 1/2          |             |                |    | 2.50  | .187       |             |
| 305-023 | 09-15  | 21-1/2   | 3/8          |             |                |    | 2.00  | .187       |             |
| 360-462 | 09-30  | 21-1/2   | 1/2          |             |                |    | 2.50  | .250       | ✓           |
| 330-416 | 08-47  | 21-1/2   | 7 point star |             |                |    | 2.75  | .187       |             |
| 330-415 | 08-47  | 21-1/2   | 7 point star |             |                |    | 2.75  | .187       |             |
| 305-060 | 09-15  | 21-9/16  | 3/8          | 3/8 x 15/16 | 2-11/16        |    | 2.00  | .134       |             |
| 330-309 | 08-48  | 21-9/16  | 51/64        |             |                |    | 2.50  | .203       |             |
| 360-408 | 08-48  | 21-9/16  | 51/64        |             |                |    | 2.50  | .250       | ✓           |
| 360-720 | 09-13  | 21-5/8   | 13/32        |             |                |    | 2.25  | .134       | ✓           |
| 335-068 | 09-13  | 21-5/8   | 13/32        | 13/32       | 1-7/8          |    | 2.00  | .135       |             |
| 305-700 | 09-15  | 21-11/16 | 3/8          |             |                |    | 2.00  | .134       |             |
| 345-045 | 09-30  | 21-11/16 | 1/2          |             |                |    | 2.50  | .250       |             |
| 345-227 | 09-30  | 21-11/16 | 5/8          |             |                |    | 2.25  | .160       |             |
| 340-008 | 08-41  | 21-3/4   | 5/8          | 3/8         | 1-7/8          |    | 2.50  | .149       |             |
| 340-620 | 08-11  | 21-3/4   | 3/8          |             |                |    | 2.50  | .149       |             |
| 300-513 | 08-01  | 21-3/4   | 5/8          | 3/8         | 1-7/8          |    | 2.25  | .155       |             |
| 330-426 | 08-49  | 21-3/4   | 3/4          |             |                |    | 2.50  | .187       |             |
| 335-111 | 09-13  | 21-3/4   | 13/32        | 13/32       | 2-1/2          |    | 2.25  | .149       |             |
| 340-236 | 08-10  | 21-3/4   | 5/8          | 3/8         | 1-7/8          |    | 2.25  | .134       |             |
| 345-322 | 09-30  | 21-3/4   | 7/16         |             |                |    | 2.25  | .149       |             |
| 360-806 | 09-30  | 21-3/4   | 7/16         |             |                |    | 2.25  | .149       | ✓           |
| 310-318 | 08-14  | 21-13/16 | 1/2          | 3/8         | 2-1/2          |    | 2.00  | .187       |             |
| 335-471 | 09-13  | 21-7/8   | 13/32        |             |                |    | 2.25  | .134       |             |
| 360-434 | 08-48  | 21-7/8   | 29/32        |             |                |    | 2.50  | .250       | ✓           |
| 330-488 | 08-48  | 21-29/32 | 29/32        |             |                |    | 2.50  | .250       |             |
| 360-080 | NLA    | 21-29/32 | 29/32        |             |                |    | 2.50  | .250       | ✓           |
| 310-151 | 08-15  | 21-15/16 | .765         | 5/16        | 3              |    | 2.00  | .187       |             |
| 305-463 | 08-05  | 21-15/16 | 3/4          |             |                |    | 2.50  | .203       |             |
| 360-102 | NLA    | 21-15/16 | 3/4          |             |                |    | 2.50  | .203       | ✓           |
| 300-046 | 08-01  | 22       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-103 | 08-01  | 22       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |
| 300-434 | 08-01  | 22       | 3/8          | 3/8 x 1-1/2 |                |    | 2.00  | .149       |             |
| 300-509 | 08-01  | 22       | 3/8          | 3/8 x 1-1/2 |                |    | 2.25  | .149       |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole  | Outer Hole | Centre/ Centre | LH | Width | Thick- ness | Shark Tooth |
|---------|--------|----------|--------------|------------|----------------|----|-------|-------------|-------------|
| 315-531 | 08-29  | 22       | 3/8          |            |                |    | 1.75  | .150        |             |
| 335-497 | 09-08  | 22       | 3/4          | 3/8        | 2-1/2          |    | 2.00  | .150        |             |
| 335-604 | 09-07  | 22       | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .134        |             |
| 335-737 | 09-08  | 22       | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .187        |             |
| 335-950 | 09-08  | 22       | 53/64        | 3/8        | 2-1/2          |    | 2.00  | .150        |             |
| 350-546 | 09-34  | 22       | 3/4 x 1-1/4  | 5/16       | 3              |    | 2.25  | .250        |             |
| 335-722 | 09-08  | 22       | 53/64        | 3/8        | 2-1/2          |    | 2.25  | .134        |             |
| 335-499 | 09-13  | 22       | 13/32        |            |                |    | 2.25  | .149        |             |
| 335-742 | 09-08  | 22       | 1 x 11/16    | 5/16       | 2-1/2          |    | 2.25  | .134        |             |
| 355-185 | 08-28  | 22       | 1/2          |            |                | ✓  | 2.50  | .160        |             |
| 355-186 | 08-28  | 22       | 1/2          |            |                |    | 2.50  | .160        |             |
| 335-642 | 09-08  | 22       | 1 x 11/16    | 5/16       | 2-1/2          |    | 2.25  | .134        |             |
| 355-508 | 09-16  | 22       | 3/8          |            |                |    | 2.50  | .187        |             |
| 355-097 | 09-32  | 22       | 5/8          | 13/64      | 3              | ✓  | 2.75  | .164        |             |
| 355-098 | 09-32  | 22       | 5/8          | 13/64      | 3              |    | 2.75  | .164        |             |
| 355-051 | 09-25  | 22       | 13/32        | 13/32      | 3              |    | 2.25  | .187        |             |
| 310-209 | 08-15  | 22-3/16  | 1/2          | 3/8        | 2-1/2          |    | 2.00  | .187        |             |
| 325-795 | 08-22  | 22-1/4   | 3/4          |            |                |    | 2.50  | .203        |             |
| 345-102 | 09-20  | 22-1/4   | 3/4          | 13/32      | 2-9/16         |    | 2.00  | .203        |             |
| 305-605 | 08-05  | 22-3/8   | 3/4          |            |                |    | 2.75  | .187        |             |
| 335-638 | NLA    | 22-1/2   | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .134        |             |
| 335-661 | NLA    | 22-1/2   | 13/32        | 5/16       | 2-1/2          |    | 2.00  | .187        |             |
| 335-679 | 09-08  | 22-1/2   | 13/32        | 5/16       | 2-1/2          | ✓  | 2.00  | .187        |             |
| 340-006 | 08-41  | 22-15/16 | 5 point star |            |                |    | 2.75  | .164        |             |
| 360-508 | 08-41  | 22-15/16 | 5 point star |            |                |    | 2.75  | .187        | ✓           |
| 345-053 | 09-30  | 23       | 5/8          |            |                |    | 2.50  | .187        |             |
| 345-120 | 09-30  | 23       | 5/8          |            |                | ✓  | 2.50  | .187        |             |
| 330-364 | 08-35  | 23       | 17/32        | 13/32      | 2-7/8          |    | 2.50  | .250        |             |
| 330-363 | 08-35  | 23       | 17/32        | 13/32      | 2-7/8          | ✓  | 2.50  | .250        |             |
| 355-511 | 09-16  | 23-1/2   | 5/8          |            |                |    | 2.50  | .187        |             |
| 350-595 | 09-34  | 24       | 3/4 x 1-1/4  |            |                |    | 2.25  | .240        |             |
| 340-050 | 08-11  | 24       | 5/8          |            |                |    | 2.50  | .149        |             |
| 315-833 | 08-23  | 24       | 5/8          |            |                |    | 3.00  | .250        |             |
| 355-043 | 08-28  | 24-7/16  | 5/8          |            |                |    | 3.00  | .204        |             |
| 355-044 | 08-28  | 24-1/2   | 15/16        |            |                |    | 3.00  | .204        |             |
| 355-129 | 08-28  | 24-1/2   | 15/16        |            |                |    | 3.00  | .204        |             |
| 320-519 | 08-33  | 24-1/2   | 5/8          |            |                |    | 2.50  | .250        |             |
| 340-129 | 09-17  | 24-1/2   | 5/8          |            |                |    | 2.50  | .250        |             |
| 345-764 | 09-33  | 24-1/2   | 1            |            |                | ✓  | 2.50  | .204        |             |
| 315-137 | NLA    | 24-1/2   | 29/32        |            |                |    | 3.00  | .250        |             |
| 360-764 | 09-17  | 24-1/2   |              |            |                |    | 2.50  | .250        | ✓           |
| 330-427 | 08-50  | 24-1/2   | 1-1/8        |            |                |    | 2.50  | .250        |             |
| 330-571 | 08-50  | 24-9/16  | 15/16        |            |                |    | 2.50  | .312        |             |
| 335-828 | 09-13  | 24-11/16 | 7/8 x 1      |            |                |    | 2.25  | .149        |             |
| 335-976 | 09-13  | 24-11/16 | 27/32        |            |                |    | 2.25  | .150        |             |
| 345-434 | 09-33  | 24-11/16 | 5/8          |            |                |    | 2.50  | .250        |             |
| 360-824 | 09-30  | 24-3/4   | 1/2          |            |                |    | 2.50  | .250        | ✓           |
| 345-223 | 09-30  | 24-3/4   | 1/2          |            |                |    | 2.50  | .204        |             |
| 335-687 | 09-08  | 24-7/8   | 13/32        | 5/16       | 2-1/2          |    | 2.50  | .187        |             |
| 330-255 | 08-48  | 24-15/16 | 29/32        |            |                |    | 2.50  | .313        |             |
| 360-403 | NLA    | 24-15/16 | 29/32        |            |                |    | 2.50  | .313        | ✓           |
| 310-060 | 08-12  | 25       | 5/8          |            |                |    | 2.50  | .250        |             |
| 330-134 | 08-35  | 25       | 7/16         | 13/32      | 2-7/8          |    | 2.50  | .250        |             |
| 335-398 | 09-22  | 25       | 1-1/16       | 17/32      | 7-1/2          |    | 2.75  | .187        |             |
| 345-314 | 09-31  | 25       | 3/4          |            |                | ✓  | 2.50  | .250        |             |
| 350-306 | 09-33  | 25       | 1            |            |                |    | 2.50  | .155        |             |
| 335-400 | 09-22  | 25       | 1-1/16       | 9/16       | 7-1/2          |    | 2.75  | .164        |             |
| 345-160 | NLA    | 25       | 5/8          |            |                |    | 2.50  | .187        |             |

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

| Part #  | Page # | Length   | Centre Hole | Outer Hole    | Centre/ Centre | LH | Width | Thick- ness | Shark Tooth |
|---------|--------|----------|-------------|---------------|----------------|----|-------|-------------|-------------|
| 360-826 | 09-31  | 25       | 3/4         |               |                | ✓  | 2.50  | .203        | ✓           |
| 345-444 | 09-30  | 25       | 7/8         | 1/4           | 3              |    | 2.50  | .187        |             |
| 345-443 | 09-30  | 25       | 7/8         | 1/4           | 3              | ✓  | 2.50  | .187        |             |
| 310-034 | 08-16  | 25       | 1/2         |               |                |    | 2.25  | .250        |             |
| 360-001 | NLA    | 25       | 5/8         |               |                |    | 2.50  | .250        | ✓           |
| 360-828 | 09-31  | 25       | 3/4         |               |                |    | 2.50  | .250        | ✓           |
| 355-099 | 09-32  | 25       | 5/8         | 13/64         | 3              | ✓  | 2.75  | .187        |             |
| 355-100 | 09-32  | 25       | 5/8         | 13/64         | 3              |    | 2.75  | .187        |             |
| 360-436 | 08-48  | 25       | 29/32       |               |                |    | 2.50  | .250        | ✓           |
| 345-177 | 09-31  | 25-3/16  | 1/2         |               |                |    | 2.50  | .250        |             |
| 345-034 | 09-31  | 25-3/16  | 5/8         |               |                |    | 2.50  | .187        |             |
| 345-157 | 09-31  | 25-1/4   | 5/8         |               |                |    | 2.50  | .187        |             |
| 330-017 | 08-30  | 25-1/2   | 15/16       |               |                |    | 2.50  | .250        |             |
| 355-083 | 09-24  | 25-9/16  | .397        | .335          | 3.25           |    | 2.25  | .150        |             |
| 335-620 | 09-08  | 25-5/8   | 13/32       | 5/16          | 2-1/2          |    | 2.50  | .187        |             |
| 305-797 | 08-05  | 25-7/8   | 3/4         |               |                |    | 2.75  | .164        |             |
| 305-581 | NLA    | 25-7/8   | 3/8         |               |                |    | 2.50  | .187        |             |
| 335-505 | 09-09  | 25-15/16 | 13/32       | 5/16          | 2-1/2          |    | 2.50  | .164        |             |
| 305-755 | 08-05  | 26       | 3/4         |               |                |    | 2.75  | .187        |             |
| 335-273 | 09-23  | 26       | 7/8         |               |                |    | 2.75  | .187        |             |
| 335-299 | 09-23  | 26       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .187        |             |
| 350-561 | 09-34  | 26       | 3/4 x 1-1/4 |               |                |    | 2.25  | .250        |             |
| 335-134 | 09-09  | 26       | 13/32       | 5/16          | 2-1/2          |    | 3.00  | .149        |             |
| 340-009 | 08-11  | 26       | 5/8 x 3/4   |               |                |    | 2.50  | .164        |             |
| 355-181 | 08-28  | 26       | 1/2         |               |                | ✓  | 2.50  | .204        |             |
| 355-182 | 08-28  | 26       | 1/2         |               |                |    | 2.50  | .204        |             |
| 305-493 | 08-05  | 26-55/64 | 29/64       | 25/64         | 4              |    | 2.75  | .187        |             |
| 330-396 | WQL    | 26-7/8   | 29/32       |               |                |    | 2.50  | .312        |             |
| 360-830 | 09-31  | 27       | 1/2         |               |                |    | 2.50  | .250        | ✓           |
| 335-473 | 09-09  | 27-1/2   | 5/8 star    | 21/64         | 2-1/2          |    | 2.75  | .150        |             |
| 305-805 | 08-05  | 28       | 3/4         | 25/64         | 11             |    | 2.75  | .187        |             |
| 335-289 | 09-23  | 28       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .164        |             |
| 310-489 | NLA    | 29       | 1/2         | 1/2           | 6-1/2          |    | 2.25  | .312        |             |
| 320-085 | 08-52  | 29-1/16  | 31/32       | 17/32         | 7-1/2          |    | 2.75  | .187        |             |
| 330-399 | 08-48  | 29-9/16  | 11/16       |               |                |    | 2.50  | .204        |             |
| 325-053 | 08-38  | 29-9/16  | .630        | .480          | 4-5/16         |    | 2.75  | .187        |             |
| 330-329 | 08-48  | 29-9/16  | 11/16       |               |                |    | 2.50  | .204        |             |
| 320-241 | 08-33  | 29-7/8   | 7/8         |               |                |    | 3.00  | .250        |             |
| 305-468 | 09-15  | 29-7/8   | 1/2         | 25/64 x 15/16 | 2-11/16        |    | 2.75  | .187        |             |
| 335-281 | 09-23  | 30       | 7/8         |               |                |    | 2.75  | .187        |             |
| 335-307 | 09-23  | 30       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .187        |             |
| 335-646 | 09-09  | 30       | 13/32       | 5/16          | 2-1/2          |    | 3.00  | .150        |             |
| 315-499 | NLA    | 30       | 45/64       |               |                |    | 2.75  | .203        |             |
| 335-135 | 09-13  | 30       | 27/32       |               |                |    | 2.25  | .187        |             |
| 305-839 | 08-05  | 30       | 3/4         | 13/32         | 11             |    | 2.75  | .187        |             |
| 335-454 | 09-09  | 30       | 11/16 star  | 5/16          | 2-1/2          |    | 2.75  | .149        |             |
| 360-930 | 09-23  | 30       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .187        | ✓           |
| 335-004 | 09-13  | 30-1/16  | 7/8 x 1     |               |                |    | 2.75  | .160        |             |
| 335-116 | 09-13  | 30-1/16  | 7/8 x 1     |               |                |    | 2.25  | .150        |             |
| 335-330 | 09-13  | 30-1/16  | 27/32       |               |                |    | 2.75  | .160        |             |
| 360-707 | 09-13  | 30-1/16  | 27/32       |               |                |    | 2.75  | .187        | ✓           |
| 335-215 | 09-13  | 30-3/16  | 27/32       |               |                |    | 2.75  | .150        |             |
| 345-338 | 09-31  | 31-3/8   | 5/8         |               |                |    | 2.50  | .187        |             |
| 345-413 | 09-31  | 31-3/8   | 5/8         |               |                |    | 2.50  | .187        |             |
| 360-409 | 09-31  | 31-3/8   | 5/8         |               |                |    | 2.50  | .187        | ✓           |
| 305-847 | 08-05  | 32       | 3/4         | 25/64         | 11             |    | 2.75  | .187        |             |
| 335-293 | 09-23  | 33       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .164        |             |
| 335-331 | 09-23  | 33       | 1-1/16      | 9/16          | 7-1/2          |    | 2.75  | .187        |             |