


OIL FILTERS - BUY THE SHOP PACK and SAVE BIG

Part#	O.E.M	Application
-------	-------	-------------

- > **Metal Shell**
- > **Relief Valve Assembly** (relief valve opens when necessary to provide engine with oil under all conditions).
- > **Anti-Drain Back Valve** (Anti-drain back valve prevents oil from draining out of the filter during engine shutdown).
- > **Metal End Cap - both top & bottom** (Metal end caps and thermo setting adhesive provide positive seals).
- > **Resin Impregnated Paper Filter Medium** (Cured resin impregnated paper removes harmful foreign particles).
- > **Lid Assembly** (Lid assembly is roll seamed to the shell which provides a leak-tight assembly).



120-902 B&S 499532 / 70185 / Club Car 41016467
 Cub Cadet 4902010001
 Cushman 833438 / Gravely 043594
 Gravely 20777000 / 21480600 / 21527900
 John Deere AM101054 / AM107423
 Kawasaki 490652057 / 490652062
 Kawasaki 490652071 / 490652078
 Kees 363312 / Onan 1220737
 Snapper 77355 / Tecumseh 36262
 Toro / Wheel Horse NN10684 /
 Woods 72859



OIL FILTER SHOP PACK
 (12) of our 120-634 oil filters.
 > 9 to 12 PSI pressure relief
 > anti drain valve
 > 3/4"-16 thread
 > 2-11/16" OD X 2-15/16" HT
 > 28 Micron

Part#	O.E.M	Application
-------	-------	-------------

OIL FILTERS - BUY THE SHOP PACK and SAVE BIG

120-904 Cub Cadet CC1205008 / Gravely 21397200
 John Deere AM125424 / KH1205008
 Kohler 1205001 / Woods 70820



OIL FILTER SHOP PACK
 (12) of our 120-523 oil filters.
 > 8 to 11 PSI pressure relief
 > anti drain valve
 > 3/4"-16 thread
 > 3" OD X 2-3/4" HT
 > 27 Micron

120-901 B&S 4154 / 492056 / 492932 / 492932S
 B&S 696854 / Kawasaki 490657002
 Kawasaki 490657007 / Kohler 2505001
 Tecumseh 36563 / 36961



OIL FILTER SHOP PACK
 (12) of our 120-485 oil filters. > 7 to 9 PSI pressure relief
 > anti drain valve > 3/4"-16 thread > 3" OD X 2-5/16" HT >
 Seal OD: 2-13/16" > 28 Micron

120-903 B&S 4153 / 491056
 Case (ingersoll) C26191 / Gravely 042366
 John Deere AM101207 / Kohler 5205002
 Onan 1220645 / Woods 70939
 Toro / Wheel Horse NN10147



OIL FILTER SHOP PACK -
 (12) of our 120-345 oil filters.
 > 8 to 11 PSI pressure relief
 > anti drain valve
 > 3/4"-16 thread
 > 3" OD X 3-1/4" HT
 > 27 Micron


ARIENS

Part#	O.E.M	Application
-------	-------	-------------

<p>120-519 31928 03192800 Bolens 1719859 Bolens 1726450</p> <p>Transmission Filter For most Tractors with hydrostatic transmissions; 8 to 11 PSI pressure relief. Size: 3/4"-16 thread X 3-13/16" OD X 3-23/32" HT; Mounting seal OD: 2-13/16"; Anti drain valve, 28 Micron.</p>	
--	---


BOBCAT

Part#	O.E.M
-------	-------


<p>120-501 48045B</p> <p>Transmission Filter 8 to 11 PSI pressure relief. For XM Hydro series and 700 series. 3/4"-16 thread X 3-13/16" OD X 2-3/4" HT; Anti drain valve; 16 Micron.</p>	
--	---

For BOLENS - see ARIENS and TROY BILT

BRIGGS & STRATTON

<p>120-485 4154 / 5049 5076 / 492932 492932S / 492056 696854 / 842921</p>	
--	---

Oil Filter
For 5 Hp Vanguard engines.
Fits models 104700, 261700, 290700, 294700, 303700 and 350700;
3/4"-16 thread X 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron; 7 to 9 PSI pressure relief (Vanguard models small version filter)
NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-901

<p>120-345 4153 491056 / 491056S</p>	
---	---

Oil Filter
For most Vanguard series and twin cylinder engines. Fits models: 260700, 261700 and 290700.
8 to 11 PSI pressure relief, 3/4"-16 thread X 3" OD X 3-1/4" HT, Anti drain valve, 27 micron (Vanguard models large version filter)
NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-903

BRIGGS & STRATTON

Part#	O.E.M	Application
-------	-------	-------------

<p>120-634 70185 499532 Generac 70185</p> <p>Oil Filter Found on Briggs Generac models. 3/4"-16 thread X 2-11/16" OD X 2-15/16" HT, Anti drain valve, 28 micron. Mounting seal: 2-1/2" OD; 9 to 12 PSI pressure relief, NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-902</p>	
---	---

<p>120-285 692513 820314</p>	
---	---


Oil Filter
For 6.5 Hp Intek Pro model engines.
Models 122600 and 123600.

<p>120-500 795990 NEW</p>	
--------------------------------------	--

Oil Filter
For Briggs and Stratton engines.
Fits models: 121Q72, 121S72, 121S75, 121S77, 12Q972, 12S972 and 12S975.
Measures: 1.90" OD X 2-1/4" HT, 1-13/16" Seal OD, 3/4"-16 thread.

<p>125-211 66768 281685 John Deere M47797 Tecumseh 27625</p>	
---	---

Oil Fill Plug
For most Briggs and Stratton, Clinton and Tecumseh engines with angled oil fill neck.
Made of the finest nylon available.

<p>125-225 691913 280485 281081</p>	
--	---

Oil Plug with built in Dipstick.
Fits 4 Hp vertical shaft engines.
Models: 114900 thru 114995

<p>125-218 280663</p>	
------------------------------	---

Oil Plug with dipstick
For Briggs and Stratton Quantum engines.


<p>125-413 68838 281370 805259</p>	
---	---

Oil Grommet
For 7 and 11 Hp horizontal, 12 and 13 Hp vertical and Vanguard V-Twin horizontal engines with extended plastic dip sticks.

BRIGGS & STRATTON


Part#	O.E.M	Application
-------	-------	-------------

125-294 92738 / 690289
Kohler X-305-4
Kohler X-305-4-S




Magnetic Oil Plug
Size: 3/8"-18 pipe thread.
(Sold in multiples of 5)

125-302 94174
94687 / 691663
Kohler X-75-10
Kohler X-75-10-S
Kohler 25 139 57-S



Magnetic Oil Plug
Fits 2 - 5 HP engines.
Size: 1/4"-18 pipe thread. (Sold in multiples of 5)


125-203 296768
692939



Oil Minder Gauge
For Briggs, Clinton and Tecumseh engines. Permanently replaces oil filler plug with the "oil minder". Press rubber bulb and release. If oil can be seen, oil level is OK.

CASE


120-345 C26191



Oil Filter
3/4" - 16 thread X 3" OD
X 3-1/4" HT.
8 to 11 PSI pressure relief
Anti drain valve, 27 micron
(Vanguard models large version filter)


CUB CADET

120-360



Oil Filter
Fits models 107, 117,
220 and 444.
11 to 14 PSI pressure relief
M20 X 1.5 thread X 3" OD X
3-1/8" HT, Anti drain valve, 27 Micron

120-519 723-3014
923-3014
759-3605
Cushman 111836
IH-395789-R-2



Transmission Filter
For hydrostatic transmissions.
8 to 11 PSI pressure relief, anti drain valve
3/4" - 16 thread X 3-13/16" OD X 3-3/4" HT
Mounting seal OD: 2-13/16", 28 Micron
(For other oil filter for Cub Cadet see our part# 120-523
- Cub Cadet# CC-12-050-08 and part# 120-634 - Cub
Cadet# 490-201-001)

CUB CADET continued

Part#	O.E.M	Application
-------	-------	-------------


120-523 CC1205008



Oil Filter
For Cub Cadet 1500
and 2000 series lawn
tractors with Kohler engines.
8 to 11 PSI pressure relief;
3/4"-16 thread X 3" OD X 2-3/4" HT; Anti drain valve, 27
micron. For bulk pricing see 120-904 (12 pieces)

DIXON and ENCORE


120-361 Dixon 5565
Dixon 7252
Encore 423063



Transmission Filter
Fits models 501, 502,
5501, 5421 and 5601.
3/4"-16 thread X 3" OD X 3-7/8" HT, 18 PSI pressure
relief; Mounting seal OD: 2-3/4", 10 Micron


EXMARK and FERRIS

120-362 109-3321
Hustler 768341
Hustler 600976
Encore HG52114




Oil Filter
Found on Exmark, Hustler and
Scag models. Replaces Hydro
Gear Hg52114. Fits (Transmission
Model ZT2800).
Replaces Scag HG52114, fits Freedom Z.
Size: 2-11/16" OD X 3" HT, Mounting seal OD: 2-1/2".

120-361 513211
1-513211



Transmission Filter
Fits models 501, 502,
5501, 5421 and 5601.
3/4"-16 thread X 3" OD X 3-7/8" HT,
18 PSI pressure relief;
Mounting seal OD: 2-3/4", 10 Micron

120-710 103-2146
Ferris 1521357




Transmission Filter
Fits Exmark models:
Front Runner and Lazer Z. Most
Ferris Zero Turnmowers, also found on
Toro mowers. 1"-12 thread X 3-3/4" OD X 5-1/4" HT,
Anti drain valve, 25 micron

EXMARK & FERRIS cont.

Part#	O.E.M	Application
-------	-------	-------------

120-220 1094180 / 1513211
1633750 / 513211
633750
Ferris 22028



Transmission Filter
Large version of our 120-361.
Will fit both applications listed - see actual size below. Fits Toro Groundsmaster models 217, 220, 322 and 327 series. Fits Troy Bilt models 1455, 1476, 1477, 166, 1660, 1666, 1886, 194, 197, 198, 2086, 2087, QT-16; 13060, 13060, 13062, 13074 and 13076 hydro garden tractors; 13101 GTX hydro garden tractors. 3/4" - 16 thread X 3-13/16" OD X 3-7/8" HT; 8 to 11 PSI pressure relief, Anti drain valve, 10 micron


GRAVELY

120-600 12722
12722-PI




Oil Filter
For 7.6 "L" series tractors.
8 to 11 PSI pressure relief
3/4" - 16 thread X 3-3/4" OD X 4-1/4" HT
Anti drain valve, 20 - 25 Micron

120-634 20777000
21480600
21527900
21535800
043594
Cub Cadet 490-201-001




Oil Filter
For models with Kawasaki engines.
3/4"-16 thread X 2-11/16" OD X 2-15/16" HT; Mounting seal OD: 2-1/2" 9 to 12 PSI pressure relief, Anti drain valve, 28 Micron

120-345 042366



Oil Filter
For most Vanguard series and twin cylinder engines.
Fits models: 260700, 261700 and 290700.
8 to 11 PSI pressure relief, 3/4"-16 thread, 3" OD X 3-1/4" HT, Anti drain valve, 27 Micron
Mounting seal OD: 2-1/2"

120-523 21397200



Oil Filter
For models with Kohler engines.
8 to 11 PSI pressure relief
3/4"-16 thread X 3" OD X 2-3/4" HT
Anti drain valve, 27 micron

HONDA & HUSQVARNA

Part#	O.E.M	Application
-------	-------	-------------


120-519 39306



Transmission Filter
For Pro Master 400 series.
8 to 11 PSI pressure relief,
anti drain valve
3/4" - 16 thread X 3-13/16" OD
X 3-3/4" HT;
Mounting seal OD: 2-13/16", 28 Micron


HONDA & HUSQVARNA

120-360 Honda 15410-MJ0-004
Honda 15400-679-033
Honda 15400-PR3-004
Honda 15410-MB0-000
Honda 15410-MJ0-003
Honda 15400-POH-305
Honda 15410-MJ0-405




Oil Filter
For water cooled engines. Fits model IEM5000.
11 to 14 PSI pressure relief, M20 X 1.5 thread
3" OD X 3-1/8" HT, Anti drain valve, 27 micron

120-383 Honda
15410-MCJ-000
15410-MCJ-003




Oil Filter
Fits model GXV530,
16 Hp V-Twin.
M20 X 1.5mm
2.685" OD X 2.782" HT

120-361 Honda 25641-ZE4-003
Honda 25641-VE4-003
Husqvarna 539 10 26-06
Kees 101164
Yazoo101164



Transmission Filter
Fits models HRC7013, HRC7018 and
HRC7020. 3/4" - 16 thread X 3" OD X 3-7/8" HT
Mounting seal OD: 2-3/4", 18 PSI pressure relief;
10 micron

120-384 Club Car 15400POH305
15400PLMA01PE
NEW 15400POH305
7698475




Oil Filter
Fits Honda 18, 20 and 24 Hp
V-Twin engines. Fits Models:
GX610, GX620, GX630, GX660,
GX670, GX690, GXV340, GXV390,
GXV610, GXV620, GXV630,
GXV660, GXV670 and GXV690 Engines:
HA4118, HA4120, HRC7013, HRC7031K1, HRC7018,
HRC7020, HRC7113 and H6522 Mowers; EB1100 and
EB12D Generators. 20mm X 1.5mm X 2-11/16" OD X
3-3/8" HT, 27 Micron. Note: This filter replaces old Honda#
15400-PLM-A02

HONDA & HUSQVARNA


Part#	O.E.M	Application
-------	-------	-------------

120-485 531 30 70-43
531 30 73-89




Oil Filter
For 5 Hp Briggs and Stratton Vanguard engines. Fits models: 104700, 261700, 290700, 294700, 303700 and 350700. Fits Tecumseh models: OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX. 7 to 9 PSI pressure relief, 3/4"-16 thread, 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron (Vanguard models small version filter). For bulk pricing see 120-901 (12 pieces)

120-634 531 30 73-88




Oil Filter
Found on Briggs & Stratton / Generac models.
Found on Gravelly models equipped with Kawasaki engines. Fits John Deere lawn tractors 112L, LX172 and LX176 with Kawasaki engines; front mount F510. Fits Kawasaki 14 thru 19 Hp engines. Fits Onan model E125V with Kawasaki engines. 9 to 12 PSI pressure relief, 3/4"-16 thread, 2-11/16" OD X 2-15/16" HT, Anti drain valve, 28 micron; Mounting seal: 2-1/2" OD. For bulk pricing see 120-902 (12 pieces)

120-345 531 30 73-92



Oil Filter
For most Briggs and Stratton Vanguard series and twin cylinder engines. Fits models: 260700, 261700 and 290700. Fits John Deere lawn tractors STX46 (290001) with Kohler engines. Fits Kohler engine models: KT17 thru 19, M18 thru 20, MV16 thru 20 series, CH11 thru 14 and CV11 thru 15 Pro series. 8 to 11 PSI pressure relief, 3/4"-16 thread, 3" OD X 3-1/4" HT, Anti drain valve, 27 micron. (Vanguard models large version filter). For bulk pricing see 120-903 (12 pieces)

120-523 531 30 73-93




Oil Filter
For Cub Cadet 1500 and 2000 series lawn tractors with Kohler engines. For Gravelly models with Kohler engines. For John Deere lawn tractors SST15, L100 and LX173 with Kohler engines. Fits Kohler engine models: CH18 thru CH25, CV18 thru CV25 and K582. 8 to 11 PSI pressure relief; 3/4"-16 thread X 3" OD X 2-3/4" HT; Anti drain valve, 27 micron. For bulk pricing see 120-904 (12 pieces)

HONDA & HUSQVARNA


Part#	O.E.M	Application
-------	-------	-------------

125-264 Honda 15600-ZG4-003
Code 4497921



Oil Fill Cap
Fits models GX110, GX120, GX140, GX160, GX200, GX240, GX270, GX340, GX390.

125-240 Honda 15600-ZG4-003
Honda 15600-ZE1-003
Code 4500146




Oil Dipstick and Gasket
Fits models GX110, GX120, GX140, GX160,

125-241 Honda 15650-ZM0-801



Oil Dipstick and Gasket
Fits models:
GCV135 and GCV160


125-239 Honda
15558-ZJ1-010AH



Oil Drain Valve
Fits Honda
Metric M14 X 1.5 thread.

JOHN DEERE

120-638 M806418



Oil Filter
Fits John Deere models: 1420, 1435, 1445, F735, F912, F915, F925, F935, 425, 445, 455 diesel, 1420, 1435, 1565, F735, F912, F915, F925, F932, F935, GX355, X495, X595, X740, X744, X748, X749, HPX Diesel Gator, 2500 and 2500A Greensmowers. 11 to 14 PSI pressure relief; M20 X 1.5 thread X 2-5/8" OD X 2-1/2" HT; Anti drain valve, 20 Micron

120-345 AM101207



Oil Filter
Fits John Deere lawn tractors STX46 (290001) with Kohler engines. 3/4" - 16 thread X 3" OD X 3-1/4" HT. 8 to 11 PSI pressure relief Anti drain valve, 27 micron. NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-903

JOHN DEERE continued

Part#	O.E.M	Application
-------	-------	-------------

120-523 AM125424
KH1205008




Oil Filter
For John Deere lawn tractors SST15, L100 and LX173 with Kohler engines. Fits Kohler engine models: CH18 thru Ch25, CV18 thru CV25 and K582. 3/4" - 16 thread X 3" OD X 2-3/4" HT 8 to 11 PSI pressure relief Anti drain valve, 27 micron

120-634 AM101054
AM101207
AM107423



Oil Filter
For models with Kawasaki engines. Fits John Deere lawn tractors 112L, LX172 and LX176 with Kawasaki engines; front mount F510. 3/4" - 16 X 2-11/16" OD X 2-15/16" HT Mounting seal OD: 2-1/2" 9 to 12 PSI pressure relief; Anti drain valve, 28 micron. NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-902

120-626 AM39687
AM34770




Oil Filter
For models with Kohler engines. 3/4" - 16 thread X 3" ODX 5-1/8" HT; Mounting seal OD: 2-7/8" 8 to 11 PSI pressure relief, Anti drain valve; 28 micron

120-360 AM101378
M806418



Oil Filter
Fits models 300, 400, F912, 915, 925, 932 and 935 series. M20 X 1.5 thread 3" OD X 3-1/8" HT 11 to 14 PSI pressure relief, Anti drain valve, 27 micron

120-519 AM39653
AM35176
AM31205
AM38441



Transmission Filter
Front mount mowers F911, F912, F915, F925 F932 and F935; Z-trak mowers F620, F680, F687, F737 and F757; Lawn tractors: 140, 230, 300, 312, 314, 316, 317, 318, 322, 330, 332, 400, 420, 430 and 900 series. 8 to 11 PSI pressure relief, anti drain valve 3/4" - 16 thread X 3-13/16" OD X 3-3/4" HT Mounting seal OD: 2-13/16, 25/30 Micron

JOHN DEERE continued


Part#	O.E.M	Application
-------	-------	-------------

120-512 AM131053



Transmission Filter
Fits Groundsmaster 300 series. For new Pro Line commercial mowers. 1" - 12 thread 3-3/4" OD X 3-5/8" HT Rubber Seal OD: 2-7/8", 10 micron

120-485 GY20577
LG492932S




Oil Filter
For 5 Hp Briggs and Stratton Vanguard engines. Fits models: 104700, 261700, 290700, 294700, 303700 and 350700. Fits Tecumseh models: OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX. 7 to 9 PSI pressure relief, 3/4"-16 thread, 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron (Vanguard models small version filter). For bulk pricing see 120-901 (12 pieces)

120-166 AM131054
NEW



Hydraulic Oil Filter
Fits John Deere models: 425, 445, 455, X465, X475, X485, X495, X700, X740, X749, 647, 647A, 657, 657A, 667, 667A, 717, 717Z-Trax, 727, 727A, 777, 797 Z-Trak, Z425, Z445, Z465 EZ-Trak and 4100 compact diesel. Size: 4-1/4" OD X 6-1/2" HT, 20 Micron.


125-235 AM115362



Oil Drain Valve
Fits John Deere models equipped with Kawasaki engines. Metric M16 X 1.5 thread.

KAWASAKI


125-235 99969-1395




Oil Drain Valve
Fits Kawasaki engines. Used on John Deere and Scag equipment etc. Metric M16 X 1.5 thread.

KAWASAKI continued


Part#	O.E.M	Application
-------	-------	-------------

120-485	49065-7002 49065-7007	
<p>Oil Filter For 5 Hp Briggs and Stratton Vanguard engines. Fits models: 104700, 261700, 290700, 294700, 303700 and 350700. Fits Tecumseh models: OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX. 7 to 9 PSI pressure relief, 3/4"-16 thread, 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron (Vanguard models small version filter). For bulk pricing see 120-901 (12 pieces)</p>		

120-634	49065-2078 49065-2074 49065-2071 49065-2070 49065-2062 49065-2057 Kees 363312	
<p>Oil Filter Fits most models. 3/4" - 16 thread X 2-11/16" OD X 2-15/16" HT; Mounting seal OD: 2-1/2" 9 to 12 PSI pressure relief; Anti drain valve, 28 micron. Note: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-902</p>		

120-638	16097-1072	
<p>Oil Filter Fits John Deere models: 1420, 1435, 1445, F735, F912, F915, F925, F935, 425, 445, 455 diesel, 1420, 1435, 1565, F735, F912, F915, F925, F932, F935, GX355, X495, X595, X740, X744, X748, X749, HPX Diesel Gator, 2500 and 2500A Greensmowers. 11 to 14 PSI pressure relief; M20 X 1.5 thread X 2-5/8" OD X 2-1/2" HT; Anti drain valve, 20 Micron</p>		

KOHLER

120-485	2505001	
<p>Oil Filter For 5 Hp Briggs and Stratton Vanguard engines. Fits models: 104700, 261700, 290700, 294700, 303700 and 350700. Fits Tecumseh models: OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX. 7 to 9 PSI pressure relief, 3/4"-16 thread, 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron (Vanguard models small version filter). For bulk pricing see 120-901 (12 pieces)</p>		


KOHLER continued

Part#	O.E.M	Application
-------	-------	-------------


120-345	52 050 02 52 050 02-S	
<p>Oil Filter Fits models KT17 thru 19, M18 thru b20, MV16 thru 20 series, CH11 thru 14 and CV11 thru 15 Pro series. 3/4" - 16 thread X 3" OD X 3-1/4" HT Mounting seal OD: 2-13/16" 8 to 11 PSI pressure relief, Anti drain valve, 27 micron</p>		

120-523	12 050 01 12 050 01-S Woods 70820	
<p>Oil Filter Fits models CH18 thru 25, CV18 thru 25 and K582. 3/4" - 16 thread X 3" OD X 2-3/4" HT Mounting seal OD: 2-13/16" 8 to 11 PSI pressure relief, Anti drain valve, 27 micron</p>		

120-626	277233 277233-S	
<p>Oil Filter Fits models K482, K532 and K582. 3/4" - 16 thread 3" OD X 5-1/8" HT Mounting seal OD: 2-7/8" 8 to 11 PSI pressure relief, Anti drain valve, 28 micron</p>		

125-237	25 462 08 25 755 14 25 755 14S Tecumseh 37651	
<p>Oil Drain Valve Adapts to most 8 Hp and larger engines. Permanent mount on engines. - 1/2" drain hose connection, - 3/8" - 18 NPTF thread</p>		


KUBOTA

120-359	15241-32090 Grasshopper 100800	
<p>Oil Filter Fits many B, BX, G, F, U and ZD series Kubota's. Fits diesel engines. 20mm X 1.5mm X 3.243" OD X 2.944" HT.</p>		

KUBOTA continued

Part#	O.E.M	Application
-------	-------	-------------

120-360 70000-15241
70000-74034
30401-37580
Troy Bilt 1874139




Oil Filter
Fits models T1600H, D600, D650, D750, D850 and D950.
11 to 14 PSI pressure relief
M20 X 1.5 thread X 3" OD X 3-1/8" HT
Rubber seal OD: 2-1/2", anti drain valve, 27 micron

120-383 15853-32430
15853-99179
Toro 93-4295
Honda 15410-MCJ-000




Oil Filter
Smaller version of our 120-360.
M20 X 1.5 thread X 2-5/8" OD X 2-3/4" HT,
Rubber seal OD: 2-1/2", anti drain valve.

120-286 70000-32091



Oil Filter
Fits models L175, L275, L235, L260, F345, L355, L2250, L2500, L2850, 4000 series, 5030, D1100 and F2302. 3-7/8" OD X 4-1/8" HT, Rubber Seal OD: 2-13/16" 8 to 11 PSI pressure relief, anti drain valve.

120-597 66021-36060
Perkins 1405161-90
Toro 85-4930



Transmission Filter
Fits all "B" series Kubota as well as Perkins and Toro.
(Replaces Perkins# 1405161-90)
3/4"-16 Thread, 3" OD X 4-1/16" HT;
Mounting seal OD: 2-3/4"; 25 Micron

MTD

120-519 727-0162




Transmission Filter
For hydrostatic transmissions.
3/4" - 16 thread
3-13/16" OD X 3-3/4" HT
Mounting seal OD: 2-13/16" 8 to 11 PSI pressure relief, anti drain valve, 28 micron

ONAN

Part#	O.E.M	Application
-------	-------	-------------

120-634 122-0737
122-0737-03




Oil Filter
Fits model E125V with Kawasaki engine.
3/4" - 16
2-11/16" OD X 2-15/16" HT
Mounting seal OD: 2-1/2"
9 to 12 PSI pressure relief; Anti drain valve, 28 micron

120-345 122-0645



Oil Filter
Fits models P216, 218, 220, BFA, BGA, BGAL, BGD, BGD L, BGE, BGEL, BGM, B43G & B48GM.
3/4" - 16 thread X 3" OD X 3-1/4" HT. 8 to 11 PSI pressure relief; Anti drain valve, 27 micron

120-517 122-0800
122-0323
122-0445




Oil Filter
Fits 16 and 20 Hp twin cylinder models from 1989 thru 1994.
3/4" - 16. 3" OD X 4-5/8" HT. 8 to 11 PSI pressure relief, Anti drain valve, 25 - 30 micron

120-626 122-0469



Oil Filter
Fits models NA, NHB, NHC, NHP, N52M, P224 & T260.
3/4" - 16 thread
3" OD X 5-1/8" HT. Mounting seal OD: 2-7/8"
8 to 11 PSI pressure relief, Anti drain valve, 28 micron

120-519 122-0185



Transmission Filter
Fits models JA, JB, JC and JF.
3/4" - 16 thread
3-13/16" OD X 3-3/4" HT
Mounting seal OD: 2-13/16".
8 to 11 PSI pressure relief, anti drain valve, 28 micron

SCAG

Part#	O.E.M	Application
-------	-------	-------------

120-512 48462-01




Transmission Filter
Fits Hydro units.
1" - 12 thread
3-3/4" OD X 3-5/8" HT
Rubber Seal OD: 2-7/8", 10 micron

120-362 HG52114




Oil Filter
Replaces Scag Hydro Gear Hg52114.
Fits (Transmission Model Zt2800).
Replaces Scag HG52114, fits Freedom Z. Also found on Exmark, Hustler and Scag models.
Size: 2-11/16" OD X 3" HT, Mounting seal OD: 2-1/2"

125-235 482351




Oil Drain Valve
Fits many Scag models equipped with Kawasaki engines.
Metric M16 X 1.5 thread.

125-238 482352



Oil Drain Valve
Fits Scag and also some Kawasaki 19 thru 25 Hp vertical engines.
3/8" - 18 NPTF threads

125-236 482349



Oil Drain Valve
Fits Scag and also some Kawasaki 19 thru 25 Hp vertical engines.
Metric M20 X 2.5mm threads

SIMPLICITY

120-519 171439
1650954




Transmission Filter
Fits Sunstrand hydro models.
3/4" - 16 thread
3-13/16" OD X 3-3/4" HT
Mounting seal OD: 2-13/16. 8 to 11 PSI pressure relief, anti drain valve, 28 Micron

SNAPPER

Part#	O.E.M	Application
-------	-------	-------------

120-634 7-7355



Oil Filter
For Snapper models equipped with Kawasaki engines.
3/4" - 16 thread 2-3/4" OD X 2-15/16" HT
Mounting seal OD: 2-11/16". 9 to 12 PSI pressure relief, Anti drain valve, 28 micron


120-512 2-7164
7027164



Transmission Filter
Fits Hydro units.
1" - 12 thread
3-3/4" OD X 3-5/8" HT
Rubber Seal OD: 2-7/8", 10 micron

TECUMSEH

120-485 36563
36961



Oil Filter
Fits models OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX.
3/4" - 16 thread X 3" OD X 2-5/16" HT, Rubber seal OD: 2-13/16", 7 to 9 PSI pressure relief, Anti drain valve, 28 micron. NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-901


120-634 36262



Oil Filter
For models OHV15 specs 204003, 204005, 204010, 204013 and OHV16 specs 204205A. 3/4" - 16 thread 2-11/16" OD X 2-15/16" HT, Mounting seal OD: 2-1/2" 9 to 12 PSI pressure relief, Anti drain valve, 28 micron. NOTE: SAVE "SHOP PACK of 12" available - Banta Saw order# 120-902






TORO / WHEEL HORSE

120-634 NN10684
Woods 72859



Oil Filter
Fits models with Kawasaki engines. 3/4" - 16 thread 2-11/16" OD X 2-15/16" HT, Mounting seal OD: 2-1/2", 9 to 12 PSI pressure relief; Anti drain valve, 28 micron

TORO / WHEEL HORSE

Part#	O.E.M	Application
120-523	98020	
<p>Oil Filter For models with Kohler engines. 3/4" - 16 thread, 3" OD X 2-3/4" HT Mounting seal OD: 2-13/16". 8 to 11 PSI pressure relief; Anti drain valve, 27 micron</p>		
120-345	NN10147 Woods 70939	
<p>Oil Filter Fits models with Kohler engines. 3/4" - 16 thread 3" OD X 3-1/4" HT Mounting seal OD: 2-13/16" 8 to 11 PSI pressure relief, Anti drain valve, 27 micron</p>		
120-517	NN10143	
<p>Oil Filter Fits 16 and 20 Hp twin cylinder models from 1989 thru 1994. 3/4" - 16 thread 3" OD X 4-5/8" HT 8 to 11 PSI pressure relief, Anti drain valve, 25 - 30 micron</p>		
120-710	28-1370 54-0110	
<p>Transmission Filter Fits Toro / Wheel Horse Groundsmaster 117 and 118 models, Greenmaster 3, Turfpro and SandPro models. Thread Size: 1"-12, 3-3/4" OD X 5-1/4" HT, 25 / 28 Micron, Anti-Drain.</p>		
120-519	108335 79-5270	
<p>Transmission Filter For hydrostatic transmissions. Fits hydro models 300, 400 and 500 series. 3/4" - 16 thread 3-13/16" OD X 3-3/4" HT Mounting seal OD: 2-13/16". 8 to 11 PSI pressure relief, Anti drain valve, 28 micron</p>		

TORO / WHEEL HORSE

Part#	O.E.M	Application
120-220	23-2300	
<p>Transmission Filter Large version of our 120-361. Will fit both applications listed - see actual size below. Fits Toro Groundsmaster models 217, 220, 322 and 327 series. 3/4" - 16 thread 3-13/16" OD X 3-7/8" HT; mounting seal OD: 2-13/16". 8 to 11 PSI pressure relief, Anti drain valve, 10 micron</p>		
120-361	23-9740 63-3750 E63-3750	
<p>Transmission Filter Small version of our 120-220. For hydrostatic transmissions. 3/4" - 16 thread 3" OD X 3-7/8" HT; mounting seal OD: 2-13/16". 8 to 11 PSI pressure relief, Anti drain valve, 10 micron</p>		
120-512	67-8110	
<p>Transmission Filter Fits Groundsmaster 300 series. For new Pro Line commercial mowers. 1" - 12 thread 3-3/4" OD X 3-5/8" HT Mounting seal OD: 2-7/8", 10 micron</p>		
120-485		
<p>Oil Filter For 5 Hp Briggs and Stratton Vanguard engines. Fits models: 104700, 261700, 290700, 294700, 303700 and 350700. Fits Tecumseh models: OHV130, OHV135, OHV150, OHV155, OHV165, OHV175, OHV180, TVT691, OV and VTX. 7 to 9 PSI pressure relief, 3/4"-16 thread, 3" OD X 2-5/16" HT, 2-13/16" Seal OD, Anti drain valve, 28 micron (Vanguard models small version filter). For bulk pricing see 120-901 (12 pieces)</p>		

