




UNIVERSAL

Part#	OEM	Application	
195-057	Universal	10" Plastic Wheel - Measures: 10" OD X 1/2" ID Wheel hub is 2-1/16" offset. Thread style: Rib	
185-033	Universal	10" Steel Wheel - Measures: 10" OD X 1/2" ID Wheel hub is 2-1/16" offset. Thread style: Rib. Replaceable ball bearing type wheel for longer life.	


ARIENS

215-095	Ariens# 54044 Ariens# 54055 Ariens# 05404400 Ariens# 05405500 Gilson# 1140 / 1044, Roper# 1554H / 1553H, Simplicity# 154486, Troy Bilt# 1714	Roller Bearing & Race Measures: 3/4" ID X 1-25/32" OD X 21/32" HT (Bearing# LM11949 and LM11910)	
215-103	Ariens# 54069 Ariens# 54070 Ariens# 05406900 Ariens# 05407000	Roller Bearing & Race Measures: 1" ID X 1.988" OD X .43" HT (Bearing# L44610 and L44643)	
225-825	Ariens# 55112 Ariens# 05511200	Bushing - Fits rear tine tiller 901011 20" Measures: 3/4" ID X 1" OD X 3/4" HT	
370-302	Ariens# 129359 Ariens# 001292300 AYP# 4459J / 6554J MTD# 742-0105 Noma# 600089 Roto Hoe# 1569	Left Hand Tiller Tine - Fits left hand Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.	
370-306	Ariens# 129259 Ariens# 001292200 AYP# 4460J / 6555J MTD# 742-0106, Noma# 600090, Roto Hoe# 1570	Right Hand Tiller Tine - Fits right hand Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.	


AYP

285-703	AYP# 3066J	Clutch Cable - Fits on Tillers. Overall length: 46-5/8" Conduit length: 41-3/4" 2-1/2" spring	
	(While Quantities Last)		
285-701	AYP# 110675X	Clutch Cable - Fits on Tillers. Overall length: 51-1/2" Conduit length: 46-5/8"	


GILSON (LAWN BOY)

Part#	OEM	Application	
240-614	Gilson# 1054 Atlas# 74-15 General Power# 774-547 Lawn Boy# 700414, National# 471224, Simplicity# 118118	Oil Seal - Fits on Tillers - 1/4" seal height. Size: 1" ID X 1-1/2" OD (double seal)	
416-826	Gilson# 1060 (Sold in multiples of 10)	Hitch Pin - Measures: 1-3/4" L X 1/8" diameter #16 mfg. Number	
418-509	Gilson# 11780 Lawn Boy# 700799 (Sold in multiples of 10)	Tiller Tin Pin - Measures: 1/2" diameter X 2" length (for other sizes - see our "ASSORTMENT" heading, under "Tiller Tine Pin Assortment")	


HONDA

370-608	Honda# 72461-723-700 MTD# 742-0107	Left Hand Tiller Tine - Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine	
370-609	Honda# 72465-723-700 MTD# 742-0108	Right Hand Tiller Tine - Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine	


JOHN DEERE

370-302	John Deere# M130045 AYP# 4459J / 6554J	Left Hand Tiller Tine - Fits left hand. Three 3/8" diameter mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, 12" bolo tines.	
370-306	John Deere# M130044 AYP# 4460J / 6555J	Right Hand Tiller Tine - Fits right hand. Three 3/8" diameter mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, 12" bolo tines.	







MERRY TILLER

225-615	Merry Tiller# 343 Merry Tiller# 706-0343	Needle Bearing - Fits most Tiller models. Requires two per unit. Measures: 1-1/4" ID X 1-1/2" OD X 1" HT	
240-135	Merry Tiller# 706-0344 National# 340356 Snapper# 1-3681	Oil Seal - Fits most Tiller models. Measures: 1-1/4" ID X 1-11/16" OD X 7/32" HT	









MTD

225-045	MTD# 748-0110	Bronze Flange Bushing - Fits MTD Tillers. Measures: 5/8" ID X 7/8" OD X 5/8" HT	
225-300	MTD# 748-0855 Jacobsen# 545549 Toro/Wheel# 2119-127 Yardman# 065274	Bronze Flange Bushing - Fits MTD Tiller model 766 and others applications. Measures: 5/8" ID X 3/4" OD X 1" HT	
418-749	MTD# 714-0126 Snapper# 1-0211 (Sold in multiples of 10)	Woodruff Key - # 9 Key Measures: 3/16" W X 3/4" L (For more sizes - see "ASSORTMENTS" heading - under "Woodruff Key Assortment")	








MTD continued

Part#	OEM	Application	
418-798	MTD# 714-0103 MTD# 714-0135 (Sold in multiples of 10)	Woodruff Key - Number 91 key Measures: 1/4" W X 3/4" L (More sizes - see "ASSORTMENTS" heading - under "Woodruff Keys")	
240-226	MTD# 721-0100 (While Quantities Last)	Oil Seal - Fits Tiller models 100, 200, 255, 355, 370, 705, 100AB2, 200AB2, 355AB2 and 360AB2. Measures: 3/4" ID X 1-1/8" OD (double seal)	
370-302	MTD# 742-0105 AYP# 4459J / 6554J Noma# 600089 Roto Hoe# 1569	Left Hand Tiller Tine - Fits left hand. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine	
370-306	MTD# 742-0106 AYP# 4460J / 6555J Noma# 600090 Roto Hoe# 1570	Right Hand Tiller Tine - Fits right hand. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine	
370-608	MTD# 742-0107 Honda# 72461-723-700	Left Hand Tiller Tine - Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine.	
370-609	MTD# 742-0108 Honda# 72465-723-700	Right Hand Tiller Tine - Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine.	

TROY BILT



875-328	Troy Bilt# 50134 Troy Bilt# GW-50134	Kevlar V-Belt - Fits models 20594-20597 Pony III tillers; 5 Hp Pony and 3.5 Hp Junior II models. Measures: 3/8" W X 28" L	
875-685	Troy Bilt# 1128-1 Troy Bilt# GW-1128-1	Drive belt - Fits older Horse models. Fits 2-speed HORSE models, serial numbers 1001 to 314150 Measures: 1/2" W X 21-3/4" L (Can also use our Kevlar belt# 875-420 = 1/2" X 20")	
875-686	Troy Bilt# 9245 Troy Bilt# GW-9245	Drive belt - Fits 4-speed HORSE models. Measures: 1/2" W X 22-1/4" L	
875-278	Troy Bilt# 9201 Troy Bilt# GW-9201 Garden Way# 1909404	Drive belt - Fits models 20458-20463 Pony and 20558 Super Pony. For 5 Hp engines. Measures: 1/2" W X 23-3/4" L (Can also use our Kevlar belt# 875-424 = 1/2" X 24")	
240-940	Troy Bilt# 2111 Troy Bilt# 88174	Drive Disc - Tiller reversing drive disc. Used on newer Horse models DP630 thru 1260 since 1989. Measures: 3/8" ID X 3-3/4" OD	
430-488	Troy Bilt# 9243	Starter Key - Fits Troy Bilt as well as John Deere, MTD, Toro / Wheel Horse and many others.	
240-507	Troy Bilt# 9618	Oil Seal - Fits tine seal on Horse model Tiller. Measures: 1-1/4" ID X 2" OD	
240-804	Troy Bilt# 9621	Oil Seal - Fits axle seal on Horse model Tiller. Measures: 1" ID X 1-1/2" OD	

TROY BILT continued

Part#	OEM	Application	
285-105 NEW	Troy Bilt# 2163	Four Speed Horse Spring Fits HORSE models serial# 1206800100101 - up. Measures: 3-3/8" overall length	
285-115 NEW	Troy Bilt# 1492	Two Speed Horse Spring Fits Pony & Horse models serial# 1001-639999. Measures: 3-3/8" overall length	
370-092	Troy Bilt# 1026A Troy Bilt# GW-1026A	Tine Shaft - Fits rear tine Tillers models Horse 1, 2, 3 thru 6, 7 and 8 Hp. Models: OPC Horse and PTO Horse. Measures: 7" Long X 1-1/4" Shaft OD, Tapers down to .735" OD on both ends, 1/2"-20 female threads on each end..	
215-015	Troy Bilt# 11522 Woods# 2303	Tapered Roller Bearing Set - Fits above tine shaft. For HORSE models. Measures: 1-1/4" ID X 2-21/64" OD X 21/32" HT (Bearing# LM67048 / LM67010)	
370-093	Troy Bilt# 1878	Wheel Shaft - Fits rear tine Tillers models Horse 1, 2, 3 thru 6, 7 and 8 Hp. Models: OPC Horse and PTO Horse. Measures: 15-5/8" Long X 1" Shaft OD. .315" ID hole 2-5/16" from each end.	
370-302	Troy Bilt# 1270-1A AYP# 4459J / 6554J John Deere# M130045 Noma# 600089 Roto Hoe# 1569	Left Hand Tiller Tine - Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.	
370-306	Troy Bilt# 1270-2A AYP# 4460J / 6555J John Deere# M130044 Noma# 600090 Roto Hoe# 1570	Right Hand Tiller Tine - Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.	

TILLER TINE SET - FITS TROY BILT and the following

Tiller manufacturers: ARIENS / AYP / JOHN DEERE / MTD / NOMA / ROTO HOE

Part#	OEM	Includes: 32 pieces of each
370-310	Troy Bilt# 1901118	
Tiller Tine Set - For HORSE and PONY models.		
Kit contains the following:		
(8) 370-302 left hand tiller tines (8) 370-306 right hand tiller tines and (32) Cap screws, hex nuts and lock washers		
370-298	Also available by itself is a Hardware Kit for above When ordering part# 370-298 you will receive: (32) Cap Screws, (32) Hex Nuts, (32) Lock Washers	Includes: 32 pieces of each 