


UNIVERSAL

| PART# | O.E.M | APPLICATION |
|---|-----------|---|
| 195-057 | Universal |  |
| <p>10" Plastic Wheel Measures: 10" OD X 1/2" ID Wheel hub is 1-1/2" offset. Thread style: Diamond (Will accept our 235-036 axle bolt). NOTE: For 10" wheel with rib tread, please see our 185-033.</p> | | |
| 185-033 | Universal |  |
| <p>10" Steel Wheel Measures: 10" OD X 1/2" ID Wheel hub is 2-1/16" offset. Thread style: Rib. Replaceable ball bearing type wheel for longer life.</p> | | |




ARIENS

| | | |
|--|---|---|
| 215-095 | 54044 / 54055 05404400 05405500 Gilson# 1140 / 1044 Roper# 1554H / 1553H Simplicity# 154486 Troy Bilt# 1714 |  |
| <p>Roller Bearing & Race Measures: 3/4" ID X 1-25/32" OD X 21/32" HT (Bearing# LM11949 and LM11910)</p> | | |
| 215-103 | 54069 / 54070 05406900 05407000 |  |
| <p>Roller Bearing & Race Measures: 1" ID X 1.988" OD X .43" HT (Bearing# L44610 and L44643)</p> | | |
| 225-825 | 55112 05511200 |  |
| <p>Bushing Fits rear tine tiller 901011 20" Measures: 3/4" ID X 1" OD X 3/4" HT</p> | | |
| 370-302 | 129359 001292300 AYP# 4459J AYP# 6554J |  |
| <p>Left Hand Tiller Tine Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> | | |
| 370-306 | 129259 001292200 AYP# 4460J AYP# 6554J |  |
| <p>Right Hand Tiller Tine Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> | | |

AYP

| PART# | O.E.M | APPLICATION |
|--|-----------------|---|
| 285-703 | 3066J 188532 |  |
| <p>Clutch Cable Fits on Tillers. Cable length: 44" X Conduit length: 41-1/2" X Spring length: 2-1/2".</p> | | |



GILSON

| | | |
|---|--|---|
| 240-614 | 1054 Atlas# 74-15 General Power# 774-547 Lawn Boy# 700414 National# 471224 Simplicity# 118118 |  |
| <p>Oil Seal Fits on Tillers - 1/4" seal height. Size: 1" ID X 1-1/2" OD (double seal)</p> | | |
| 416-826 | 1060 |  |
| <p>Hitch Pin Measures: 1-3/4" L X 1/8" diameter #16 mfg. Number (Sold in multiples of 10)</p> | | |
| 418-509 | 11780 Lawn Boy# 700799 |  |
| <p>Tiller Tin Pin Measures: 1/2" diameter X 2" length (For other sizes - see our "ASSORTMENT" heading, under "Tiller Tine Pin Assortment") (Sold in multiples of 10)</p> | | |



HONDA

| | | |
|---|---|---|
| 370-608 | 72461-723-700 72461-723-750 Code# 3471851 |  |
| <p>Left Hand Tiller Tine (While Quantities Last) Fits Left Hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine, 3" wide cut. Fits Honda tiller models: FR500, FR500K1, FR700 and FR700K1.</p> | | |
| 370-609 | 72465-723-700 Code# 3471869 |  |
| <p>Right Hand Tiller Tine (While Quantities Last) Fits Right Hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine, 3" wide cut. Fits Honda tiller models: FR500, FR500K1, FR700 and FR700K1.</p> | | |


HUSQVARNA

| PART# | O.E.M | APPLICATION |
|--|--------------|---|
| 370-608 | 532 1011-94 |  |
| Left Hand Tiller Tine Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits Husqvarna tiller models: CRT81 and CRT83. | | |
| 370-609 | 532 10 11-93 |  |
| Right Hand Tiller Tine Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits Husqvarna tiller models: CRT81 and CRT83. | | |


JOHN DEERE

| | | |
|--|---------|---|
| 370-302 | M130045 |  |
| Left Hand Tiller Tine Fits left hand. Three 3/8" dia. mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, 12" bolo tines. | | |
| 370-306 | M130044 |  |
| Right Hand Tiller Tine Fits right hand. Three 3/8" dia. mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, 12" bolo tines. | | |







MERRY TILLER

| | | |
|---|---|---|
| 240-135 | 706-0344 National# 340356 Snapper# 1-3681 |  |
| Oil Seal Fits most Tiller models. Measures: 1-1/4" ID X 1-11/16" OD X 7/32" HT | | |

MTD

| | | |
|---|----------------------|---|
| 875-999 | 754-0434 954-0434 |  |
| Drive belt Fits Cub Cadet tillers, 2008 & newer. Fits MTD tillers, 2009 and newer. For MTD 430, 440 and 450 model series rear tine tiller 1997 and later. Size: 1/2" X 58-1/4" L. (Type 1). | | |




MTD continued

| PART# | O.E.M | APPLICATION |
|--|--|---|
| 225-045 | 748-0110 |  |
| Bronze Flange Bushing Fits MTD Tillers. Measures: 5/8" ID X 7/8" OD X 5/8" HT | | |
| 225-300 | 748-0855 Jacobsen# 545549 Toro/Wheel# 2119-127 Yardman# 065274 |  |
| Bronze Flange Bushing Fits MTD Tiller model 766 and others applications. Measures: 5/8" ID X 3/4" OD X 1" HT | | |
| 418-749 | 714-0126 Snapper# 1-0211 |  |
| Woodruff Key - # 9 Key (Sold in multiples of 10) Measures: 3/16" W X 3/4" L. (For more sizes see - "Assortments" heading under "Woodruff Key Assortment") | | |
| 418-798 | 714-0103 714-0135 |  |
| Woodruff Key - Number 91 key (Sold in multiples of 10) Measures: 1/4" W X 3/4" L (For more sizes see - "Assortments" heading under "Woodruff Key Assortment") | | |
| 240-804 | 921-04031 |  |
| Oil Seal Fits axle seal on Horse / Troy Bilt / MTD model Tillers. Measures: 1" ID X 1-1/2" OD | | |
| 495-147 | 721-0179 921-0179 Cub Cadet# 721-0179 Cub Cadet# 921-0179 Troy Bilt# 721-0179 Troy Bilt# 921-0179 |  |
| Oil Seal Fits on MTD Snowblowers. Fits MTD 600 series (1992 thru 1993) and 400, 500 & 600 series (1994 thru 2004). Measures: 3/4" ID X 1-1/8" OD X 1/8" HT. | | |

MTD continued

| PART# | O.E.M | APPLICATION |
|--|--|---|
| 370-302 | 742-0105 Noma# 600089 Roto Hoe# 1569 |  |
| <p>Left Hand Tiller Tine Fits Troy Bilt models: HORSE and PONY. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> | | |
| 370-306 | 742-0106 Noma# 600090 Roto Hoe# 1570 |  |
| <p>Right Hand Tiller Tine Fits right hand. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> | | |
| 370-608 | 742-0107 |  |
| <p>Left Hand Tiller Tine Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.</p> | | |
| 370-609 | 742-0108 |  |
| <p>Right Hand Tiller Tine Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.</p> | | |


TROY BILT

| | | |
|--|---------------------|---|
| 875-328 | 50134 / GW-50134 |  |
| <p>Kevlar V-Belt Fits models 20594-20597 Pony III tillers; 5 Hp Pony and 3.5 Hp Junior II models. Measures: 3/8" W X 28" L</p> | | |
| 875-685 | 1128-1 GW-1128-1 |  |
| <p>Drive belt Fits older Horse models. Fits 2-speed HORSE models, serial numbers 1001 to 314150. Measures: 1/2" W X 21-3/4" L (Can also use our Kevlar belt# 875-420 = 1/2" X 20")</p> | | |
| 875-686 | 9245 GW-9245 |  |
| <p>Drive belt Fits 4-speed HORSE models. Measures: 1/2" W X 22-1/4" L</p> | | |




TROY BILT continued

| PART# | O.E.M | APPLICATION |
|---|--|---|
| 875-278 | 9201 GW-9201 Garden Way# 1909404 |  |
| <p>Drive belt Fits models 20458-20463 Pony and 20558 Super Pony. For 5 Hp engines. Measures: 1/2" W X 23-3/4" L (Can also use our Kevlar belt# 875-424 = 1/2" X 24")</p> | | |
| 240-940 | 2111 88174 |  |
| <p>Drive Disc Tiller reversing drive disc. Used on newer Horse models DP630 thru 1260 since 1989. Measures: 3/8" ID X 3-3/4" OD</p> | | |
| 430-488 | 9243 |  |
| <p>Starter Key Fits Troy Bilt as well as John Deere, MTD, Toro / Wheel Horse and many others.</p> | | |
| 240-507 | 9618 Garden Way# GW9618 GW9618099 |  |
| <p>Oil Seal Fits tine seal on Horse model Tiller. Measures: 1-1/4" ID X 2" OD</p> | | |
| 240-804 | 9621 921-04031 |  |
| <p>Oil Seal Fits axle seal on Horse model Tiller. Measures: 1" ID X 1-1/2" OD</p> | | |
| 495-147 | 721-0179 921-0179 |  |
| <p>Oil Seal Fits on MTD Snowblowers. Fits MTD 600 series (1992 thru 1993) and 400, 500 and 600 series (1994 thru 2004). Measures: 3/4" ID X 1-1/8" OD X 1/8" HT.</p> | | |

TROY BILT continued

| PART# | O.E.M | APPLICATION |
|----------------|--|--|
| 285-105 | 2163 |  <p>Four Speed Horse Spring Fits HORSE models serial# 1206800100101 - up. Measures: 3-3/8" overall length</p> |
| 285-115 | 1492 |  <p>Two Speed Horse Spring Fits Pony & Horse models serial# 1001-639999. Measures: 3-3/8" overall length</p> |
| 370-092 | 1026A GW-1026A |  <p>Tine Shaft Fits rear tine Tillers models Horse 1, 2, 3 thru 6, 7 and 8 Hp. Models: OPC Horse and PTO Horse. Size: 7" Long X 1-1/4" Shaft OD, Tapers down to .735" OD on both ends, 1/2"-20 female threads on each end.</p> |
| 215-015 | 11522 Woods# 2303 |  <p>Tapered Roller Bearing Set Fits above tine shaft. For HORSE models. Measures: 1-1/4" ID X 2-21/64" OD X 21/32" HT (Bearing# LM67048 / LM67010)</p> |
| 370-302 | 1270-1A John Deere# M130045 Noma# 600089 Roto Hoe#1569 |  <p>Left Hand Tiller Tine Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> |
| 370-306 | 1270-2A John Deere# M130044 Noma# 600090 Roto Hoe#1570 |  <p>Right Hand Tiller Tine Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p> |

TILLER TINE SET

| PART# | O.E.M | APPLICATION |
|--|---|---|
| 370-310 | 1901118 | <p>Tiller Tine Set 12" - For HORSE and PONY models. Also found on Ariens, AYP, John Deere, MTD, Noma / Canadiana and Roto Hoe tillers</p> <p>Kit contains the following: (8) 370-302 left hand tiller tines (8) 370-306 right hand tiller tines and (32) Cap screws, hex nuts and lock washers</p>  |
| 370-298 | | <p>Also available by itself is a Hardware Kit for above When ordering part# 370-298 you will receive: (32) Cap Screws, (32) Hex Nuts, (32) Lock Washers.</p>  |
| 370-320 | GW-1901 / 742-04116 / 742-04117 742-04117-0637 / 742-041116-0637 |  <p>Tiller Tine Set - 10" Used on Troy Bilt Bronco, Pro-line, Tuffy from 2005 > on. Kit contains the following: (8) left hand tiller tines; (8) right hand tiller tines and; (32) Cap screws, hex nuts and lock washers.</p> |
| <p>BANTA's TOLL FREE FAX ORDERING# 1-800-359-1993 (Canada only) or place your orders on-line @ www.bantasaw.com Email your inquiries to sales@bantasaw.com</p> | | |