

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
390-170	50-25	4-1/16	31/64				XXX	.150	
330-100	08-37	4-1/8	1/2	7/32			3.00	.120	
355-701	08-28	4-3/16	9/16				1.00	.117	
335-729	09-01	6-7/16	3/8				1.50	.090	
355-187	08-28	7	1/2				2.50	.160	
305-680	09-14	9-5/8	3/8				2.00	.134	
355-180	08-28	10	1/2				2.50	.187	
325-761	08-19	10-1/4	3/4				2.50	.203	
345-128	09-25	10-1/2	5/8				2.50	.134	
325-787	08-19	11	3/4				2.50	.203	
330-874	B-ref	11-1/16	41/64	3/8	2-19/32			.075	
345-009	09-19	11-9/16	1-3/8	25/64	3-1/16	✓	2.50	.164	
330-425	08-55	11-3/4	3/4				2.50	.187	
340-309	08-42	11-31/32	.395	.330	2.375		2.00	.164	
360-009	08-42	11-31/32	.395	.330	2.375		2.50	.187	✓
350-025	09-25	12-1/8	3/4 x 5/8	1/4	1-5/8		2.00	.203	
350-132	09-25	12-1/8	3/4	1/4	1-5/8		2.00	.203	
355-027	09-24	12-1/4	.397	.335	3.25		2.00	.150	
335-798	09-01	12-1/2	1-1/2	29/64	2-1/2		3.50	.125	
340-118	08-37	12-21/32	5/8				2.50	.203	
305-250	08-03	12-7/8	1	13/32	2-9/16	✓	2.00	.164	
330-035	08-38	12-15/16	1/2	1/2	1-5/8		2.00	.155	
345-017	09-19	13	1-3/8	25/64	3-1/16	✓	2.50	.164	
310-755	08-18	13-3/4	1-1/4	13/32	2-5/8	✓	2.50	.187	
340-310	08-42	13-3/4	.403	.331	2.375		2.00	.164	
360-010	08-42	13-3/4	.403	.331	2.375		2.50	.187	✓
360-843	09-25	13-7/8	3/4				2.50	.203	✓
350-116	09-25	13-7/8	3/4				2.00	.203	
320-507	08-35	13-7/8	5/8				2.00	.204	
305-786	08-03	13-7/8	5/8				2.25	.149	
305-783	08-03	13-7/8	5/8				2.00	.204	
350-057	09-25	13-63/64	5/8				2.50	.250	
330-258	08-46	14	11/16				2.00	.203	
350-041	09-25	14	3/4 x 5/8	1/4	1-5/8		2.00	.203	
330-382	08-47	14-1/16	11/16				2.50	.204	
350-033	09-25	14-1/8	3/4 x 5/8	1/4	1-5/8		2.00	.203	
350-140	09-26	14-1/8	3/4	1/4	1-5/8		2.00	.203	
340-311	08-42	14-1/8	.403	.331	1.6		2.00	.164	
315-002	08-25	14-3/8	45/64				2.00	.187	
345-112	09-26	14-15/32	3/4				2.50	.187	
345-090	09-19	14-1/2	3/4	25/64	3-1/16	✓	2.00	.187	
315-006	08-26	14-1/2	45/64				2.50	.187	
315-036	08-26	14-1/2	45/64				2.50	.187	
315-044	08-25	14-1/2	45/64				2.00	.187	
315-242	08-24	14-1/2	5/8				2.50	.203	
320-259	08-57	14-1/2	1-1/8	25/64	3-1/4		2.50	.187	
325-803	08-19	14-1/2	3/4				2.50	.203	
305-573	09-14	14-1/2	3/8				2.00	.134	
350-108	09-26	14-1/2	3/4				2.00	.203	
335-105	09-20	14-1/2	17/32	17/64	2-9/16		2.00	.187	
355-007	09-24	14-1/2	.399	.334	3.24		2.00	.150	
355-026	09-24	14-1/2	.397	.335	3.25		2.00	.150	
360-900	08-26	14-1/2	45/64				2.50	.203	✓
305-124	09-14	14-1/2	10 mm	.345	3-1/4		2.00	.170	
360-014	08-24	14-1/2	5/8				2.50	.203	✓
325-031	08-39	14-9/16	.630				2.75	.187	
320-051	08-29	14-9/16	3/8				2.50	.164	
345-025	09-19	14-9/16	1-3/8	25/64	3-1/16	✓	2.50	.164	
340-562	08-06	14-19/32	1-1/4	15/32	3		2.50	.187	
340-604	08-06	14-19/32	5/8	5/16	1-3/8		2.50	.150	
330-209	08-55	14-5/8	11/16				2.00	.204	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
340-002	08-42	14-5/8	5 point star				2.50	.204	
305-508	09-14	14-11/16	3/8				2.00	.150	
305-748	08-04	14-11/16	3/4				2.50	.187	
305-789	08-03	14-11/16	3/4				2.00	.203	
310-276	08-14	14-3/4	3/8	21/64	2-11/16		2.25	.187	
335-513	09-01	14-3/4	5/8	5/16	1-5/16		2.00	.187	
335-539	09-01	14-3/4	13/32	5/16	2-1/2		2.00	.187	
335-125	09-02	14-13/16	13/32	5/16	2-1/2		3.00	.149	
360-605	09-02	14-13/16	11/16 star	5/16	2-1/2		3.00	.164	✓
335-449	09-02	14-13/16	5/8 star	5/16	2-1/2		3.00	.120	
350-853	09-35	14-13/16	3/4 x 1-1/4			✓	2.25	.240	
335-533	09-02	14-13/16	11/16 star	5/16	2-1/2		3.00	.120	
360-607	09-02	14-13/16	5/8 star	5/16	2-1/2		3.00	.164	✓
330-084	08-34	14-27/32	3/8	1/2	1-5/8		2.00	.150	
315-762	08-38	14-7/8	7/16	1/2	1-5/8		2.00	.150	
325-134	08-19	14-7/8	3/4				3.00	.203	
340-058	08-42	14-7/8	5/8				2.50	.204	
325-138	08-19	14-7/8	3/4				3.00	.203	
325-878	08-19	14-7/8	3/4				2.50	.204	
325-884	08-19	14-7/8	5/8 star	3/8	2-1/2		2.50	.203	
360-603	08-14	14-29/32	11/16 star	5/16	2-1/2		2.50	.149	✓
335-453	09-02	14-29/32	11/16 star	5/16	2-1/2		2.50	.149	
335-000	09-01	14-15/16	3/4 x 1				2.00	.149	
320-330	08-35	15	1/2				2.50	.240	
320-545	08-34	15	1/2				2.00	.203	
315-237	08-33	15	5/8				2.5	.250	
335-851	09-09	15-1/32	7/8 x 1				2.25	.125	
335-786	09-09	15-3/32	7/8 x 1				2.25	.150	
325-837	08-20	15-1/8	3/4				2.50	.203	
355-069	08-28	15-1/4	15/16				2.50	.204	
335-794	09-09	15-1/4	7/8 x 1				2.25	.149	
355-015	08-28	15-1/4	5/8				2.50	.204	
355-070	08-28	15-1/4	15/16				2.50	.204	
340-025	08-06	15-5/16	1-1/4	15/32	3		2.25	.149	
345-074	09-19	15-5/16	3/4	13/32	2-9/16		2.00	.187	
330-555	08-55	15-5/16	11/16	11/32	1-1/2		2.00	.204	
335-547	09-02	15-5/16	13/32	5/16	2-1/2		2.00	.134	
340-312	08-43	15-5/16	.403	.331	1.6		2.00	.164	
305-268	08-03	15-5/16	7/8	13/32	2-9/16		2.00	.164	
310-326	08-14	15-5/16	3/8	3/8	2-3/4		2.00	.187	
340-034	08-43	15-11/32	3/8				2.25	.187	
360-504	08-06	15-3/8	5 point star				2.25	.187	✓
340-035	08-06	15-3/8	5 point star				2.25	.149	
340-036	08-06	15-3/8	5 point star				2.25	.187	
340-092	08-06	15-1/2	5 point star				2.25	.160	
340-070	08-06	15-1/2	5 point star				2.25	.187	
345-454	09-26	15-1/2	5/8				2.50	.187	
345-039	09-26	15-1/2	5/8				2.50	.203	
355-490	09-24	15-1/2	3/4				2.50	.312	
345-114	09-26	15-1/2	5/8				2.50	.187	
340-495	08-06	15-1/2	5 point star				2.25	.160	
360-505	08-06	15-1/2	5 point star				2.25	.149	✓
360-885	09-26	15-1/2	5/8				2.50	.203	✓

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
310-763	08-18	15-9/16	1-1/4	13/32	2-5/8	✓	2.50	.187	
325-092	08-39	15-11/16	.630				2.75	.187	
335-040	09-09	15-11/16	27/32				2.25	.134	
360-700	09-09	15-11/16	27/32				2.25	.187	✓
335-012	09-09	15-3/4	27/32				2.25	.187	
335-038	09-09	15-3/4	27/32				2.25	.187	
325-879	08-20	15-7/8	3/4				3.00	.204	
360-492	08-47	16	11/16				2-1/2	.203	✓
360-496	08-47	16	11/16				2.50	.203	✓
325-873	08-20	16	3/4	5/16	2-1/2		2.50	.203	
330-448	08-47	16	11/16				2.50	.203	
330-266	08-47	16	11/16				2.00	.203	
330-670	08-47	16	5/8				2.50	.204	
310-771	08-18	16	1-1/4	13/32	2-5/8	✓	2.50	.187	
310-516	08-16	16	5/8				2.50	.203	
325-811	08-20	16-1/16	3/4				2.50	.203	
305-013	09-14	16-1/16	3/8				2.00	.134	
350-124	09-26	16-1/16	3/4				2.00	.203	
350-058	09-26	16-1/16	3/4 x 5/8	1/4	1-5/8		2.00	.203	
360-844	09-26	16-1/16					2.50	.203	✓
345-106	09-19	16-1/8	3/4	13/32	2-9/16		2.00	.203	
305-516	09-14	16-1/8	3/8				2.00	.134	
305-623	09-14	16-1/8	3/8				2.00	.134	
345-005	09-19	16-9/64	3/4	13/32	2-9/16		2.00	.203	
340-489	08-43	16-3/16	.950	.322	2-3/8		2.00	.150	
340-490	08-43	16-3/16	.405	.330	2-3/8		2.00	.150	
335-919	09-02	16-3/16	13/32	5/16	2-1/2		3.00	.149	
335-455	09-03	16-15/64	5/8 star	5/16	2-1/2		3.00	.120	
360-609	09-03	16-15/64	5/8 star	5/16	2-1/2		3.00	.120	✓
355-183	08-29	16-1/4	5/8	11/32	1-5/8		2.50	.240	
340-500	08-43	16-1/4	5/8				2.50	.204	
325-148	08-20	16-1/4	3/4				3.00	.203	
305-480	08-04	16-1/4	5/8	1/4	1-5/8		2.50	.250	
325-880	08-20	16-1/4	3/4				2.50	.204	
340-003	08-43	16-1/4	5 point star				2.50	.204	
355-040	08-29	16-1/4	15/16				2.50	.204	
335-452	09-03	16-1/4	11/16 star	5/16	2-1/2		2.50	.149	
360-606	09-03	16-1/4	11/16 star	5/16	2-1/2		3.00	.164	
360-916	09-20	16-1/4	5/8				2.50	.204	✓
315-208	08-33	16-1/4	5/8				2.50	.250	
335-525	09-03	16-1/4	11/16 star	5/16	2-1/2		3.00	.120	
355-028	08-29	16-1/4	5/8				2.50	.204	
335-015	09-20	16-1/4	5/8	11/32	1-5/8		2.50	.240	
335-901	09-02	16-1/4	13/32	5/16	2-1/2		2.00	.149	
335-117	09-02	16-1/4	13/32	5/16	2-1/2		3.00	.149	
310-003	08-38	16-1/4	5/8	1/4	1-5/8		2.50	.250	
355-031	08-29	16-1/4	15/16				2.50	.204	
305-780	08-04	16-1/4	5/8				2.25	.149	
325-142	08-20	16-1/4	3/4				3.00	.203	
310-102	08-13	16-1/4	5/8				2.50	.203	
325-885	08-20	16-9/32	5/8 star	3/8	2-1/2		2.50	.203	
335-802	09-10	16-3/8	7/8 x 1				2.25	.150	
305-171	08-27	16-3/8	3/4	13/32	3-1/8	✓	2.25	.187	
350-264	09-35	16-7/16	1-1/4	11/32	3-1/8		2.00	.149	
360-108	08-20	16-7/16	3/4	5/16	2-1/2		2.50	.203	✓
325-856	08-20	16-7/16	3/4	5/16	2-1/2		2.50	.203	
325-859	08-21	16-1/2	3/4				2.50	.203	
325-881	08-21	16-1/2	3/4				3.00	.203	
340-113	09-16	16-1/2	5/8				3.00	.203	
310-197	08-17	16-1/2	5/8				2.50	.203	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
335-126	09-21	16-1/2	5/8				2.50	.203	
325-868	08-20	16-1/2	3/4	5/16	2-1/2		2.50	.204	
360-917	09-21	16-1/2	5/8				2.50	.204	✓
335-120	09-20	16-1/2	3/8				2.75	.164	
325-003	08-39	16-1/2	1.09	.24 x .33	1.96		2.25	.095	
340-109	09-16	16-1/2	5/8				2.50	.203	
330-696	08-47	16-1/2	5/8				2.50	.203	
340-313	08-43	16-1/2	.403	.331	1.6		2.00	.164	
305-771	08-04	16-9/16	3/4				2.50	.203	
335-034	09-21	16-9/16	17/32	17/64	2-9/16		2.00	.187	
335-521	09-03	16-9/16	5/8	5/16	1-5/16		2.00	.150	
340-612	08-07	16-9/16	5/8	5/16	1-3/8		2.50	.120	
340-570	08-07	16-9/16	1-1/4	15/32	3		2.50	.187	
340-116	08-07	16-9/16	3/8				2.50	.134	
330-447	08-47	16-9/16	11/16				2.50	.203	
305-603	08-04	16-19/32	3/4				2.50	.187	
305-464	08-04	16-39/64	3/4				2.50	.203	
340-053	08-43	16-5/8	5 point star				2.50	.203	
360-432	08-47	16-5/8	13/16				2.50	.203	✓
360-506	08-43	16-5/8	5 point star				2.50	.203	✓
340-077	08-43	16-5/8	5 point star				2.50	.204	
340-077	08-43	16-5/8	5/8 star				2.50	.204	
330-495	08-55	16-5/8	23/32				2.00	.250	
340-547	08-07	16-5/8	5/8 x 3/4				2.50	.134	
330-563	08-55	16-5/8	11/16	11/32	1-1/2		2.00	.204	
330-383	08-47	16-5/8	13/16				2.50	.204	
330-373	08-47	16-5/8	13/16				2.50	.204	
330-371	08-47	16-5/8	13/16				2.50	.203	
305-325	08-04	16-5/8	3/4				2.50	.204	
330-433	08-55	16-11/16	23/32				2	.250	
345-082	09-19	16-11/16	3/4	13/32	3-1/16	✓	2.00	.187	
345-033	09-19	16-11/16	1-3/8	25/64	3-1/16	✓	2.50	.164	
330-435	08-55	16-11/16	23/32				2.00	.203	
345-003	09-20	16-3/4	1			✓	2.50	.203	
330-428	09-34	16-3/4	5/8				1.75	.203	
345-751	08-55	16-3/4	5/8			✓	1.75	.203	
345-197	09-26	16-15/16	5/8				2.50	.187	
335-123	09-21	16-15/16	1/2				2.50	.203	
335-136	09-21	16-15/16	1/2				2.50	.203	
360-426	09-21	16-15/16	1/2				2.50	.203	✓
310-300	08-15	16-31/32	3/8	3/8	2-3/4		2.00	.187	
310-292	08-15	17	3/8	5/16	2-11/16		2.00	.187	
310-789	08-18	17	1-1/4	13/32	2-5/8	✓	2.50	.187	
320-515	08-35	17	5/8				2.00	.203	
320-251	08-36	17	5/8				2.50	.250	
315-165	08-25	17	5/8				2.50	.187	
350-199	09-27	17	5/8				2.00	.204	
320-204	08-36	17	5/8				2.50	.240	
315-442	08-25	17	5/8				2.50	.204	
320-240	08-36	17	5/8				2.50	.250	
360-923	08-36	17	5/8				2.50	.204	✓
330-408	08-48	17	11/16	13/32	3-45/64		2-1/2	.164	
325-861	08-21	17	3/4				3.00	.204	
360-475	08-48	17	11/16	13/32	3-45/64		2-1/2	.187	✓
330-300	08-48	17	51/64				2-1/2	.203	
310-505	08-17	17	5/8				2.50	.250	
345-505	09-27	17	5/8				2.50	.250	
345-124	09-20	17	3/4	13/32	2-9/16		2.00	.187	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
360-454	08-48	17	51/16				2-1/2	.203	✓
310-366	08-18	17	7/8 x 1-1/4				2.50	.188	
360-446	08-48	17	7 point star				2-1/2	.187	✓
330-410	08-48	17	7 point star				2-3/4	.160	
360-477	08-48	17-1/16	13/16				2-1/2	.203	✓
330-445	08-48	17-1/16	13/16				2-1/2	.203	
330-379	08-48	17-1/16	7/8				2-1/2	.250	
360-470	08-48	17-1/16	7/8				2-1/2	.250	✓
305-276	08-03	17-1/16	.867	.406	2-9/16		2.00	.164	
335-026	09-01	17-1/16	27/32	25/64	2-9/16		2.00	.187	
305-174	08-27	17-5/32	3/8	21/64	2-11/16		2.25	.203	
330-308	08-49	17-3/16	11/16				2-1/2	.204	
325-845	08-21	17-3/16	3/4				2.50	.203	
315-770	08-38	17-1/4	7/16	1/2	1-5/8		2.00	.150	
330-076	08-38	17-1/4	3/4 x 9/16	1/4	1-1/2		2.00	.150	
335-653	09-03	17-1/4	13/32	5/16	2-1/2		2.50	.187	
360-532	08-43	17-1/4	.405				2.50	.204	✓
335-554	09-03	17-5/16	13/32	5/16	2-1/2		2.00	.150	
335-451	09-03	17-5/16	11/16 star	5/16	2-1/2		2.50	.187	
360-509	08-44	17-3/8	5 point star				2.25	.149	✓
340-381	08-44	17-3/8	5 point star				2.25	.187	
340-380	08-44	17-3/8	5 point star				2.25	.149	
340-017	08-07	17-3/8	1-1/4	15/32	3		2.50	.187	
340-125	08-43	17-3/8	3/8				2.25	.187	
330-274	08-49	17-7/16	11/16				2.00	.203	
335-018	09-01	17-7/16	5/8	3/16	2-9/64		2.00	.149	
355-045	08-29	17-1/2	15/16				3.00	.204	
345-210	09-27	17-1/2	5/8				2.25	.170	
360-845	09-27	17-1/2	5/8				2.25	.187	✓
360-573	09-24	17-1/2	13/32	13/32	3.00		2.50	.187	✓
355-036	08-29	17-1/2	15/16				3.00	.204	
345-212	09-27	17-1/2	5/8				2.25	.164	
320-267	08-57	17-9/16	1-1/8	25/64	3-1/4		2.50	.187	
325-829	08-21	17-5/8	3/4				2.50	.203	
320-511	08-36	17-11/16	5/8				2.00	.250	
320-512	08-36	17-11/16	5/8				2.50	.240	
335-092	09-10	17-11/16	27/32				2.25	.150	
340-060	08-44	17-3/4	5 point star				2.5	.204	
335-752	09-10	17-7/8	3/8	11/32 x 1/2slot	2-3/8		2.25	.149	
340-505	08-08	17-7/8	5/8				2.50	.150	
310-089	08-15	17-7/8	1/2 x 3/4				2.00	.203	
360-075	08-21	17-7/8	3/4				2.50	.187	
325-887	08-21	17-7/8	3/4				2.375	.164	
325-507	08-21	17-7/8	5/8 star				2.50	.187	
325-510	08-21	17-7/8	5/8 star				2.375	.164	
325-506	08-21	17.9	3/4				2.375	.187	
325-505	08-22	17.9	59/64 x 11/16				2.5	.164	
325-168	08-22	17-29/32	3/4				2.50	.204	
345-553	09-27	17-31/32	5/8				2.50	.250	
360-913	09-34	18	1/2				2.50	.203	✓
360-418	09-28	18	1/2				2.50	.250	✓
360-410	09-28	18	1/2				2.50	.203	✓
340-063	08-44	18	5/8				2.50	.203	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
340-148	08-08	18	5 point star				2.25	.150	
345-046	09-28	18	1/2				2.50	.203	
340-633	09-16	18	5/8				2.50	.203	
360-029	09-16	18	5/8				2.50	.204	✓
340-004	08-44	18	5 point star				2.50	.204	
345-464	09-28	18	5/8				2.50	.187	
345-465	09-28	18	5/8				2.50	.187	
360-846	09-28	18	5/8				2.50	.164	✓
300-533	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
310-011	08-13	18	5/8	11/32	1-5/8		2.50	.187	
310-052	08-37	18	5/8	1/4	1-5/8		2.50	.250	
355-067	08-30	18	15/16				2.50	.204	
355-041	08-30	18	15/16				2.50	.204	
300-004	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
300-061	08-01	18	3/8	3/8 x 1-1/2			2.25	.149	
300-129	08-01	18	1	3/8 x 1-1/2			2.25	.149	
300-186	08-01	18	1	3/8 x 1-1/2			2.25	.149	
310-110	08-13	18	5/8				2.50	.203	
340-158	09-16	18	5/8				2.50	.203	
330-647	08-49	18	5/8				2-1/2	.203	
335-562	09-03	18	13/32	5/16	2-1/2		2.00	.150	
335-257	09-21	18	7/8				2.75	.187	
315-235	08-33	18	5/8				2.50	.250	
355-218	08-30	18	5/8				2.50	.204	
340-800	08-44	18	.394	.331	2.560		3.00	.095	
360-918	09-27	18	5/8				2-1/2	.204	✓
340-252	08-08	18	5 point star				2.25	.187	
340-253	08-08	18	6 point star				2.25	.187	
320-323	08-35	18	1/2				2.50	.240	
335-448	09-04	18	1 x 11/16	5/16	2-1/2		2.25	.134	
335-446	09-04	18	1 x 11/16	5/16	2-1/2		1.75	.125	
355-016	09-21	18	5/8	1/4	1-5/8		2.50	.187	
340-121	09-16	18	5/8				3.00	.203	
345-439	09-28	18	5/8				2.00	.187	
345-462	09-28	18	1/2				2.50	.187	
345-470	09-28	18	5/8				2.00	.203	
345-355	09-27	18	7/16				2.25	.140	
320-546	09-34	18	1/2				2.00	.203	
355-184	08-30	18	5/8				2.50	.250	
355-012	08-29	18	1/2				2.50	.204	
355-020	08-29	18	1/2				2.50	.203	
310-015	08-13	18	5/8				2.00	.203	
320-274	08-37	18	3/8				2.50	.187	
345-018	09-28	18	1/2				2.50	.187	
355-030	09-24	18-1/8	.385	.326	2.12		2.00	.134	
305-649	09-14	18-1/8	3/8				2.00	.134	
345-006	09-20	18-9/64	3/4	13/32	2-9/16		2.00	.203	
305-524	09-14	18-5/32	3/8				2.00	.140	
340-153	08-44	18-3/16	5 point star				2.25	.144	
340-588	08-08	18-3/16	3/8				2.50	.125	
360-513	08-44	18-3/16	5 point star				2.25	.149	✓
325-005	08-39	18-3/16	.831	.416	3.45		2.25	.150	
340-154	08-44	18-3/16	5 point star				2.25	.187	
340-016	08-44	18-13/64	3/8				2.25	.187	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
335-810	09-10	18-1/4	7/8 x 1				2.25	.149	
335-141	09-10	18-1/4	7/8 x 1				3.00	.150	
335-115	09-10	18-1/4	7/8 x 1				2.25	.149	
350-272	09-35	18-1/4	1-1/4	11/32	3-1/8		2.00	.155	
360-715	09-10	18-1/4	7/8 X 1				2.25	.187	✓
335-170	09-04	18-9/32	13/32	5/16	2-1/2		3.00	.149	
350-082	09-28	18-5/16	3/4 x 5/8	1/4	1-5/8		1.75	.203	
350-090	09-28	18-5/16	3/4 x 5/8	1/4	1-5/8	✓	1.75	.203	
325-159	08-22	18-5/16	3/4				2.50	.203	
340-760	08-34	18-3/8	3/8	3/8	2		2.50	.187	
325-007	08-40	18-7/16	.836	.564	3.469		2.25	.150	
345-117	09-20	18-15/32	3/4	13/32	2-9/16		2.75	.164	
330-043	08-38	18-15/32	1/2	1/2	1-5/8		2.50	.155	
320-101	08-57	18-15/32	3/8				2.50	.134	
335-475	09-04	18-1/2	5/8 star	5/16	2-1/2		3.00	.204	
340-180	08-44	18-1/2	5 point star				3.00	.187	
345-116	09-20	18-1/2	3/4	13/32	2-9/16	✓	2.50	.164	
345-108	09-20	18-1/2	3/4	13/32	2-9/16		2.00	.187	
325-047	08-40	18-1/2	.831	.416	3-1/2		2.25	.150	
325-314	08-22	18-1/2	3/4				3.00	.203	
355-093	09-33	18-1/2	1/2				2.75	.187	
310-164	08-15	18-1/2	3/4				2.50	.187	
315-143	08-26	18-1/2	45/64				2.50	.187	
325-160	08-22	18-1/2	3/4				2.50	.203	
360-502	08-08	18-1/2	5 point star				2.50	.187	✓
360-447	08-49	18-5/8	7 point star				2-1/2	.203	✓
330-412	08-49	18-5/8	7 point star				2-3/4	.187	
360-984	08-55	18-5/8	23/32				2.50	.250	✓
360-406	08-49	18-5/8	13/16				2.50	.204	✓
330-436	08-56	18-5/8	1-1/8				2.50	.250	
330-384	08-49	18-5/8	13/16				2.50	.204	
330-365	08-49	18-5/8	13/16				2.50	.204	
325-009	08-40	18-5/8	.831	.416	3.45		2.25	.150	
330-381	08-49	18-5/8	13/16				2.50	.203	
360-986	08-56	18-5/8	1-1/8				3.00	.250	✓
330-278	08-50	18-11/16	1 x 1-1/8				2.50	.204	
360-393	08-50	18-11/16	1 x 1-1/8				2.50	.204	✓
340-802	08-44	18-45/64	.400	.337	2.560		2.50	.134	
350-157	09-29	18-3/4	3/4				2.00	.203	
335-349	09-21	18-3/4	3/8				2.50	.149	
330-837	08-57	18-7/8	5/8	17/32	2-19/32		3.00	.125	
330-354	08-50	18-7/8	13/16				2-3/4	.250	
360-402	08-50	18-7/8	13/16				3	.250	✓
340-488	08-45	18-15/16	.950	.332	2-3/8		2.00	.150	
330-761	08-57	18-15/16	5/8				2.50	.125	
335-570	09-04	19	13/32	5/16	2-1/2		2.00	.150	
300-012	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-194	08-01	19	1	3/8 x 1-1/2			2.25	.149	
300-137	08-01	19	1	3/8 x 1-1/2			2.25	.149	
300-079	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-541	08-01	19	3/8	3/8 x 1-1/2			2.25	.149	
300-400	B-ref	19	3/8	3/8 x 1-1/2			2.00	.149	
345-256	09-29	19	7/16				2.00	.140	
345-272	09-29	19	7/16				2.25	.155	
345-298	09-29	19	7/16				2.25	.140	
345-330	09-29	19	7/16				2.25	.140	
330-345	08-38	19	7/16	13/32	1-5/8		2.00	.155	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
360-621	09-04	19	13/32	5/16	2-1/2		2.00	.150	✓
330-480	08-50	19	7/8				2.50	.250	
360-672	08-50	19	7/8				2.50	.250	✓
325-862	08-22	19	3/4				3.00	.204	
335-447	09-04	19	1 x 11/16	5/16	2.5		2.25	.125	
330-304	08-50	19-1/32	7/8				3.00	.250	
360-400	08-50	19-1/32	7/8				3.00	.250	✓
320-127	08-35	19-7/32	3/8				2.50	.164	
340-022	08-45	19-9/32	3/8				2.25	.187	
360-501	08-45	19-9/32	5 point star				2.50	.187	✓
340-164	08-45	19-9/32	5 point star				2.25	.187	
340-079	08-45	19-9/32	5 point star				2.25	.134	
340-081	08-09	19-9/32	5 point star	none	none		2.25	.150	
340-162	08-45	19-9/32	5 point star				2.25	.149	
360-510	08-45	19-9/32	3/8				2.25	.187	✓
360-619	09-05	19-5/16	13/32	29/64	22-1/2		3.00	.149	✓
345-041	09-29	19-5/16	5/8				2.50	.164	
360-800	09-29	19-5/16	5/8				2.50	.187	✓
345-165	09-29	19-5/16	5/8				2.50	.187	
335-549	09-04	19-5/16	5/8 star	5/16	2-1/2		2.75	.149	
360-610	09-04	19-5/16	5/8 star	5/16	2-1/2		2.75	.149	✓
360-802	09-29	19-5/16	5/8				2.50	.187	✓
335-610	09-04	19-5/16	5/8 star	5/16	2-1/2		3.00	.149	
340-133	08-09	19-5/16	3/8				2.25	.149	
335-790	09-04	19-5/16	13/32	29/64	2-1/2		3.00	.149	
340-240	08-09	19-5/16	1-1/4	15/32	3		2.25	.149	
345-038	09-29	19-21/64	5/8				2.50	.187	
340-042	08-09	19-11/32	3/8				2.25	.187	
360-494	08-45	19-11/32	3/8				2.50	.187	✓
325-857	08-22	19-3/8	3/4	5/16	2-1/2		2.75	.187	
335-877	09-05	19-3/8	13/32	5/16	2-1/2		3.00	.149	
335-885	09-05	19-3/8	13/32	5/16	2-1/2		2.00	.149	
310-136	08-16	19-3/8	1/2	3/8	2-1/2		2.00	.187	
325-167	08-22	19-3/8	3/4				3.00	.203	
325-175	08-22	19-3/8	3/4				3.00	.203	
335-493	09-05	19-3/8	13/32	5/16	2-1/2		3.00	.149	
335-121	09-10	19-3/8	3/8				2.25	.134	
325-183	08-22	19-3/8	3/4	5/16	2-1/2		3.00	.204	
335-021	09-10	19-7/16	27/32				2.25	.134	
360-702	09-10	19-7/16	27/32				2.25	.187	✓
335-197	09-22	19-7/16	1				2.25	.203	
325-058	08-40	19-7/16	.825	.413	3-15/32		2.75	.160	
325-082	08-40	19-7/16	.630				2.75	.187	
335-118	09-10	19-7/16	27/32				2.25	.187	
325-035	08-40	19-7/16	.845	.410	3-15/32		2.75	.160	
325-043	08-40	19-7/16	.845	.410	3-15/32		2.75	.160	
325-050	08-40	19-7/16	.825	.413	3-15/32		2.25	.150	
320-374	08-57	19-7/16	3/8				2.50	.140	
320-200	08-36	19-7/16	3/4				2.75	.187	
335-182	09-10	19-7/16	27/32				2.25	.134	
335-008	09-10	19-7/16	27/32				2.25	.150	
360-449	08-50	19-7/16	7 point star				2.50	.203	✓
330-418	08-50	19-7/16	7 point star				2.50	.203	
340-596	08-10	19-15/32	1-14 x 7/8				2-1/2	.134	



# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
330-316	08-51	19-1/2	11/16				3.00	.204	
330-290	08-51	19-1/2	11/16				2.50	.204	
325-068	08-40	19-1/2	.630				2.75	.203	
325-076	08-40	19-1/2	.630				2.75	.203	
320-333	08-57	19-1/2	1-1/8	25/64	3-1/4		2.50	.134	
320-341	08-57	19-1/2	1-1/8	25/64	3-1/4		2.50	.140	
335-003	09-11	19-1/2	27/32				2.75	.134	
325-091	08-40	19-1/2	.630				2.75	.187	
330-403	08-51	19-1/2	11/16				2.50	.204	
330-292	08-51	19-1/2	11/16				3.00	.204	
330-413	08-51	19-1/2	7 point star				3.00	.203	
360-448	08-51	19-1/2	7 point star				3.00	.203	✓
355-032	08-30	19-1/2	15/16				3.00	.204	
360-290	08-51	19-1/2	11/16				2.50	.204	✓
360-910	08-40	19-1/2	.630				2.75	.203	✓
360-712	09-11	19-1/2	27/32				2.75	.134	✓
305-633	09-15	19-11/16	3/8				2.00	.134	
305-599	09-15	19-11/16	3/8				2.00	.134	
305-631	09-15	19-11/16	3/8				2.00	.134	
330-878	08-57	19-3/4	5/8	17/32	2-19/32		3.00	.134	
325-753	08-22	19-7/8	3/4	1/2	2-1/4		2.00	.187	
330-027	08-38	19-15/16	7/16	15/32	1-5/8		2.00	.187	
340-012	08-45	19-15/16	5/8	3/8	1-7/8		2-1/2	.149	
335-760	09-11	19-15/16	13/32	13/32	2-1/2		2.25	.150	
340-041	08-10	19-15/16	5/8	3/8	1-7/8		2-1/2	.149	
360-903	08-45	19-15/16	5/8	3/8	1-7/8		2.50	.149	✓
310-088	08-16	19-31/32	1/2	3/8	2-1/2		2.00	.187	
335-438	09-06	20	1 x 11/16	5/16	2-1/2		2.25	.134	
335-439	09-05	20	1 x 11/16	5/16	2-1/2		2.25	.134	
340-044	08-45	20	5/8	3/8	1-7/8		2.00	.134	
330-312	08-38	20	3/8	15/32	1-5/8		2.25	.149	
335-010	09-05	20	53/64	13/32	2-1/2		2.25	.120	
335-001	09-05	20	53/64	13/32	2-1/2		2.25	.134	
335-720	09-05	20	53/64	13/32	2-1/2		2.25	.134	
335-745	09-05	20	3/4	3/8	2-1/2		2.00	.150	
335-943	09-05	20	53/64	13/32	2-1/2		2.00	.150	
340-141	09-17	20	5/8				3.00	.203	
340-075	08-10	20	3/8				2.50	.149	
340-174	09-17	20	5/8				2.50	.203	
330-795	08-58	20	5/8				2.50	.134	
335-588	09-05	20	13/32	5/16	2-1/2		2.00	.150	
325-779	08-23	20	3/4				2.50	.203	
315-515	08-32	20	3/8				1.75	.150	
300-525	08-01	20	3/8	3/8 x 1-1/2			2.25	.149	
305-532	09-15	20	3/8	5/16	2-1/8		2.00	.150	
300-418	08-01	20	3/8	3/8 x 1-1/2			2.00	.149	
300-087	08-01	20	3/8	3/8 x 1-1/2			2.25	.149	
300-145	08-01	20	1	3/8 x 1-1/2			2.25	.149	
300-202	08-01	20	1	3/8 x 1-1/2			2.25	.149	
300-020	08-57	20	3/8	3/8 slot	3/8 slot		2-1/4	.149	
340-051	08-10	20	5/8	3/8	1-7/8		2.25	.134	
355-095	09-33	20	5/8	13/64	3		2.75	.164	
335-022	09-11	20	13/32				2.25	.134	
355-139	09-24	20-1/8	.411	.341	2.185		2.00	1.60	
355-141	09-24	20-1/8	.411	.442	2.185		2.00	.160	
345-769	09-34	20-3/16	5/8				2.00	.203	
345-777	09-34	20-3/16	5/8			✓	2.00	.203	
305-141	08-18	20-1/4	3/4				2.00	.250	
305-277	09-15	20-1/4	3/8				2.00	.187	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
345-275	09-29	20-1/4	7/16				2.25	.134	
360-719	09-11	20-9/32	27/32				2.25	.149	✓
335-024	09-11	20-9/32	27/32				2.25	.134	
305-247	08-04	20-5/16	3/4				2.50	.204	
325-017	08-41	20-5/16	.804	13/32	3-15/32		2.25	.134	
305-708	09-15	20-5/16	3/8				2.00	.134	
305-289	08-05	20-11/32	3/4				2.50	.204	
335-030	09-11	20-11/32	27/32				2.25	.134	
335-608	09-06	20-23/64	27/64	21/64	2-1/2	✓	2.00	.150	
360-704	09-11	20-3/8	27/32				2.25	.187	✓
335-104	09-11	20-3/8	27/32				2.75	.134	
335-016	09-11	20-3/8	27/32				2.25	.187	
335-166	09-11	20-3/8	27/32				2.25	.134	
340-786	09-19	20-3/8	3/8	3/8	2		2.50	.187	
330-518	08-56	20-3/8	15/16				2.50	.250	
330-550	08-56	20-3/8	23/32				2.50	.203	
355-246	09-24	20-13/32	13/32	5/16	2-1/8		3-5/16	.095	
330-548	08-56	20-7/16	11/16				2.00	.204	
330-282	08-51	20-7/16	13/16				2.00	.203	
330-016	08-34	20-7/16	11/16				2.75	.250	
325-144	08-23	20-31/64	3/4				3.00	.203	
360-077	08-23	20-31/64	3/4				3.00	.203	✓
345-555	09-29	20-1/2	5/8				2.50	.250	
355-732	09-24	20-1/2	.655 X .755				2.25	.187	
355-050	09-24	20-1/2	13/32	13/32	3		2.25	.187	
310-506	08-31	20-1/2	5/8				2.50	.250	
330-553	08-56	20-1/2	1-1/8				2.50	.250	
330-492	08-56	20-1/2	1-1/8				2.50	.250	
330-357	08-51	20-1/2	7/8				2.50	.313	
360-401	08-51	20-1/2	7/8				3	.250	✓
355-042	08-31	20-1/2	15/16				3.00	.204	
355-049	08-31	20-1/2	15/16				2.50	.240	
355-048	08-31	20-1/2	15/16				2.50	.240	
355-039	08-30	20-1/2	5/8				3.00	.204	
305-722	08-05	20-1/2	11/16	3/8	3-3/4		2.75	.134	
310-217	08-14	20-1/2	3/8	3/8	3-1/8		2.00	.203	
320-523	08-37	20-1/2	1				2.25	.250	
320-564	08-36	20-1/2	5/8				2.00	.250	
345-171	09-29	20-1/2	5/8				2.50	.204	
355-054	08-30	20-1/2	5/8				2.50	.204	
360-922	08-36	20-1/2	5/8				2.50	.204	✓
320-254	08-36	20-1/2	5/8				2.50	.240	
320-239	08-36	20-1/2	5/8				2.50	.250	
360-924	08-27	20-1/2	5/8				2.50	.204	✓
355-188	08-30	20-1/2	1/2				2.50	.204	
320-253	08-27	20-1/2	5/8				2.50	.250	
330-552	08-56	20-9/16	1-1/8				2.50	.250	
305-730	08-05	20-9/16	3/8				2.75	.140	
345-058	09-20	20-9/16	1-1/2	.318	6-1/4		2.50	.164	
330-494	08-56	20-9/16	1-1/8				2.50	.250	
360-987	08-56	20-9/16	1-1/8				2.50	.250	✓
360-030	08-05	20-9/16	3/8				2.75	.164	✓
355-503	09-16	20-5/8	5/8				2.25	.182	
325-011	08-41	20-5/8	.831	.416	3.455		2.25	.150	
325-060	08-41	20-43/64	.844	.563	3.469		2.25	.160	
330-419	08-56	20-11/16	3/4				2.25	.150	
345-433	09-34	20-11/16	5/8				2.50	.240	
335-240	09-22	20-11/16	3/8	3/8	2-3/4		2.75	.164	
335-042	09-22	20-11/16	3/8	3/8	2-3/4		2.75	.165	
335-356	09-22	20-11/16	3/8	3/8	2-3/4		2.75	.160	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
305-607	09-15	20-11/16	3/8	3/8 x 15/16	2-1/16		2.00	.134	
355-046	08-31	20-3/4	15/16				3.00	.204	
325-852	08-23	20-3/4	3/4				2.50	.204	
350-603	09-35	20-3/4	3/4 x 1-1/4				2.25	.250	
335-028	09-11	20-3/4	13/32				2.25	.134	
325-056	08-41	20-3/4	1-17/64 (32mm)	19/32	3-1/2		2.75	.134	
355-034	08-31	20-3/4	15/16				3.00	.204	
330-332	08-39	20-13/16	7/16	13/32	2-7/8		2.50	.250	
335-007	09-12	20-13/16	13/32				2.25	.134	
330-811	08-58	20-13/16	5/8				2.50	.134	
330-845	08-58	20-13/16	5/8	17/32	2-19/32		3	.134	
330-852	08-58	20-7/8	7/8	3/8	3-11/16		3.00	.134	
335-806	09-12	20-7/8	13/32				2.75	.150	
335-869	09-12	20-7/8	13/32	13/32	2-1/2		2.25	.150	
325-001	08-41	20-7/8	.845	.415	3-7/16		2.25	.150	
315-523	08-32	20-7/8	3/8	3/8 x 1-1/2	3		1.75	.150	
325-296	08-41	20-7/8	.845	.415	3-7/16		2.25	.150	
330-348	08-52	20-7/8	7/8	3/8	3-11/16		2-3/4	.134	
345-189	09-30	20-7/8	5/8				2.50	.187	
350-538	09-35	20-7/8	3/4 x 1-1/4	5/16	3	✓	2.25	.240	
345-363	09-30	20-7/8	7/16				2.25	.140	
325-021	08-41	20-7/8	.830	13/32	3-15/32		2.25	.095	
360-300	08-52	20-7/8	7/8	3/8	3-11/16		2.750	.149	✓
325-057	08-41	20-7/8	.845	.415	3-7/16		2.25	.160	
345-051	09-30	20-7/8	7/16	3/8	2-7/16		2.25	.149	
360-804	09-30	20-7/8	7/16	3/8	2-7/16		2.25	.149	✓
325-013	08-41	20-29/32	.780	.535	3.6		4.125	.095	
310-081	08-16	20-15/16	1/2	3/8	2-1/2		2.00	.187	
360-601	08-58	20-15/16	5/8	17/32	2-19/32		3.00	.149	✓
360-420	09-30	20-15/16	7/16	3/8	2-7/16		2.25	.150	✓
345-496	09-30	20-15/16	7/16	3/8	2-7/16		2.25	.134	
345-203	09-30	20-15/16	7/16	3/8	2-7/16		2.25	.134	
335-002	09-06	20-15/16	53/64	13/32	2-1/2		2.00	.150	
335-607	09-06	20-23/24	27/64	21/64	2-1/2		2.00	.150	
360-921	09-17	21	5/8				2.50	.204	✓
335-741	09-06	21	1 x 11/16	5/16	2-1/2		2.25	.134	
325-442	08-23	21	1/2				2.00	.250	
325-023	08-41	21	1-17/64	13/32	3-15/32		2.625	.095	
335-450	09-06	21	1 x 11/16	5/16	2/1/2		2.25	.134	
340-626	08-59	21	5/8				2.50	.204	
340-628	09-17	21	5/8				2-1/2	.203	
330-001	08-39	21	3/8	3/8	2		2.50	.187	
320-547	09-34	21	1/2				2.50	.250	
310-071	08-18	21	1/2				2.25	.250	
335-814	09-06	21	53/64	13/32	2-1/2		2.25	.134	
345-348	09-30	21	7/16				2.25	.134	
345-397	09-30	21	7/16	3/8	2-7/16		2.25	.134	
345-306	09-30	21	7/16				2.25	.134	
345-280	09-30	21	7/16				2.25	.155	
310-078	09-17	21	5/8				2.50	.250	
310-086	08-14	21	5/8				2.50	.250	
325-019	08-41	21	.845	.415	3-7/16		2.25	.149	
330-019	08-39	21	7/16	15/32	1-5/8		2.00	.149	
300-038	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
300-095	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
310-037	08-13	21	3/8	3/8	2		2.50	.187	
300-426	08-01	21	3/8	3/8 x 1-1/2			2.00	.149	
300-517	08-01	21	3/8	3/8 x 1-1/2			2.25	.149	
335-968	09-06	21	15/32	5/16	2-1/2		2.50	.187	
335-935	09-06	21	53/64	13/32	2-1/2		2.50	.187	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
330-779	08-58	21	5/8				2.50	.134	
330-118	08-39	21	3/8	15/32	1-5/8		2.00	.164	
335-323	09-22	21	7/8				2.75	.187	
335-596	09-06	21	13/32	5/16	2-1/2		2.00	.150	
335-265	09-22	21	7/8				2.75	.187	
325-863	08-23	21	3/4				3.00	.204	
340-020	08-45	21	5/8				2.50	.203	
330-458	08-52	21	3/8	.480	2		2-3/4	.125	
360-915	09-34	21	1/2				2.50	.250	✓
360-078	08-52	21	7/8				2.50	.250	✓
340-484	08-10	21	5 point star				5-5/8	.150	
340-485	08-10	21	6 point star				5-5/8	.150	
340-254	08-11	21	5/8	3/8	1-7/8		2.25	.134	
310-072	08-14	21	5/8				2.50	.250	
330-479	08-52	21	7/8				2.50	.313	
340-071	08-11	21	5/8	3/8	1-7/8		275	.149	
360-451	08-52	21	7/8				3.00	.250	✓
360-104	08-18	21	1/2				2.50	.250	✓
340-065	08-45	21	5 point star				2.50	.204	
340-069	08-46	21-3/32	5 point star				2.25	.149	
340-178	08-46	21-3/32	5 point star				2.25	.149	
340-066	08-46	21-3/32	5 point star				2.25	.134	
360-500	08-46	21-3/32	5 point star				2.50	.187	✓
340-179	08-46	21-3/32	5 point star				2.25	.187	
325-512	08-23	21-1/8	5/8 star	5/16	2-1/2		2.75	.187	
360-070	08-23	21-1/8	5/8 star	5/16	2-1/2		2.75	.187	✓
325-888	08-23	21-1/8	5/8 star				3.00	.187	
325-858	08-24	21-5/32	3/4	5/16	2-1/2		2.75	.187	
335-019	09-12	21-3/16	27/32				2.25	.134	
340-057	08-11	21-3/16	5/8	3/8	1-7/8		2-3/4	.149	
360-507	08-11	21-3/16	5/8	3/8	1-7/8		2.50	.187	✓
335-617	09-07	21-3/16	5/8 star	5/16	2-1/2		2.750	.164	
335-200	09-22	21-3/16	.975				2.25	.170	
335-551	09-07	21-3/16	5/8 star	5/16	2-1/2		3.00	.149	
360-616	09-07	21-3/16	5/8 star	5/16	2-1/2		2.75	.149	✓
360-622	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.164	✓
335-616	09-07	21-3/16	5/8 star	5/16	2-1/2		3.00	.149	
335-503	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.149	
335-782	09-07	21-3/16	13/32	7/16	2-1/2		3.00	.149	
335-067	09-07	21-3/16	13/32	5/16	2-1/2		3.00	.149	
325-860	08-24	21-1/4	3/8	17/32	4-1/2		2.50	.203	
335-005	09-12	21-1/4	27/32				2.75	.134	
335-020	09-12	21-1/4	27/32				2.25	.134	
325-876	08-24	21-1/4	3/4	5/16	2-1/2		3.00	.204	
335-162	09-12	21-1/4	27/32				2.25	.150	
325-055	08-42	21-1/4	.804 (20mm)	.408 (10 mm)	3-1/2		3.125	.117	
335-167	09-12	21-1/4	27/32				2.25	.187	
360-701	09-12	21-1/4	27/32				2.25	.187	✓
330-446	08-53	21-3/8	13/16				2.50	.203	
330-339	08-53	21-3/8	11/16	13/32	3-45/64		2.50	.164	
360-404	08-53	21-3/8	11/16	13/32	3-45/64		2.50	.187	✓
360-407	08-53	21-3/8	13/16				2.50	.203	✓

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick- ness	Shark Tooth
360-403	08-53	21-3/8	13/16				2.75	.187	✓
330-411	08-53	21-3/8	7 point star				2.75	.203	
360-450	08-53	21-3/8	7 point star				2.75	.203	✓
330-417	08-53	21-3/8	7 point star				2.75	.203	
330-414	08-52	21-3/8	7 point star				2.75	.155	
360-445	08-52	21-3/8	7 point star				2.50	.187	✓
330-386	08-53	21-3/8	13/16				2.750	.187	
360-405	08-53	21-15/32	11/16				2.50	.203	✓
330-449	08-53	21-15/32	11/16				2.50	.164	
320-358	08-58	21-15/32	1-1/8	25/64	3-1/4		2.50	.134	
320-069	08-58	21-1/2	3/8				2.50	.203	
305-023	09-15	21-1/2	3/8				2.00	.187	
345-421	09-31	21-1/2	1/2				2.50	.187	
360-462	09-31	21-1/2	1/2				2.50	.250	✓
330-416	08-54	21-1/2	7 point star				2.75	.187	
330-415	08-54	21-1/2	7 point star				2.75	.187	
330-309	08-54	21-9/16	13/16				2.50	.250	
360-408	08-54	21-9/16	13/16				2.50	.250	✓
305-060	09-15	21-9/16	3/8	3/8 x 15/16	2-11/16		2.00	.134	
360-820	09-31	21-37/64	5/8				2.25	.203	✓
335-068	09-13	21-5/8	13/32	13/32	1-7/8		2.00	.135	
360-720	09-13	21-5/8	13/32				2.25	.134	✓
345-045	09-31	21-11/16	1/2				2.50	.250	
345-227	09-31	21-11/16	5/8				2.25	.160	
345-225	09-31	21-11/16	5/8				2.25	.164	
360-847	09-31	21-11/16	5/8				2.25	.164	✓
305-700	09-15	21-11/16	3/8				2.00	.134	
300-513	08-01	21-3/4	5/8	3/8	1-7/8		2.25	.155	
335-111	09-13	21-3/4	13/32	13/32	2-1/2		2.25	.149	
330-426	08-56	21-3/4	3/4				2.50	.187	
340-236	08-11	21-3/4	5/8	3/8	1-7/8		2.25	.134	
340-008	08-46	21-3/4	5/8	3/8	1-7/8		2.50	.149	
340-620	08-12	21-3/4	3/8				2.50	.149	
345-322	09-31	21-3/4	7/16				2.25	.149	
360-806	09-31	21-3/4	7/16				2.25	.149	✓
310-318	08-16	21-13/16	1/2	3/8	2-1/2		2.00	.187	
335-471	09-13	21-7/8	13/32				2.25	.134	
330-488	08-54	21-7/8	7/8				2.50	.250	
360-434	08-54	21-7/8	7/8				2.50	.250	✓
360-435	08-54	21-7/8	7/8				3	.250	✓
305-463	08-05	21-15/16	3/4				2.50	.203	
310-151	08-16	21-15/16	.765	5/16	3		2.00	.187	
315-531	08-32	22	3/8				1.75	.150	
300-434	08-01	22	3/8	3/8 x 1-1/2			2.00	.149	
300-509	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
300-103	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
300-046	08-01	22	3/8	3/8 x 1-1/2			2.25	.149	
335-950	09-08	22	53/64	3/8	2-1/2		2.00	.150	
335-737	09-07	22	13/32	5/16	2-1/2		2.00	.187	
335-604	09-07	22	13/32	5/16	2-1/2		2.00	.134	
335-497	09-08	22	3/4	3/8	2-1/2		2.00	.150	
355-508	09-16	22	3/8				2.50	.187	
335-642	09-08	22	1 x 11/16	5/16	2-1/2		2.25	.134	
355-185	08-31	22	1/2			✓	2.50	.160	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/Centre	LH	Width	Thick-ness	Shark Tooth
355-186	08-31	22	1/2				2.50	.160	
335-742	09-08	22	1 x 11/16	5/16	2-1/2		2.25	.134	
335-722	09-08	22	53/64	3/8	2-1/2		2.25	.134	
335-499	09-13	22	13/32				2.25	.149	
350-546	09-35	22	3/4 x 1-1/4	5/16	3		2.25	.250	
355-097	09-33	22	5/8	13/64	3	✓	2.75	.164	
355-098	09-33	22	5/8	13/64	3		2.75	.164	
355-051	09-25	22	13/32	13/32	3		2.25	.187	
340-023	08-12	22	5 point star				2.5	.134	
340-376	08-12	22	5 point star				2.25	.134	
310-209	08-16	22-3/16	1/2	3/8	2-1/2		2.00	.187	
325-795	08-24	22-1/4	3/4				2.50	.203	
345-102	09-20	22-1/4	3/4	13/32	2-9/16		2.00	.203	
335-469	09-08	22-1/4	6 point star				3.00	.149	
335-470	09-08	22-3/8	6 point star				3	.149	
330-140	08-39	22-3/8	1/2				2.5	.250	
305-605	08-05	22-3/8	3/4				2.75	.187	
355-047	08-31	22-3/4	15/16				3.00	.204	
355-037	08-31	22-3/4	15/16				3.00	.204	
360-508	08-46	22-15/16	5 point star				2.75	.187	✓
340-006	08-46	22-15/16	5 point star				2.75	.164	
340-010	08-46	23	5 point star				2.25	.187	
330-364	08-39	23	17/32	13/32	2-7/8		2.50	.250	
330-363	08-39	23	17/32	13/32	2-7/8	✓	2.50	.250	
345-120	09-31	23	5/8			✓	2.50	.187	
345-053	09-31	23	5/8				2.50	.187	
355-511	09-16	23-1/2	5/8				2.50	.187	
340-050	08-12	24	5/8				2.50	.149	
315-833	08-25	24	5/8				3.00	.250	
355-043	08-31	24-7/16	5/8				3.00	.204	
360-764	09-17	24-1/2					2.50	.250	✓
330-427	08-56	24-1/2	1-1/8				2.50	.250	
345-764	09-34	24-1/2	1			✓	2.50	.204	
340-129	09-17	24-1/2	5/8				2.50	.250	
320-519	08-37	24-1/2	5/8				2.50	.250	
355-044	08-32	24-1/2	15/16				3.00	.204	
355-129	08-32	24-1/2	15/16				3.00	.204	
330-571	08-57	24-9/16	15/16				2.50	.312	
335-828	09-13	24-11/16	7/8 x 1				2.25	.149	
335-976	09-13	24-11/16	27/32				2.25	.150	
345-434	09-34	24-11/16	5/8				2.50	.250	
345-223	09-32	24-3/4	1/2				2.50	.204	
360-824	09-32	24-3/4	1/2				2.50	.250	✓
355-038	08-32	24-3/4	15/16				3.00	.204	
335-687	09-08	24-7/8	13/32	5/16	2-1/2		2.50	.187	
330-255	08-54	24-15/16	7/8				2.50	.313	
310-034	08-18	25	1/2				2.25	.250	
360-828	09-32	25	3/4				2.50	.250	✓
355-099	09-33	25	5/8	13/64	3	✓	2.75	.187	
355-100	09-33	25	5/8	13/64	3		2.75	.187	
360-436	08-54	25	7/8				2.50	.250	✓
330-134	08-39	25	7/16	13/32	2-7/8		2.50	.250	
335-398	09-22	25	1-1/16	17/32	7-1/2		2.75	.187	
310-060	08-14	25	5/8				2.50	.250	

# BLADES BY LENGTH CHART

BANTA SAW ACCESS.

Part #	Page #	Length	Centre Hole	Outer Hole	Centre/ Centre	LH	Width	Thick-ness	Shark Tooth
360-826	09-32	25	3/4			✓	2.50	.203	✓
345-444	09-32	25	7/8	1/4	3		2.50	.187	
345-443	09-32	25	7/8	1/4	3	✓	2.50	.187	
350-306	09-35	25	1				2.50	.155	
335-400	09-22	25	1-1/16	9/16	7-1/2		2.75	.164	
345-314	09-32	25	3/4			✓	2.50	.250	
345-177	09-32	25-3/16	1/2				2.50	.250	
345-034	09-32	25-3/16	5/8				2.50	.187	
345-157	09-32	25-1/4	5/8				2.50	.187	
330-017	08-34	25-1/2	15/16				2.50	.250	
335-620	09-08	25-5/8	13/32	5/16	2-1/2		2.50	.187	
335-505	09-09	25-15/16	13/32	5/16	2-1/2		2.50	.164	
335-273	09-23	26	7/8				2.75	.187	
335-299	09-22	26	1-1/16	9/16	7-1/2		2.75	.187	
305-755	08-05	26	3/4				2.75	.187	
340-009	08-12	26	5/8 x 3/4				2.50	.164	
335-134	09-09	26	13/32	5/16	2-1/2		3.00	.149	
350-561	09-35	26	3/4 x 1-1/4				2.25	.250	
355-181	08-32	26	1/2			✓	2.50	.204	
355-182	08-32	26	1/2				2.50	.204	
305-493	08-05	26-55/64	29/64	25/64	4		2.75	.187	
330-396	WQL	26-7/8	29/32				2.50	.312	
360-830	09-32	27	1/2				2.50	.250	✓
305-805	08-05	28	3/4	25/64	11		2.75	.187	
335-289	09-23	28	1-1/16	9/16	7-1/2		2.75	.164	
325-053	08-42	29-9/16	.630	.480	4-5/16		2.75	.187	
330-399	08-54	29-9/16	11/16				2.50	.204	
330-329	08-55	29-9/16	11/16				2.50	.204	
305-468	09-15	29-7/8	1/2	25/64 x 15/16	2-11/16		2.75	.187	
320-241	08-37	29-7/8	7/8				3.00	.250	
335-135	09-13	30	27/32				2.25	.187	
335-454	09-09	30	11/16 star	5/16	2-1/2		2.75	.149	
305-839	08-05	30	3/4	13/32	11		2.75	.187	
335-307	09-23	30	1-1/16	9/16	7-1/2		2.75	.187	
335-281	09-23	30	7/8				2.75	.187	
335-646	09-09	30	13/32	5/16	2-1/2		3.00	.150	
360-930	09-23	30	1-1/16	9/16	7-1/2		2.75	.187	✓
360-707	09-13	30-1/16	27/32				2.75	.187	✓
335-004	09-14	30-1/16	7/8 x 1				2.75	.160	
335-330	09-13	30-1/16	27/32				2.75	.160	
335-116	09-14	30-1/16	7/8 x 1				2.25	.150	
335-215	09-13	30-3/16	27/32				2.75	.150	
360-409	09-33	31-3/8	5/8				2.50	.187	✓
345-413	09-33	31-3/8	5/8				2.50	.187	
345-338	09-33	31-3/8	5/8				2.50	.187	
305-847	08-05	32	3/4	25/64	11		2.75	.187	
335-331	09-23	33	1-1/16	9/16	7-1/2		2.75	.187	
335-293	09-23	33	1-1/16	9/16	7-1/2		2.75	.164	