















CHAINSAW

Part#	O.E.M	Application
646-000	Homelite# A97921 A70351A	 Clutch Fits Homelite chain saw models: XL-2, Super 2 and XL Mini. (Replaces old style "S" clutch). Size: 2-11/32" OD with a 7/16" - 20 left hand thread. (While Quantities Last)
646-018	Homelite# 683627/A A 98132	 Clutch Found on some Homelite chain saw models: Super Mini, Super E-Z 150, 150 Automatic and Super XL Mini. Size: 2-5/8" OD with a 3/8" - 24 left hand thread. (Replaces old style "S" clutch) (While Quantities Last)
646-026	Homelite# A 98129	 Clutch Found on some Homelite chain saw models: 240, 245, XL-76. NOTE: will also fit on XL-130, if smaller diameter sprocket is used. Size: 2-5/8" OD with a 7/16" - 20 left hand thread. (While Quantities Last)
646-113 NEW	Husqvarna# Jonsered# 501 77 85-01	 Clutch Assembly Fits Husqvarna chain saw models: 61, 66, 266, 266XP, 268 & 272; also fits Jonsereds chain saw models: 625, 630 and 670. Size: 3.057" OD X 0.512" Thick. (Also see 646-153 newer style)
646-110	McCulloch	 Clutch Assembly Fits McCulloch chain saw model: 1010. Size: 3-1/4" OD (While Quantities Last)
646-129	Poulan# 93919 Weedeater# 530-069195 530093919	 Clutch Fits many small Poulan chain saw and Poulan / Weedeater Trimmer models. Size: 2-3/8" OD, steel washer included. (While Quantities Last)
646-120	Stihl # 1119-160-2000	 Clutch Assembly Fits Stihl chain saw model: 038 series. Size: 2-3/4" OD X 9/16" ID X 5/8" Overall HT

CHAINSAW continued

Part#	O.E.M	Application
646-117	Stihl # 1125-165-2052	 Clutch Assembly Fits Stihl chain saw models: 036 and MS360. Size: 2.894" OD X 0.390" Thick. 19mm nut attached to this clutch for removal.
646-112 NEW	Stihl# 1121-160-2051	 Clutch Assembly Fits Stihl chain saw models: 026 and MS260. Size: 2.675" OD X 0.403" Thick. 19mm nut attached to this clutch for removal.
646-114 NEW	Stihl# 1127-160-2051	 Clutch Assembly Fits Stihl chain saw models: 029 and 039. Size: 2.928" OD X 0.403" Thick. 19mm nut attached to this clutch for removal.
646-124	Stihl # 1128-160-2004	 Clutch Assembly Fits Stihl chain saw models: 044, 046, MS440, MS460, MS341 and MS361. Size: 2.916" OD X 0.392" Thick. 19mm nut attached to this clutch for removal.
646-122	Stihl # 1111-160-2003	 Clutch Assembly Fits Stihl chain saw models: 051 and 075. Size: 3-5/16" OD. Note: Not exactly as shown, clutch is no longer lined with asbestos
646-119	Stihl # 1122-160-2005	 Clutch Assembly Fits Stihl chain saw models: 064, 066, MS640 and MS660. Size: 3.140" OD X 0.460" Thick. 19mm nut attached to this clutch for removal.
646-116	Stihl # 1108-160-1501 1108-160-2001 1108-160-2002	 Clutch Fits Stihl chain saw model: 08S and Cut Quik models: TS-350 and TS-360. Size: 2-19/32" OD X 1/2" bore X 3/16" keyway.

CHAINSAW continued


Part#	O.E.M	Application
646-123	Stihl # 1125-160-2005 1125-160-2006	
<p>Clutch Assembly For Stihl concrete / cut quik saw model: TS400. Size: 2.885" OD</p>		

CENTRIFUGAL - COMET



Part#	Tooth Count	Chain Size	Bore	OD	Keyway
255-026	12	#35	1"	4-1/4"	1/4" (built in)
255-059	10	#40 #41	1"	4-1/4"	1/4" (built in)

Three sintered metal shoes engage at 2000 RPM. Stainless steel garter spring, works clockwise or counter-clockwise, oilite bearing for long life. Works in oil, dirt and water with proper maintenance. (For 2-1/2 thru 8 Hp engine applications) **MADE BY COMET - For outboard mounting only (sprocket away from engine)**




Part#	Belt	Bore	Pully Dia.	OD	Keyway
255-067	A or B sec. belt	5/8"	3"	4-1/4"	3/16"
255-083	A or B sec. belt	7/8"	3"	4-1/4"	5/32"
255-091	A or B sec. belt	1"	3"	4-1/4"	1/4"

Two sintered metal shoes engage at 2000 RPM. **MADE BY COMET.** Fits 2-1/2 thru 8 Hp engines. Non-directional clutch (inboard or outboard). **All comet pulley clutches are *While Quantities Last***

CENTRIFUGAL (MAX TORQUE)




Part#	Tooth Count	Chain Size	Bore	OD	Keyway
255-109	11	#35	5/8"	4-1/4"	3/16"
255-117	10	#40 #41	5/8"	4-1/4"	3/16"
255-125	12	#35	3/4"	4-1/4"	3/16"
255-133	10	#40 #41	3/4"	4-1/4"	3/16"



Part#	Belt	Bore	Pully Dia.	OD	Keyway
255-307	A or B sec. belt	5/8"	3-1/4"	4-1/4"	3/16"
255-315	A or B sec. belt	3/4"	3-1/4"	4-1/4"	3/16"

Six sintered metal shoes engage at 2000 RPM. Stainless steel garter spring, works clockwise or counter-clockwise, oilite bearing for long life. Works in oil, dirt and water with proper maintenance. (For 2-1/2 thru 8 Hp engine applications) **MADE BY MAX TORQUE**




Part#	ID	Teeth	Chain Size
255-141	3/4"	11	#35
255-158	7/8"	12	#35
255-166	3/4"	10	#41
255-174	7/8"	10	#41





Part#	ID	OD
255-182	3/4"	7/8"
255-190	7/8"	1"
260-265	3/16"	3/4"


ELECTRIC PTO CLUTCHES

ELECTRIC PTO CLUTCHES

Part#	O.E.M	Application
255-714		
AYP# 106316X AYP# 917063 / 109550X Bobcat# 188018 / 188019 Exmark# 1543259 Exmark# 543259 Exmark# 1551054 Ferris# 1521083 Great Dane# D18000 Husqvarna# 532 91 70-63 Snapper# 17063 Snapper# 7017063 Warner# 5215-14		
Size: 1" ID X 2-7/8" HT with a 6" diameter pulley. Uses 5/8" belt.		

255-711		
Ariens# 03601800 Ariens# 36018 Ayp# 145028 Husqvarna# 532 14 50-28 Simplicity# 1686882 Simplicity# 1708536 Warner# 5217-2 Warner# 5217-64		
Size: 1" ID X 3" HT with a 5.375" diameter pulley. Uses a 1/2" belt. Rotation: Counter clockwise. Fits Ariens models: 934005-000101, 934006-000101, 934007-000101, 934008-000101 and 934020-000101.		

255-713		
Ariens# 03090800 Ariens# 30908 Cub Cadet# WDC38410 Grasshopper# 388766 Grasshopper# 604182 Toro / Wheel Horse# 93-3160 5215-62 Warner# 5215-62		
Size: 1-1/8" ID X 3-3/4" HT with a 5" diameter double pulley Uses a 1/2" belt		

255-710		
AYP# 108218X 142600 / 137140 Cub Cadet# 717-0949 717-1434 / 917-0949 917-1434 Husqvarna# 532 10 82-18 Husqvarna# 532 14 26-00 MTD# 717-1434 Warner# 5215-51 Warner# 5219-64		
Size: 1" ID keyed hub X 4.175 HT with a 5.304" diameter pulley. Uses 1/2" belt.		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.


Part#	O.E.M	Application
255-712		
Ariens# 03643100 Ariens# 36431 AYP# 160889 Cub Cadet# 717-1459 Cub Cadet# 917-1459 Dixon# 3579 Husqvarna# 532 16 08-89 / 99 John Deere# AM119683 MTD# 1772388 / 717-1459 MTD# 917-1459 Snapper# 53739 / 53740 Snapper# 7053740 / 7653740 Swisher# 688EC Troy Bilt# 1772388 / 9171459 Woods# 03643100 Warner# 5217-35 Warner# 5217-9 / 5217-6		
Size: 1" ID X 3" HT with a 5.375" diameter pulley. Uses 1/2" or 5/8" belt. Rotation: Counter Clockwise. Fits Ariens models EZR 1540, 1648 and 1742; John Deere model: STX-36; Troy Bilt models: LTX 13095, 13102-13105 & 13123 tractors as well as other makes & models. Uses A or B 1/2 & 5/8" belt		


QUICK TIP

Replacing Electric PTO Clutches

- Use Grade 5 or Grade 8 bolt only!
- Minimum torque:**
- 7/16" UNF bolt is 50 foot pounds / 67 Nm
- 3/8" UNF bolt is 31 foot pounds / 42 Nm
- M10 X 1.5 bolt is 35 foot pounds / 48 Nm

WARNING - Anything less than required mounting torque will result in clutch failure.



255-715		
AYP# 102603 Bobcat# 2188151 Exmark# 1030664 / 1631645 Exmark# 1633099 / 633099 Ferris# 1522040 Husqvarna# 102603 Husqvarna# 539 10 26-03 Kees# 102603 Warner# 5218-5		
Size: 1-1/8" ID X 3-1/4" HT with a 6-5/16" diameter pulley. Uses 5/8" belt.		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

ELECTRIC PTO CLUTCHES

ELECTRIC PTO CLUTCHES

Part#	O.E.M	Application
255-716		
AYP# 326108 Cub Cadet# 138412 John Deere# AM100979 / AM115090 AM116083 / AM118969 AM122969 / AM123038 Murray# 326108 Murray# 326108MA Warner# 5215-35 Warner# 5215-55 / 5215-53		
Size: 1" ID X 3-5/8" HT with a 5-3/8" diameter pulley. Uses 1/2" belt.		
255-717		
Ariens# 00554300 Ariens# 00574100 Ariens# 55430 Case# C375569 Grasshopper# 388762 Grasshopper# 604180 Gravely# 574100 Woods# 70903 Woods# 73113 Warner# 5218-27		
Size: 1" ID X 3-13/16" HT with a 4-7/8" diameter double pulley . Uses a 1/2" belt.		
255-718		
Ariens# 03450500 Dixie Chopper# 50300 Snapper# 7-9197 Snapper# 7-9446 Toro / Wheel Horse# 116277 Warner# 5215-88		
Size: 1" ID with a 5-1/4" diameter pulley. Uses a 5/8" belt.		
255-719		
Ariens# 09225400 Ariens# 9225400 Country Clipper# E6247 Dixon# 61516 Gravely# 09225400 Toro / Wheel Horse# 94-6136 Warner# 5218-10		
Size: 1-1/8" ID X 3-1/4" HT with a 5-3/8" diameter pulley. Uses a 1/2" or 5/8" belt.		
ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.		

Part#	O.E.M	Application
255-721		
Ariens# 00574200 Ariens# 09407700 Grasshopper# 388767 Grasshopper# 606242 Snapper# 3-5520 Snapper# 5-8925 Snapper# 7058925 Woods# 73558 Warner 5218-26 Warner 5218-58		
Size: 1-1/8" ID X 3-3/8" HT with a 4-7/8" diameter double pulley . Uses a 1/2" belt.		
255-722		
AYP# 174367 Husqvarna# 532 17 43-67 Warner# 5215-134		
Size: 1" ID X 3-3/4" HT with a 6" diameter pulley. Uses a 1/2" or 5/8" belt.		
255-723		
Cub Cadet# 717-3403 Cub Cadet# 917-3403 Warner# 5218-6		
Size: 1-1/8" ID X 3" HT with a 6" diameter pulley. Uses a 5/8" belt.		
255-724		
Cub Cadet# 717-3446 Cub Cadet# 917-3446 MTD# 717-3446 MTD# 917-3446 Warner# 5218-29		
Size: 1" ID X 3-1/2" HT with a 6" diameter pulley. Uses a 5/8" belt.		
255-727		
Encore# 523370 Warner# 5218-17		
Size: 1-1/8" ID X 3-1/2" HT with a 6" diameter pulley. Uses a 5/8" belt.		
ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.		

ELECTRIC PTO CLUTCHES


ELECTRIC PTO CLUTCHES


Part#	O.E.M	Application
255-359		
AYP# 124648X AYP# 150283 / 140923 AYP# 174509 / 170056 Cub Cadet# 717-3375 Cub Cadet# 717-3384 Cub Cadet# 917-3375 Cub Cadet# 917-3384 Husqvarna# 532 10 62-28 532 14 09-23 / 532 14 45-09 532 14 87-36 / 532 17 00-56 Warner# 5210-60 Warner# 5215-73		
Size: 1-1/8" ID X 4.825" HT with a 5-3/8" diameter pulley. Uses a 1/2" belt. Fits Husqvarna models: GTH2250 A, GTH2550 B, GTH2550 XP A and GTH2550 XP B. Replaces WARNER# 5215-73 / 5210-60, Ogura# 170056, 031016.		
255-725		
MTD# 717-1708 MTD# 917-1708 Snapper# 14022 Snapper# 74022 Warner# 5215-129		
Size: 1" ID X 3-1/2" HT with a 5-3/8" diameter pulley. Uses a 1/2" belt.		
255-730		
Ariens# 00191700 Gravely# 00191700 Warner# 5219-45		
Size: 1" ID with a 6" diameter pulley. Uses a 5/8" belt.		
255-12230		
Cub Cadet# 717-3384 Cub Cadet# 717-3389 Cub Cadet# 917-3384 Cub Cadet# 917-3389 MTD# 717-3389 MTD# 917-3389 Warner# 5210-30 Warner# 5215-68		
Size: 1" ID X 4.825" HT with a 6" OD pulley. Uses a 5/8" belt. Fits Cub Cadet models: 1440, 1641, 1782, 2182, Z42, Z48, Z48L, Z54, Z54L, 2160, 2165 and 4815 serial numbers 851,001 and above. Counter Clockwise Rotation.		
ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.		


Part#	O.E.M	Application
255-726		
MTD# 717-1709 MTD# 917-1709 Warner# 5215-130		
Size: 1" ID X 4" HT with a 5-3/8" diameter pulley. Uses a 1/2" belt.		
255-728		
Cub Cadet# 917-3497 Jacobsen# 990947 MTD# 717-3497 MTD# 917-0983 Simplicity# 1703816 Snapper# 1-6343 Toro / Wheel Horse# 99-8012 Warner# 52-1033 Warner# 52-1559		
Size: 1" ID X 3-1/2" HT with a 5.345" diameter pulley. Rotation: Counter clockwise. Uses a 1/2" belt.		
255-732		
Bobcat# 2722016 Bunton# 2722016 Warner# 5219-14		
Size: 1-1/8" ID with a 6" diameter pulley. Uses a 5/8" belt.		
255-733		
Cub Cadet# 717-04163 Cub Cadet# 917-04163 MTD# 717-04163A MTD# 917-04163A Warner# 5217-32 Warner# 5217-43		
Size: 1" ID with a 5.923" diameter pulley; 4" HT. Uses 1/2" or 5/8" belt. Fits Cub Cadet models: LT1040, LT1042, LT1045, LT1046 and LT1050. Counter clockwise rotation.		
255-735		
Exmark# 103-0661 Exmark# 103-0662 Scag# 03-0661 Scag# 461397 Warner# 52-1876		
Size: 1" ID X 3-3/8" HT with a 6-3/8" diameter pulley. Uses a 5/8" belt.		
ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.		

ELECTRIC PTO CLUTCHES

ELECTRIC PTO CLUTCHES

Part#	O.E.M	Application
255-734		
Cub Cadet# 717-0417A Cub Cadet# 717-041ZA Cub Cadet# 917-0417 Cub Cadet# 917-04174A Cub Cadet# 917-0417A MTD# 717-0417 MTD# 717-04174A MTD# 717-0417A MTD# 917-0417 MTD# 917-04174A MTD# 917-0417A Troy Bilt# 91704174 Warner# 5219-51 Warner# 5219-79		
<p>Size: 1" ID with a 6" diameter pulley; 4-1/4" HT. Uses a 5/8" belt. Counter Clockwise Rotation. Fits Cub Cadet models: LT1042, LT1045, LT1046, LT1050, L1046, L1050, SLT1550 and SLT1554.</p>		


255-11072		
Cub Cadet# 01002108P Warner# 5218-14		
<p>Size: 1" ID with a 6" diameter pulley. Uses a 5/8" belt. Fits TANK models, also fits Lesco.</p>		

255-736		
Bobcat# 2721337 Bunton# 2721337 Exmark# 1030501 / 1030665 Exmark# 1631732 / 1641300 Ferris# 1521145 Grasshopper# 388740 / 604182 Hustler# 601311 / 787366 Scag# 461395 / 481530 Toro / Wheel Horse# 1030501 Warner# 5218-213 Warner# 5218-65		
<p>Size: 1-1/8" ID with a 6.25" diameter pulley X 3-3/8" Height. Uses a 5/8" belt. Fits Exmark models 1600,000 & higher. Fits Bad Boy 070-5035-00, Exmark/Toro 103-0501, Auburn 180265, Bad Boy 070-5035-00. Midmounts Excel 787366. For 25 Hp engines. Fits Exmark Lazer Z series #160,000 and higher and MS200F; for 25 Hp engines.</p>		

255-737		
Exmark# 1030690 / 1653048 Exmark# 1653292 / 653292 Warner# 5218-80 Warner# 5218-80C		
<p>Size: 1" ID X 3-1/4" HT with a 7-3/8" diameter pulley. Uses a 5/8" belt.</p>		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

Part#	O.E.M	Application
255-738		
Ariens# 09232700 Ariens# 9232700 Gravely# 00389900 Gravely# 09232700 Gravely# 09266700 Gravely# 9266700 Great Dane# GDA10122 Wood Mizer# P604 Warner# 5218-31 Warner# 5218-94		
<p>Size: 1" ID X 3-1/4" HT with a 6" diameter pulley. Uses a 1/2 or 5/8" belt. Fits Exmark model: Lazer Z Hp serial numbers 260,000 and higher. Replaces WARNER# 5218-80 / 5218-80-C. Similar to our 255-787 - our 225-737 has a 7-3/8" OD Pulley compared to our 255-787 with a 7-11/32" OD Pulley.</p>		
Heavy Duty version of our Part# 255-720		

255-739		
Cub Cadet# 717-04080 Cub Cadet# 917-04080 MTD# 717-04080 MTD# 717-1709 MTD# 917-04080 MTD# 917-1709 Warner# 5215-142		
<p>Size: 1" ID with a 6" diameter pulley. Uses a 5/8" belt.</p>		

255-785 NEW		
Cub Cadet# 7173390 Cub Cadet# 9173390 Encore# 523025 Warner# 521569		
<p>Size: 1-1/8" ID X 3-1/2" HT with a 6" diameter pulley. Uses a 5/8" belt. Counter Clockwise Rotation. Found on Cub Cadet 2185 tractor; also used on Encore equipment.</p>		

255-11074		
Toro / Wheel Horse# 105-1671 / 94-4632 Warner# 5218-33		
<p>Size: 1-1/8" ID with a 4-7/8" diameter pulley. Uses a 5/8" belt. Fits Toro models: A320 - Z325, 320 Z Master etc.</p>		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

ELECTRIC PTO CLUTCHES

ELECTRIC PTO CLUTCHES

Part#	O.E.M	Application
255-787		
Exmark# 103-0690 Exmark# 65-3048 Toro / Wheel Horse# 105-3630 Warner# 5218-201 Warner# 5218-215 Warner# 5218-44		
Size: 1" ID, Height: 3-1/4", Pulley diameter: 7.345", Uses belt width: 5/8". Replaces WARNER# 5218-44, 5218-201 and 5218-215. Found on Exmark models Lazer HP and Lazer; for 17 Hp Kawasaki engines; also replaces Toro# 105-3630. Note: Similar to our 255-737 but with slightly smaller pulley OD.		
255-701		
Cub Cadet# 717-3385A Cub Cadet# 917-3385A MTD# 717-3385A MTD# 917-3385A Warner# 5217-14 Warner# 5217-42		
Size: 1" ID X 3-1/2" HT with a 5.345" diameter pulley. Uses a A / B belts. Counter Clockwise rotation Fits Cub Cadet 2000 series models: 2130, 2135, 2143, 2146, 2150, 2155, 2165, 21665 and GT2542. For 38" & 42" cut decks.		
255-702		
Fits Exmark Warner# 5218-54		
Size: 1-1/8" ID X 3-5/16" HT with a 7.385" diameter pulley. Uses a 5/8" belts. Counter Clockwise rotation. Fits Exmark mowers with larger engines and crankshafts. Note: Similar to our 255-737 but with a larger 1-1/8" bore.		
255-703		
Exmark# 103-0281 Exmark# 1031364 Warner# 5218-73		
Size: 1-1/8" ID with a 6.313" diameter pulley. Uses a 5/8" belt.		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

Part#	O.E.M	Application
255-704		
Exmark# 1-603539 Exmark# 603539 Exmark# 1-611223 Ferris# 1521823 Scag# 461074 Scag# 481633 / 48786 Simplicity# 21823 Snapper# 2-9678 Warner# 5215-13		
Size: 1" ID X 3-1/2" HT with a 6" diameter pulley. Uses a A / B belts. Clockwise rotation Fits Exmark Turf Tracer Hydro models, also fits Scag SSZ and STHM; and Simplicity models Hw1436 Pacer Hydro walk behinds with 36" cut decks; for 21 Hp engines.		
255-705		
Hustler# 781039 Hustler# 781039K Warner# 5218-110 Warner# 5218-219		
Size: 1-1/8" ID, Height: 3-5/16", Pulley diameter: 6-1/4". Uses both A/B belts, Rotation: Counter Clockwise. Fits Hustler models: Super Z, 52", 60" and 72" decks; also found on Grasshopper model 223.		
255-706		
Exmark# 103-3246 Exmark# 103-6579 Exmark# 109-7665 Warner# 5218-202 Warner# 5218-99		
Size: 1-1/8" ID X 3-5/16" HT with a 7-11/32" diameter pulley. Uses a 5/8" belt. Clockwise rotation. Fits Exmark Lazer HP / Z models; for 27 and 30 HP Kohler engines.		
255-06272		
Murray# 690461 Murray# 7601023 Scotts# 690461 Scotts#7601023 Warner# 5218-32 Warner# 5218-35		
Size: 1" ID X 3-1/8" HT with a 6" diameter pulley. Uses a A / B belt. Fits Murray - Scotts models. Has a built in 1/4" keyway. Note: If the customer has the Short D drive in his old clutch they will need to drive it out and reuse it to keep the new clutch from burning up.		

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

ELECTRIC PTO CLUTCHES

ELECTRIC PTO CLUTCHES


Part#	O.E.M	Application
255-740		 <p>Cub Cadet# 717-1774C Cub Cadet# 917-1774C MTD# 717-1774C MTD# 917-1774B MTD# 917-1774C Warner# 5219-25</p> <p>Size: 1" ID, Height: 4-1/4", Pulley diameter: 5-15/16", Uses 5/8" belt. Rotation: Counter Clockwise. Fits Cub Cadet, MTD and Toro/ Home Depot models. Fits Cub Cadet models: RZT54, GT1554, SLT1554 and LT1024; also fits 50" Toro/Home Depot and 54"; 800 series mowers.</p>
255-12899		 <p>Cub Cadet# 917-04180 Warner# 5219-52</p> <p>Size: 1-1/8" ID, Pulley diameter: 6". Uses 5/8" belt. Cub Cadet models: GT2500 series & LT2042, GT2544, GT2550 & GT2554.</p>
255-14229 NEW		 <p>Cub Cadet# 71704552 Cub Cadet# 71704552A Cub Cadet# 91704552 Cub Cadet# 91704552A MTD# 717-04552 MTD# 917-04552 Warner# 521998</p> <p>Size: 1" ID X 4" HT with a 6" diameter pulley. Uses 1/2 or 5/8" belt. Counter clockwise rotation Fits Cub Cadet models: LTX1042, LTX1045, LTX1046, LTX1050, 2008 and newer RZT 50 and FMZ50. Counter clockwise rotation.</p>
255-12981		 <p>Exmark# 1033245 Warner# 5218-100 Warner# 5218-228 Warner# 5218-243</p> <p>Size: 1" ID, Pulley diameter: 7-1/8". Uses 5/8" belt. Fits Exmark models with 20 and 23 Hp Kohler engines, Replaces Warner 5218-243 with pigtail, 5218-228 without pigtail & Warner# 5218-100</p>

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

Part#	O.E.M	Application
255-753 NEW		 <p>Exmark# 1092916 Exmark# 1099276 Warner# 5218-205</p> <p>Size: 1" ID, Pulley diameter: 7-1/8", Uses belt width: 5/8". Found on Exmark models Lazer Z HP s/n 720,000 and up (Except 27 Hp). (Uses our 255-800 pig tail connector).</p>
255-12977 NEW		 <p>Exmark# 1030665 Exmark# 1631732 Exmark# 1641300 Exmark# 614300 Exmark# 631732 Exmark# 641300 Ferris# 1521145 / 5021145 Scag# 461395 / 461716 / 481530</p> <p>Size: 1-1/8" ID with a 6" diameter pulley X 2-3/4" HT. Uses a 5/8" belt. Fits Exmark Lazer Z models; also found on Ferris and Scag equipment. Replaces Ogura#s GT2.5-MC04 / MA-GTEXM14Z</p>
255-800		 <p>Warner# 15218-251-008 Warner# 5218-251-001 Warner# 5218-251-008</p> <p>Clutch Pigtail harness. Replaces Warner# 5218-251-001. Does not have a diode like Hustler & Grasshopper use. Fits our 255-737, 255-753, 255-787 as well as many others.</p>

ALL ELECTRIC PTO CLUTCHES WILL NOT BE WARRANTIED IF NOT INSTALLED BY A SERVICING DEALER.

TRIMMER CLUTCHES

646-126	 <p>Echo# 175009-05532 Green Machine# 190025 Green Machine# 190111 Hoffco# 211325S John Deere# AM115397 Red Max# 1100-51113 Red Max# 1130-00602</p> <p>Clutch Fits Echo Trimmer models SRM250, SRM2000, SRM2200, SRM2500, SRM2501, SRM2502, SRM2510, SRM2510S. Green Machine models 1900, 2400M, 2500, 2800, 2810, 3000M, 3000SS, 3010M, 4000M. Hoffco models 95 - JP30F300, 96 - JP220F and 95/96 - SE301F. Red Max models Bt2000, BC2001DL and BC2300DL. Size: 2" OD with (2) 5/16" ID mounting holes.</p>
----------------	---

