
















BRIGGS & STRATTON


BRIGGS & STRATTON









Part#	O.E.M	Application
105-239	392811 295905 / 493288	
<p>Muffler For 2, 3 and 4 Hp engines. Super low tone, 1/2" pipe thread Fits models 60000 and 80000. Measures: 4-3/4" L X (3-1/8" X 2-5/8") OD (Includes our 110-122 deflector)</p>		
105-080	299106	
<p>Muffler 1/2" pipe thread, economy style. For use in tight spaces. Fits models 60100, 82500, 92599, 92900, 93500. Measures: 1.-3/4" L X 2-1/2" OD X 1-21/32" HT</p>		
105-221	394569 / 394569S 391435 / 298830 John Deere# AM35015	
<p>Muffler For 3, 3-1/2 and 4 Hp engines. 1/2" pipe thread, painted gray finish. Fits models 90700, 92500, 93902, 95902, 96502, 96902, 98902, 110700, 133702, 10A902 and 9D902. Size: 2-3/4" L X 3" OD (Replaces old# 105-056)</p>		
105-007	89966 Clinton# 170-159-500 John Deere# AM34980 Tecumseh# 30874 Tecumseh# 30911	
<p>Muffler For 2, 2-1/2, 3, 3-1/2 and 4 Hp engines. 1/2" pipe thread, heavy gauge steel OEM style, painted gray finish with brass welds. Fits models 60000, 80000, 92000 & 110900. Measures: 4-3/4" L X 1-1/2" OD</p>		
105-106	294599 294599S Tecumseh# 32985	
<p>Muffler For 4 thru 8 Hp engines. 3/4" pipe thread. Fits models 140700, 141200, 146400, 146700, 170400, 170700, 190400 and 190700. Measures: 6-1/4" L X 2-3/8" OD (Uses our 110-015 locknut).</p>		
105-163	393010 393010S 390249 John Deere# PT4336	
<p>Muffler For 5, 7 and 8 Hp horizontal engines. 3/4" pipe thread, Super low tone. Fits models 100200, 135200, 170400, 171400, 190400, 190700, 194400, 195400 and 195700. Measures: 5-3/8" L X 3-1/8" OD</p>		
110-007	91811 / 220859 John Deere# M47824	
<p>Muffler Lock Nuts (Sold in Multiples of 5) Fits 1/2" pipe thread. For our 105-239, 105-080, 105-221, 105-007 mufflers.</p>		

Part#	O.E.M	Application
110-015	91242 261409 / 690453 John Deere# HE3310053	
<p>Muffler Lock Nuts (Sold in Multiples of 5) Fits 3/4" pipe thread. For our 105-106 & 105-163 mufflers.</p>		
110-130	393757 John Deere# PT5035	
<p>Muffler Deflector Fits our 105-155 & 105-163 mufflers. Measures: 2-7/8" OD X 5/8" HT</p>		
105-061	494585 393615	
<p>Muffler For 5 Hp vertical shaft engines. Bolt on style. Comes complete with bolts, lock and gasket. NOTE: Top & Bottom pictures (1) muffler only</p>		
485-924	270918 272309 / 692237	
<p>Exhaust Gasket Fits models 130200, 133700, 193700, 196400 and 197400. (Use with our 105-061, 105-155 and 105-148 mufflers)</p>		
105-155	391313 692304 John Deere# AM100310	
<p>Muffler For 4 thru 8 Hp engines. Gasket & Hardware included, Super low tone. Fits models 100000, 130000, 170000 and 190000. C to C of bolt holes = 1-9/16" Measures: 4-1/2" L X 4-1/4" W 2-3/4" HT NOTE: Top and Bottom pictures (1) muffler only</p>		
110-130	393757 John Deere# PT5035	
<p>Muffler Deflector Fits our 105-155 & 105-163 mufflers. Measures: 2-7/8" OD X 5/8" HT</p>		
105-288	691874 / 491413 394170 / 394180 John Deere# AM108033	
<p>Muffler For 10 thru 12-1/2 Hp vertical and horizontal engines. Bolt on style, Super low tone. Includes: bolts, lock, mount gasket and deflector. Fits models 220400, 220700, 221400, 251400, 251700, 252400, 252700, 255400 and 282707. Measures: 5" L X 4-1/2" W X 3-1/2" HT Centre to Centre of bolt holes: 1-7/8".</p>		
485-920	270917 / 272293 / 692236	
<p>Exhaust Gasket (Sold Individually) For 8 and 11 Hp engines. Fits models 280000 and 281000. (Use with our 105-288 muffler)</p>		


BRIGGS & STRATTON

BRIGGS & STRATTON

Part#	O.E.M	Application
110-148	393761 John Deere# PT9009	
<p>Muffler Deflector Fits our 105-254, 105-256, 105-288 & 105-320 mufflers. Measures: 3-5/16" OD X 5/8" HT.</p>		
105-023	391492 394644 692307 John Deere# AM200187	
<p>Muffler For 3 thru 4 Hp Max vertical engines. Bolt on style, Super low tone. Includes: bolts, gasket keeper and spacer. Fits models 90700, 91700, 93900, 10A900, 10C900, 110900, 111000, 111900 & 114700. Measures: 8" L X 3-3/4" W X 1-3/4" HT Centre to Centre of bolt holes: 1-3/16"</p>		
485-923	270774 272252 691880	 (Sold Individually)
<p>Exhaust Gasket Fits models 106900, 110900, 111900 and 10A-900 thru 10C900. (Use with our 105-023 muffler)</p>		
105-353	490547 496106	
<p>Muffler For 4-1/2 and 5 Hp Quantum engines. Bolt on style, Super low tone. Includes bolts, gasket keeper and spacer. NOTE: Exhaust gasket 485-924 can be made to fit our 105-353.</p>		
105-148	297274 297506 / 393615 493936 / 494585	
<p>Muffler For 4 and 5 Hp engines. Bolt on style, painted black. Fits models 100200, 100900, 130200, 130900, 133200, 133700, 134200, 135700, 136200 & 137200. Size: 4" L X 3-5/8" W X 1-1/2" HT (Use with our 110-114 deflector)</p>		
485-924	270918 272309 / 692237	
<p>Exhaust Gasket Fits models 130200, 133700, 193700, 196400 and 197400. (Use with our 105-061, 105-155 and 105-148 mufflers)</p>		
105-189	299629 Snapper# 1-8198	
<p>Muffler For 8 Hp engines on Snapper Riders. Use with our 110-205 muffler tube. Fits models 170432, 170451, 190702 and 190707. Measures: 5" L X 3-3/8" W X 2-1/8" HT NOTE: Front and back images shown</p>		

Part#	O.E.M	Application
105-254	299477 391569 391569S Tecumseh# 50989	
<p>Muffler For 8 thru 16 Hp engines. Fits MTD 600 series Riders. 1" pipe thread, painted black. Models 251412, 251416, 254422, 254427 and 283702. Measures: 4-1/2" pipe length X 4-1/2" muffler OD (Use with our 110-023 lock nut and 110-148 deflector) For longer version - see our 105-256 muffler</p>		
105-256	393232 393232S AYP# 3483 Murray# 23343 Murray# 23483	
<p>Muffler For 11 and 16 Hp cast iron engines. 1" pipe thread, painted silver. Model 326400. Measures: 8" pipe length X 4-1/2" muffler OD (Use with our 110-023 lock nut and 110-148 deflector) For shorter version - see our 105-254 muffler</p>		
110-023	91310 / 261564 261409 / 691808 Gravely# 10866 Gravely# 21375700 Kohler# AC-1536 Tecumseh# 650590	 (Sold in Multiples of 5)
<p>Muffler Lock Nuts Fits 1" pipe thread. For our 105-254, 105-256 and 105-352 mufflers.</p>		
110-114	393750 / 221488 John Deere# PT5282	
<p>Muffler Deflector For our 105-148 muffler.</p>		
110-106	393755 221794	
<p>Muffler Deflector For our 105-080 and our old #105-056 mufflers.</p>		
110-122	393760 John Deere# AM38289	
<p>Muffler Deflector For our 105-080, 105-221, 105-239 mufflers, will also fit our 105-023 & 105-353 mufflers.</p>		
110-130	393757 John Deere# PT5035	
<p>Muffler Deflector Fits our 105-155 & 105-163 mufflers. Measures: 2-7/8" OD X 5/8" HT</p>		
110-148	393761 John Deere# PT9009	
<p>Muffler Deflector Fits our 105-254, 105-256, 105-288 & 105-320 mufflers. Measures: 3-5/16" OD X 5/8" HT.</p>		

CUB CADET


Part#	O.E.M	Application
105-296	393840-R91	
<p>Muffler For 7, 10 & 12 Hp engines. Fits Kohler models K241, K301 & K321. For garden tractors. Painted black finish. Overall Length: 16-1/2", Inlet ID: 1-3/8", Canister length: 11-1/2", Canister OD: 3-3/4". This is our most popular muffler for custom exhaust modifications.</p>		

GRAVELY


105-262	18543 20259700	
<p>Muffler For garden tractors. Measures: 8-1/4" L X 3-3/4" OD Inlet ID: 1-5/16", Outlet ID: 1-1/4"</p>		

For HOMELITE mufflers - see
 "CHAIN SAW ACCESSORIES - O.E.M."

HONDA


105-537	18310-ZMO-000	
<p>Muffler Harmony II muffler. Fits models: HRB216, HRR216, HRS216, HRT216, HRZ216. Found on Honda engine models: GCV135 and GCV160. Note: Heat shield NOT included.</p>		


105-577	18310-ZF1-000 Code# 3683703	
<p>Muffler with Shield Fits 5.5 Hp engines. Model GX160 series engines. Heat shield included - bolted on. Heat Shield measures: 5-1/2" L X 4-3/16" W, Overall HT: 5-3/4". (Made in Taiwan)</p>		

485-125	18381-ZH8-800 18381-ZH6-800 Code# 3683745	
<p>Exhaust Gasket Fits 105-577, 105-709 & 105-579 mufflers. For models GX120, GX160 and GX200.</p>		


105-579	18310-ZF1-000 Code# 3683703	
<p>Muffler with Shield Fits 5.5 Hp engines. Model GX160 series engines. Heat shield included - bolted on. Heat Shield measures: 5-3/8" L X 4-3/4" W, Overall HT: 5-3/4" (Made in China) Comes with spark arrester.</p>		


HONDA continued

Part#	O.E.M	Application
105-709	18310-ZL0-000 Honda# 18320-ZF1-H51 (Shield) Code# 4743100 / 4640850	
<p>Muffler with Shield Fits 6.5 Hp engines. Model GX200 series engines. Heat shield included - bolted on. Heat Shield measures: 5-3/8" L X 4-3/4" W, Overall HT: 5-3/4" HT Note: Muffler has hole drilled in bottom for bracket support.</p>		

110-041	18320-ZF1-H01 Code# 4644811	
<p>Muffler Heat Shield Fits our 105-579 & 105-709 mufflers. For GX160 and GX200 series.</p>		

105-571	18310-ZE2-013 Code# 2538478	
<p>Muffler Fits 8 and 9 Hp engines. Fits model GX240 and GX270 series engines with 2 piece muffler shield (4 hole) Heat shield not included. (4 hole style muffler shield mounting). NOTE: Will accept our 110-043 muffler shield.</p>		

105-572	18310-ZE2-W00	
<p>Muffler Fits 8 and 9 Hp engines. For models GX240 and GX270 series engines, with 1 piece muffler shield. Heat shield not included. (2 hole style muffler shield mounting).</p>		








110-043	18320-ZE2-W61 Code# 4684098	
<p>Muffler Heat Shield Fits our 105-572 and 105-571 mufflers. For GX240 and GX270 series.</p>		

105-701	18310-ZE2-W00 18320-ZE2-W01 (Shield) Code# 3678745 Code# 4613642	
<p>Muffler with Shield Fits 8 and 9 Hp engines. For GX240 and GX270 series engines. Heat shield included. Comes with spark arrester. Measures: 6-1/4" W X 6-1/2" L X 6-1/8" HT. (Uses our 110-402 exhaust pipe and our 486-503, 486-507 and 485-126 exhaust gaskets). Note: Two images shown for reference.</p>		





HONDA continued

Part#	O.E.M	Application
105-578	18310-ZE3-003	
<p>Muffler Fits 11 and 13 Hp engines. For GX340 and GX390 series engines. Heat shield not included.</p>		
110-044	18320-ZE3-W01 Code# 4640843	
<p>Muffler Heat Shield Fits our 105-578 and 105-536 mufflers. For GX340 and GX390series engines.</p>		
105-538	18310-ZE2-W61	
<p>Muffler Kits Fits Honda 11 and 13 Hp engines. Models GX340 & GX390 series engines. Includes: Muffler, Heat shield (105-536), Exhaust Pipe (110-402) and Exhaust gasket (486-503) and mounting bolts. (Muffler deflector# 110-164).</p>		
105-536	18310-ZE2-W61 18320-ZE2-W61 (Shield) Code# 6145353 Code# 4684098	
<p>Muffler with Shield Fits 11 and 13 Hp engines. For GX340 and GX390 series engines. Heat shield included - bolted on. Comes complete with spark arrester. Measures: 7-1/4" W X 6-7/8" L X 5-1/2" HT. (Uses our 110-402 exhaust pipe and our 486-503, 486-507 and 485-126 exhaust gaskets). (Made in China)</p>		
110-402	18330-ZE2-W00 18330-ZH9-N00 Code# 3678794	
<p>Exhaust Pipe Fits our 105-571, 105-572, 105-701, 105-578 and 105-536 mufflers. (Uses our 486-503, 486-507 & 485-126 exhaust gaskets) Two images shown for reference.</p>		
486-503	18381-ZE2-800 18381-ZE2-W10 Code# 3678810	
<p>Exhaust Gasket Muffler to exhaust pipe gasket. Use with our 105-571, 105-572, 105-578, 105-536 & 105-701 mufflers.</p>		


HONDA continued

Part#	O.E.M	Application
485-126	18333-ZE3-800 18333-ZK6-Y00 18333-ZK6-Y08 Code# 3520194	
<p>Exhaust Pipe Gasket For Honda GX240, GX270, GX340 and GX390 series engines. Use with our 105-701, 105-578, 105-536, 105-571 and 105-572 mufflers. Fits our 110-402 exhaust pipe. For Honda engine models GX240, GX270, GX340 and GX390 series. (Also see our 486-507 - W.Q.L.).</p>		
110-160	0636563 18331-883-810	
<p>Muffler Deflector Fits models: G150, G200, GX120, GX140, GX160 and GX200.</p>		
110-164	2026227 2108082 18331-ZE3-810 18331-ZE3-811 18331-ZE2-810	
<p>Muffler Deflector For Honda engines. Fits models: GX240, GX270, GXV270, GX340, GXV340, GX390 and GXV390.</p>		
<p>For more HONDA muffler / exhaust gaskets see our "GASKETS" section 28</p>		
<p style="text-align: center;">For HUSQVARNA mufflers - see our "AYP" heading and our "CHAIN SAW ACCESSORIES - O.E.M." section</p>		
<h2 style="text-align: center;">KOHLER</h2>		
105-247	220145	
<p>Muffler For 4 Hp engines. Fits model K91.</p>		
105-248	41 068 01 41 068 08	
<p>Muffler For 7 and 8 Hp engines. Fits models K161 and K181.</p>		
105-124	12 068 36-S 12 068 46-S 12 068 47-S 12 068 58-S	
<p>Muffler Fits engine models: CH11 thru 15 Measures: 11" overall, Muffler OD: 5". Exhaust Pipe OD: 1-1/4" (2) 3/8" diameter mounting holes on 2-3/8" centres.</p>		
485-799	12 041 03S	
<p>Exhaust Gasket Fits our 105-124 muffler. For engine models: CH11 thru 15. Mounting studs on 1-3/4" centre to centre.</p>		

KOHLER continued

Part#	O.E.M	Application
105-130	220521 / 220521-S Tecumseh# 29633	
Muffler For 4 Hp engines. Fits model K91. 3/4" pipe thread		
105-122	275679 275679-S Ariens# 20033200 B&S# 393232 / 392989 B&S# 299477 / 299477S Gravely# 008227 Gravely# 21457900 Gravely# 21375300 John Deere# AET10410 Tecumseh# 32043B	
Muffler For 10 thru 23 Hp engines. Fits models M10, M12, M14, M18, M20, K241 thru K321 and K532 thru K582. 1" pipe thread X 1-1/4" ID X 4-1/4" OD X 3-1/4" HT		
105-171	45 068 01 45 068 01-S John Deere# ET14015 Wisconsin# WD66S1 Wisconsin# WD665S1	
Muffler For 16 Hp engines. Fits models M16 and K341. 1-1/4" pipe thread X 1-1/2" ID X 4-1/4" OD X 3-3/8" HT.		
105-296	235945 237550 237550S A220521	
Muffler For 7, 10 and 12 Hp engines. Fits Kohler models K241, K301 & K321. For garden tractors. Painted black finish. Overall Length: 16-1/2", Inlet ID: 1-3/8", Canister length: 11-1/2", Canister OD: 3-3/4". This is our most popular muffler for custom exhaust modifications.		

LAWN BOY

105-201	682873	
Muffler For 21" home owner walk behinds. Fits models 4261, 4262, 4505A, 7035, 7072, 7072A, 7073, 7250A, 8073, 8073AE, 8600, 8605A & 8671AE. (While Quantities Last)		

MURRAY

105-256	23343 23483 023342	
Muffler For 11 Hp engines. 1" pipe thread, painted silver. Measures: 8" pipe length X 4-1/2" muffler OD. (Uses our 110-023 lock nut and 110-148 muffler deflector).		

MURRAY continued










Part#	O.E.M	Application
105-346	90330SE 90330PA AYP# 124097X / 101273 AYP# 101273M Poulan# 532-101273 Poulan# 532-124097 Noma# 54766 Toro# 110774	
Muffler For 11 Hp engines. Measures: 4-1/2" OD X 3" HT Inlet: 1". Includes bolts, heat shield and gasket.		
105-510	091271SE 903305E 91271 91271SE	
Muffler For 11 and 12 Hp Briggs equipped Murrayfront engine riders; model: 9-38219, also fits front engine rider Noma / Dynamark model 3912. Measures: 5" OD X 3-1/2" HT X 1" Inlet ID X 1-1/8" OD, Mounting bolts on 1-7/8" centre to centre.		

SNAPPER




105-189	1-8198 7018198 B&S# 299629 Tecumseh# 28269	
Muffler For Snapper Riders with Briggs and Stratton 8 Hp engines. Measures: 5" L X 3-3/8" W X 2-1/8" HT (Use with our 105-205 muffler pipe)		
110-205	1-8197 7018197	
Muffler Pipe For use on 8 Hp engines. 3/4" pipe (Use with our 105-189 muffler)		
105-033	5-1996	
Muffler For use on 12 and 12-1/2 Hp Briggs and Stratton engines found on Snapper riders.		
105-260	7074453 NEW 7-4453	
Muffler Used on OHV single cylinder Briggs and Stratton engines on Snapper rear engine riders. Fits Yard Cruisers 21, 28 and 31 series B&S engines. Will fit on 31 series 17 plus Hp engines. (Use with our 485-920 exhaust gasket).		

For STIHL mufflers - see our section "CHAIN SAW ACCESSORIES - O.E.M."




TECUMSEH

Part#	O.E.M	Application
105-049	27181B / 27181C 30082A / 30996	
<p>Muffler For 2-1/2 thru 3-1/2 Hp engines. Bolt on style. Fits ECV100, LAV35 and TVS75-TVS120. Measures: 2-3/16" OD X 1-15/16" L. Includes bolts & gasket</p>		
105-361	35603	
<p>Muffler For Tecumseh Premier engines. Models TVS120 & XL series engines. Includes bolts</p>		
105-213	35771 / 33697A / 32648A John Deere# AM108653	
<p>Muffler For 4 thru 7 Hp horizontal engines. Fits model HS40, HS50, LAV40, LAV50, H60, H70, TVS75 thru TVS120 and TVXL105. Bolt on style. (Uses our 485-714 mount gasket)</p>		
485-714	26754A	
<p>Exhaust Gasket (Sold in Multiples of 10) Fits models H30, H35 & H40. Use with our 105-049, 105-213 and 105-361 mufflers.</p>		
105-205	32401 John Deere# AM33478	
<p>Muffler For 4 thru 7 Hp horizontal engines. Found on many Snowblowers. Fits models H40 thru H70, V50, V60, V70 and TVM140. Bolt on style. (Uses our 485-904 mount gasket)</p>		
485-904	27930A / 35865 John Deere# M45347 Snapper# 1-2422	
<p>Exhaust Gasket (Sold in Multiples of 10) Fits models H50, V70 and HM100. For 3.5 thru 10 Hp engines. (Use with our 105-205 mufflers).</p>		
105-130	29633	
<p>Muffler For 6, 7 and 8 Hp engines. Fits model H60, H70, V60, V70, HM80 and VM80 series.</p>		
105-114	33280 33280A	
<p>Muffler For 7 thru 10 Hp engines. Fits models VM100, TVM170 thru TVM220 and HM70 thru HM100 and VM100. (Uses our 495-924 exhaust gasket). Requires (2) 5/16-18 X 3" bolts - NOT included.</p>		
485-924		
<p>Exhaust Gasket (Sold individually) Fits 7 thru 10 Hp engines. Fits 105-114 and 105-365</p>		


TECUMSEH continued

Part#	O.E.M	Application
110-003	650729	
<p>NEW Muffler / Exhaust Bolt Size: 5/16-18 X 3" Long. (Use with our 105-114 muffler).</p>		
105-365	35056 / 94058	
<p>Muffler For 8 thru 10 Hp engines. Found on newer style Snowblowers, Snow King etc. Heavy gauge steel construction with bracket welded in place. Bolt on type. (Uses our 485-924 exhaust gasket) Requires (2) 5/16-18 X 4" bolts - NOT included.</p>		
110-004	792093	
<p>NEW Muffler / Exhaust Bolt Size: 5/16-18 X 4" Long. (Use with our 105-365 muffler).</p>		

TORO / WHEEL HORSE

105-072	5-4769	
<p>Muffler For self propelled mowers. Measures: 2-3/4" L X 2-1/8" OD Includes bolts, locking plate & gasket.</p>		
105-197	2-9319	
<p>Muffler For push mowers. Measures: 1-1/2" L X 2-3/4" OD Includes bolts, locking plate & gasket.</p>		
105-346	110774 AYP# 101273 AYP# 101273M / 124097X Noma# 54765 / 54766 Poulan & Husqvarna#'s 532-124097 / 532-101273	
<p>Muffler For 11 Hp engines. Measures: 4-1/2" OD X 3" HT Inlet: 1" Include bolts, heat shield and gasket.</p>		

UNIVERSAL

110-425	1" ID X 1-3/16" OD	
<p>Flexible Metal Hose Priced and Sold Per Foot. Size: 1" ID X 1-3/16" OD. Ideal for re-routing exhaust and/or reducing exhaust noise. Strip wound inter-locking hose made from hot-dipped galvanized carbon steel. Rated for service conditions to 750 degrees fahrenheit. Excellent for generator applications etc.</p>		
		<p><i>Priced and sold Per Foot</i> (While Quantities Last)</p>