


UNIVERSAL

Part#	O.E.M	Application
<b>195-057</b>	Universal	
<p><b>10" Plastic Wheel</b>                      Measures: 10" OD X 1/2" ID                      Wheel hub is 1-1/2" offset.                      Thread style: Diamond                      (Will accept our 235-036 axle bolt).                      NOTE: For 10" wheel with rib tread,                      please see our 185-033.</p>		
<b>185-033</b>	Universal	
<p><b>10" Steel Wheel</b>                      Measures: 10" OD X 1/2" ID                      Wheel hub is 2-1/16" offset.                      Thread style: Rib.                      Replaceable ball bearing type                      wheel for longer life.</p>		




ARIENS

<b>215-095</b>	54044 / 54055 05404400 05405500 Gilson# 1140 / 1044 Roper# 1554H / 1553H Simplicity# 154486 Troy Bilt# 1714	
<p><b>Roller Bearing &amp; Race</b>                      Measures: 3/4" ID X 1-25/32" OD X 21/32" HT                      (Bearing# LM11949 and LM11910)</p>		
<b>215-103</b>	54069 / 54070 05406900 05407000	
<p><b>Roller Bearing &amp; Race</b>                      Measures: 1" ID X 1.988" OD X .43" HT                      (Bearing# L44610 and L44643)</p>		
<b>225-825</b>	55112 05511200	
<p><b>Bushing</b>                      Fits rear tine tiller 901011 20"                      Measures: 3/4" ID X 1" OD X 3/4" HT</p>		
<b>370-302</b>	129359 001292300 AYP# 4459J AYP# 6554J	
<p><b>Left Hand Tiller Tine</b>                      Three 3/8" bolt holes,                      2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p>		
<b>370-306</b>	129259 001292200 AYP# 4460J AYP# 6554J	
<p><b>Right Hand Tiller Tine</b>                      Three 3/8" bolt holes,                      2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p>		

AYP

Part#	O.E.M	Application
<b>285-703</b>	3066J 188532	
<p><b>Clutch Cable</b>                      Fits on Tillers.                      Cable length: 44" X                      Conduit length: 41-1/2" X                      Spring length: 2-1/2".</p>		


GILSON

<b>240-614</b>	1054 Atlas# 74-15 General Power# 774-547 Lawn Boy# 700414 National# 471224 Simplicity# 118118	
<p><b>Oil Seal</b>                      Fits on Tillers - 1/4" seal height.                      Size: 1" ID X 1-1/2" OD (double seal)</p>		
<b>416-826</b>	1060	
<p><b>Hitch Pin</b>                      Measures: 1-3/4" L X 1/8" diameter                      #16 mfg. Number                      (Sold in multiples of 10)</p>		
<b>418-509</b>	11780 Lawn Boy# 700799	
<p><b>Tiller Tin Pin</b>                      Measures: 1/2" diameter X 2" length                      (For other sizes - see our "ASSORTMENT" heading,                      under "Tiller Tine Pin Assortment")                      (Sold in multiples of 10)</p>		



HONDA

<b>370-608</b>	72461-723-700 72461-723-750 Code# 3471851	
<p><b>Left Hand Tiller Tine</b>                      Fits left hand. Two 3/8" diameter                      mounting holes on 3-1/8" centre to centre,                      14" bolo tine, 3" wide cut. Fits Honda tiller models:                      FR500, FR500K1, FR700 and FR700K1.</p>		
<b>370-609</b>	72465-723-700 Code# 3471869	
<p><b>Right Hand Tiller Tine</b>                      Fits right hand.                      Two 3/8" diameter mounting holes on                      3-1/8" centre to centre, 14" bolo tine,                      3" wide cut. Fits Honda tiller models:                      FR500, FR500K1, FR700 and FR700K1.</p>		


HUSQVARNA

Part#	O.E.M	Application
<b>370-608</b>	742-0107 Husqvarna# 532 1011-94	
<p><b>Left Hand Tiller Tine</b> Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.</p>		
<b>370-609</b>	742-0108 Husqvarna# 532 10 11-93	
<p><b>Right Hand Tiller Tine</b> Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.</p>		


JOHN DEERE

<b>370-302</b>	M130045	
<p><b>Left Hand Tiller Tine</b> Fits left hand. Three 3/8" diameter mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, <b>12" bolo tines.</b></p>		
<b>370-306</b>	M130044	
<p><b>Right Hand Tiller Tine</b> Fits right hand. Three 3/8" diameter mounting holes, 2-5/8" or 3-1/8" centers. 3" wide cut, <b>12" bolo tines.</b></p>		








MERRY TILLER

<b>240-135</b>	706-0344 National# 340356 Snapper# 1-3681	
<p><b>Oil Seal</b> Fits most Tiller models. Measures: 1-1/4" ID X 1-11/16" OD X 7/32" HT</p>		

MTD

<b>875-999</b>	754-0434 954-0434	
<p><b>Drive belt</b> Fits Cub Cadet tillers, 2008 &amp; newer. Fits MTD tillers, 2009 and newer. For MTD 430, 440 and 450 model series rear tine tiller 1997 and later. Size: 1/2" X 58-1/4" L. (Type 1).</p>		




MTD continued

Part#	O.E.M	Application
<b>225-045</b>	748-0110	
<p><b>Bronze Flange Bushing</b> Fits MTD Tillers. Measures: 5/8" ID X 7/8" OD X 5/8" HT</p>		
<b>225-300</b>	748-0855 Jacobsen# 545549 Toro/Wheel# 2119-127 Yardman# 065274	
<p><b>Bronze Flange Bushing</b> Fits MTD Tiller model 766 and others applications. Measures: 5/8" ID X 3/4" OD X 1" HT</p>		
<b>418-749</b>	714-0126 Snapper# 1-0211	
<p><b>Woodruff Key - # 9 Key</b> Measures: 3/16" W X 3/4" L. (For more sizes see - "Assortments" heading under "Woodruff Key Assortment") (Sold in multiples of 10)</p>		
<b>418-798</b>	714-0103 714-0135	
<p><b>Woodruff Key - Number 91 key</b> Measures: 1/4" W X 3/4" L (For more sizes see - "Assortments" heading under "Woodruff Key Assortment") (Sold in multiples of 10)</p>		
<b>240-804</b>	921-04031	
<p><b>Oil Seal</b> Fits axle seal on Horse / Troy Bilt / MTD model Tillers. Measures: 1" ID X 1-1/2" OD</p>		
<b>495-147</b>	721-0179 921-0179 Cub Cadet# 721-0179 Cub Cadet# 921-0179 Troy Bilt# 721-0179 Troy Bilt# 921-0179	
<p><b>Oil Seal</b> Fits on MTD Snowblowers. Fits MTD 600 series (1992 thru 1993) &amp; 400, 500 &amp; 600 series (1994 thru 2004). Measures: 3/4" ID X 1-1/8" OD X 1/8" HT.</p>		
<b>370-302</b>	742-0105 Noma# 600089 Roto Hoe# 1569	
<p><b>Left Hand Tiller Tine</b> Fits Troy Bilt models: HORSE and PONY. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p>		

MTD continued

Part#	O.E.M	Application
<b>370-306</b>	742-0106 Noma# 600090 Roto Hoe# 1570	
<b>Right Hand Tiller Tine</b> Fits right hand. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.		
<b>370-608</b>	742-0107 Husqvarna# 532 1011-94	
<b>Left Hand Tiller Tine</b> Fits left hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.		
<b>370-609</b>	742-0108 Husqvarna# 532 10 11-93	
<b>Right Hand Tiller Tine</b> Fits right hand. Two 3/8" diameter mounting holes on 3-1/8" centre to centre, 14" bolo tine. Fits MTD tiller models: 099, 218-355-000, 218-385-000, 219-355-000, 219-385-000, Sears 247.298611 and 247.298712. Fits Husqvarna tiller models: CRT81 and CRT83.		

TROY BILT

<b>875-328</b>	50134 GW-50134	
<b>Kevlar V-Belt</b> Fits models 20594-20597 Pony III tillers; 5 Hp Pony and 3.5 Hp Junior II models. Measures: 3/8" W X 28" L		
<b>875-685</b>	1128-1 GW-1128-1	
<b>Drive belt</b> Fits older Horse models. Fits 2-speed HORSE models, serial numbers 1001 to 314150. Measures: 1/2" W X 21-3/4" L (Can also use our Kevlar belt# 875-420 = 1/2" X 20" )		
<b>875-686</b>	9245 GW-9245	
<b>Drive belt</b> Fits 4-speed HORSE models. Measures: 1/2" W X 22-1/4" L		




TROY BILT continued

Part#	O.E.M	Application
<b>875-278</b>	9201 GW-9201 Garden Way# 1909404	
<b>Drive belt</b> Fits models 20458-20463 Pony and 20558 Super Pony. For 5 Hp engines. Measures: 1/2" W X 23-3/4" L (Can also use our Kevlar belt# 875-424 = 1/2" X 24")		
<b>240-940</b>	2111 88174	
<b>Drive Disc</b> Tiller reversing drive disc. Used on newer Horse models DP630 thru 1260 since 1989. Measures: 3/8" ID X 3-3/4" OD		
<b>430-488</b>	9243	
<b>Starter Key</b> Fits Troy Bilt as well as John Deere, MTD, Toro / Wheel Horse and many others.		
<b>240-507</b>	9618 Garden Way# GW9618 GW9618099	
<b>Oil Seal</b> Fits tine seal on Horse model Tiller. Measures: 1-1/4" ID X 2" OD		
<b>240-804</b>	9621 921-04031	
<b>Oil Seal</b> Fits axle seal on Horse model Tiller. Measures: 1" ID X 1-1/2" OD		
<b>495-147</b>	721-0179 921-0179	
<b>Oil Seal</b> Fits on MTD Snowblowers. Fits MTD 600 series (1992 thru 1993) and 400, 500 and 600 series (1994 thru 2004). Measures: 3/4" ID X 1-1/8" OD X 1/8" HT.		

TROY BILT continued

Part#	O.E.M	Application
<b>285-105</b>	2163	
<p><b>Four Speed Horse Spring</b> Fits HORSE models serial# 1206800100101 - up. Measures: 3-3/8" overall length</p>		
<b>285-115</b>	1492	
<p><b>Two Speed Horse Spring</b> Fits Pony &amp; Horse models serial# 1001-639999. Measures: 3-3/8" overall length</p>		
<b>370-092</b>	1026A GW-1026A	
<p><b>Tine Shaft</b> Fits rear tine Tillers models Horse 1, 2, 3 thru 6, 7 and 8 Hp. Models: OPC Horse and PTO Horse. Size: 7" Long X 1-1/4" Shaft OD, Tapers down to .735" OD on both ends, 1/2"-20 female threads on each end.</p>		
<b>215-015</b>	11522 Woods# 2303	
<p><b>Tapered Roller Bearing Set</b> Fits above tine shaft. For HORSE models. Measures: 1-1/4" ID X 2-21/64" OD X 21/32" HT (Bearing# LM67048 / LM67010)</p>		
<b>370-302</b>	1270-1A John Deere# M130045 Noma# 600089 Roto Hoe#1569	
<p><b>Left Hand Tiller Tine</b> Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p>		
<b>370-306</b>	1270-2A John Deere# M130044 Noma# 600090 Roto Hoe#1570	
<p><b>Right Hand Tiller Tine</b> Fits HORSE and PONY models. Three 3/8" bolt holes, 2-5/8" or 3-1/8" centres. 3" wide cut, 12" bolo tine.</p>		

TILLER TINE SET

Part#	O.E.M	Application
<b>370-310</b>	1901118	
<p><b>Tiller Tine Set 12"</b> - For HORSE and PONY models. Also found on Ariens, AYP, John Deere, MTD, Noma / Canadiana and Roto Hoe tillers</p> <p><b>Kit contains the following:</b> (8) 370-302 left hand tiller tines (8) 370-306 right hand tiller tines and (32) Cap screws, hex nuts and lock washers</p>		
<b>370-298</b>		
<p>Also available by itself is a Hardware Kit for above When ordering part# 370-298 you will receive: <b>(32)</b> Cap Screws, <b>(32)</b> Hex Nuts, <b>(32)</b> Lock Washers.</p>		
<b>370-320</b>	GW-1901 / 742-04116 / 742-04117 742-04117-0637 / 742-041116-0637	
<p><b>Tiller Tine Set - 10"</b> Used on Troy Bilt Bronco, Pro-line, Tuffy from 2005 &gt; on. Kit contains the following: <b>(8)</b> left hand tiller tines; <b>(8)</b> right hand tiller tines and; <b>(32)</b> Cap screws, hex nuts and lock washers.</p>		
<p><b>BANTA's TOLL FREE FAX ORDERING#</b> <b>1-800-359-1993 (Canada only) or place your</b> <b>orders on-line @ <a href="http://www.bantasaw.com">www.bantasaw.com</a></b> <b>Email your inquiries to <a href="mailto:sales@bantasaw.com">sales@bantasaw.com</a></b></p>		