





LAWN & GARDEN TIRES


LAWN & GARDEN TIRES


Part#	Size	Ply	Type
STUD > 			
160-002	410 X 350-4	2	Tube Type
160-325	410 X 350-4	2	Tubeless
160-028	410 X 350-5	2	Tube Type
160-044	410 X 350-6	2	Tube Type
160-046	530 X 450-6	2	Tubeless
160-101	480 X 400-8	2	Tube Type

SLICK > 			
160-010	410 X 350-4	4	Tube Type
160-036	410 X 350-5	4	Tube Type
160-040	11 X 400-5	4	Tubeless (caster wheels)
160-051	410 X 350-6	4	Tube Type
160-055	13 X 500-6	4	Tubeless

RIB > 			
160-176	11 X 400-5	2	Tubeless
160-077	13 X 500-6	2	Tubeless
160-081	13 X 650-6	4	Tubeless
160-085	15 X 600-6	2	Tubeless
160-143	16 X 650-8	2	Tubeless
160-145	18 X 850-8	4	Tubeless

SAWTOOTH > 			
160-291	280 X 250-4	4	Tube Type
160-309	410 X 350-4	2	Tube Type
160-127	480 X 400-8	4	Tubeless
160-192	570 X 500-8	4	Tubeless
160-200	480-12	4	Tubeless
160-208	530-12	4	Tubeless

Part#	Size	Ply	Type
AG > 			
160-184	480 X 400 - 8	2	Tubeless


SNOWHOG > 			
165-006	410 X 350-4	2	Tubeless
165-007	410 X 350-6	2	Tubeless
165-015	13 X 500-6	2	Tubeless
165-017	15 X 500-6	2	Tubeless
165-019	480 X 400-8	2	Tubeless
165-018	16 X 650-8	2	Tubeless


Turf Saver > 			
- Made by CARLISLE			


4" Tires			
160-014	410 X 350-4	2	Tubeless
165-023	11 X 400-4	2	Tubeless
5" Tires			
160-168	11 X 400-5	2	Tubeless
6" Tires			
160-069	13 X 500-6	2	Tubeless
160-275	13X 650-6	2	Tubeless
160-093	15 X 600-6	2	Tubeless
8" Tires			
160-135	16 X 650-8	2	Tubeless
160-317	16 X 750-8	2	Tubeless
165-066	20 X 800-8	2	Tubeless
165-009	20 X 1000-8	2	Tubeless
160-006	18 X 950-8	2	Tubeless
160-226	18 X 650-8	4	Tubeless
165-332	18 X 850-8	4	Tubeless
160-154	18 X 950-8	4	Tubeless


LAWN & GARDEN TIRES

LAWN & GARDEN TIRES


Part#	Size	Ply	Type
<p>Turf Saver > - Made by CARLISLE</p> 			
10" Tires			
160-180	20 X 800-10	2	Tubeless
165-126	20 X 1000-10	4	Tubeless
12" Tires			
165-134	23 X 850-12	2	Tubeless
165-096	23 X 950-12	2	Tubeless

<p>Turf Master > - Made by CARLISLE</p> 			
8" Tires			
165-396	15 X 650-8	2	Tubeless
10" Tires			
165-128	22 X 1100-10	4	Tubeless
12" Tires			
165-159	23 X 1050-12	4	Tubeless
165-374	24 X 1200-12	4	Tubeless
165-145	22 X 9.50 - 12	4	Tubeless




<p>Multi Trac > - Made by CARLISLE</p> 			
8" Tires			
160-230	18 X 700 - 8	4	Tubeless

<p>Turf Trac R/S > - Made by CARLISLE</p> 			
10" Tires			
160-240	20 X 1200 - 10	4	Tubeless
NEW			

Part#	Size	Ply	Type
<p>Scooter Tire ></p> 			
4" Tires			
160-000	200 X 50 - 4		
<p>Knobby Tread Tire - Used on scooters (Use with our 170-000)</p>			

<p>Wheelbarrow rib style ></p> 			
160-112	400-6	2	Tubeless
160-119	480 X 400-8	2	Tube type

VALVE STEMS & TOOL

Part#	Length	Application
175-505	Universal	 Valve Stem Includes: core and cap (TR #412) (Sold in multiples of 10)
175-513	Long	 Valve stem Includes: core and cap (TR #413) (Sold in multiples of 10)
752-111	Universal	 4 - Way Valve Stem Repair Tool Used to install and remove valve stem cores

TUBES

Part#	Size	Stem	Ref#
4" TUBES			
170-000	200 X 50 - 4	90 degrees	1
170-183	280 X 250-4 (8-300-4)	90 degrees	1
170-225	280 X 250-4 (8-300-4)	90 degrees	2
170-009	9 X 350-4	90 degrees	2
170-001	410 X 350-4	90 degrees	1
170-005	410 X 350-4	90 degrees	2

5" TUBES			
170-017	340 X 300-5	90 degrees	1
170-019	410 X 350-5	90 degrees	1
170-027	11 X 400-5 (400-5)	90 degrees	1

6" TUBES			
170-035	410 X 350-6 (400-6)	90 degrees	1
170-130	410 X 350-6 (400-6)	Straight	3
170-043	13 X 500-6 (5-30-4-50-6)	90 degrees	1
170-175	13 X 650-6 (145-70-6)	Straight	3
170-177	530 x 450-6 (14-6)	90 degrees	1
170-050	15 X 600-6	Straight	3

7" TUBES			
170-099	16 X 800-7	Straight	3

8" TUBES			
170-068	480 X 400-8 (400-8)	Straight	3
170-134	570 X 500-8	Straight	3
170-076	16 X 650-8 (16-750-8)	Straight	3
170-080	18 X 650-8	Straight	3
170-084	18 X 850 / 950-8	Straight	3
170-261	20 X 800-8	Straight	3
170-260	20 X 1000-8	Straight	3
170-092	22 X 1100-8 (21-1200-8)	Straight	3

9" TUBES			
170-140	20 X 1000-9 20 X 1100-9	Straight	3
170-142	25 X 1200-9	Straight	3
170-150	23 X 1200-9 25 X 1300-9	Straight	3

TUBES continued

Part#	Size	Stem	Ref#
10" TUBES			
170-100	20 X 800-10	Straight	3
170-147	20 X 1000-10	Straight	3
170-154	22 X 800-10	Straight	3
170-156	22 X 1100-10	Straight	3
170-152	25 X 12.50-10	Straight	3

11" TUBES			
170-160	23.5 X 800-11	Straight	3


12" TUBES			
170-120	480 X 400-12	Straight	3
170-122	530 X 450-12	Straight	3
170-118	23 X 850 / 950-12	Straight	3
170-126	23 X 1050-12	Straight	3
170-169	26 X 1200-12	Straight	3

16" TUBES			
170-159	16 X 2.125	Straight	3

20" TUBES			
170-167	20 X 2.125	Straight	3


REFERENCE # 1 >

Stem Angle = 90 degrees



REFERENCE # 2 >

Stem Angle = 90 degrees
"in-line valve"



REFERENCE # 3 >

Stem Angle = Straight
"treaded metal valve"



UNIVERSAL

UNIVERSAL continued

Part#	O.E.M	Application
-------	-------	-------------

Wheel Rims & Wheel Assemblies




Part#	Size	Rim Width	Hub Length
175-000	410 X 350-4"	2-3/4"	3-1/2" centred
175-018	410 X 350-5"	3-1/4"	3-1/2" centred
175-026	410 X 350-6"	3-1/4"	3-3/4" centred

Above split rims are for use with tube type tire only. 1-3/8" bore, 4 bolt patten. Furnished with (4) bolts, lock washers and nuts, welded on hub. Add 1/4" to hub length for bearing, use our 215-020, 215-053, 215-038, 215-046, 215-061, 215-079 bearings. (Wheel bearing can be found on page 03-01).


NOTE: Hub length does not include bearings. Also see our "Go-Cart / Mini Bike / ATV section 30

175-125 Universal application



Wheel Assembly
 Size: 9" X 3.50" - 4"
 - 4 Ply tire with tube, 3 piece rim, 3-1/4" centered hub with 3/4" open cage roller bearing & zerk fitting. Deck wheel assembly; (Uses our 215-184 roller bearing kit).

175-300 Universal application




Wheel Assembly
 Size: 9" X 3.50" - 4"
 Flat Proof Tire, 1 piece rim, 4" centered hub with 3/4" open cage roller bearing and zerk fitting.

Puncture Proof Tire with extrarodinary rubber composition

Part#	O.E.M	Application
-------	-------	-------------


175-301 Universal application



Wheel Assembly
 Size: 9" X 3.50" - 4" -
 Flat Proof Tire, 1 piece rim, 4" centered hub with 5/8" open cage roller bearing and zerk fitting.


Puncture Proof Tire with extrarodinary rubber composition

160-008 Universal applications




Tire - Smooth Tread
 Size: 9" X 3.50" - 4" -
 Smooth Tread, 4 Ply, Tubeless Tire.
 Fits many 32", 36", 48", 54" and 61" cut midsized walk behind mowers.

180-009 Universal applications




Tire - Solid Foam
 Maintenance Free
 Size: 8" X 3.00" - 4" -
Solid Foam Tire
 Flat free, long lasting resists cracking, oil and chemical resistant. Made in the U.S.A. Constructed of micro-cellular polyurethane insures that it will never loose its foam. Fits on Toro midsized units.

180-001 Universal applications




Tire - Solid Foam
 Maintenance Free
 Size: 9" X 3.50" - 4"
Solid Foam Tire
 Flat free, long lasting resists cracking, oil and chemical resistant. Made in the U.S.A. Constructed of micro-cellular polyurethane insures that it will never loose its foam. Fits on Toro midsized units.

180-010 Universal applications




Tire - Solid Foam
 Maintenance Free
 Size: 11" X 4.00" - 5"
Solid Foam Tire
 Flat free, long lasting resists cracking, oil and chemical resistant. Made in the U.S.A. Constructed of micro-cellular polyurethane insures that it will never loose its foam. Fits on Toro midsized units.


Wheel Assembly - Wheelbarrow

Part#	O.E.M	Application			
175-067 >					
Part#	Size	ID	Dia.	Hub Length	Tread Type
175-083	400-6"	5/8"	6"	6"	2 Ply Rib
175-067	480 / 400-8"	5/8"	8"	6"	2 Ply Rib
Assemblies include: (2) bearings, (1) valve stem, (1) 2-ply tire and hub. (Pneumatic Tire)					


UNIVERSAL - Diamond Tread

Diamond Tread Wheel Made of Plastic			
Part#	Size	Hub Style	Bore
195-008	6" X 1.50"	1-3/8" offset	1/2"
195-016	7" X 1.50"	1-3/8" offset	1/2"
195-024	8" X 1.75"	1-3/8" offset	1/2"

UNIVERSAL - Gear Tread Wheel







Gear Tread Wheel Made of Plastic			
Part#	Size	Hub Style	Bore
195-040	7" X 1.75"	1-3/8" offset	1/2"
195-032	8" X 1.75"	1-3/8" offset	1/2"

UNIVERSAL - Rib Tread Wheel


Rib Tread Wheel Made of Plastic			
Part#	Size	Hub Style	Bore
195-057	10" X 1.75"	2-1/16" offset	1/2"

UNIVERSAL - Steel Wheels


(with Ball Bearings unless noted)

Part#	O.E.M	Application		
				
Part #	Size	Hub Style	Bore	Tread
210-112	5" X 1.25"	1-3/8" offset	1/2"	Rib
<small>Note: 210-112 has an oilite bushing. See Noma heading for more information</small>				
185-009	6" X 1.50"	1-3/8" offset	1/2"	Diamond
185-017	7" X 1.50"	1-3/8" offset	1/2"	Diamond
185-041	7" X 1.75"	1-3/8" offset	1/2"	Gear
185-025	8" X 1.75"	1-3/8" offset	1/2"	Diamond
				
Part #	Size	Hub Style	Bore	Tread
185-058	8" X 1.75"	1-3/8" offset	1/2"	Gear
185-033	10" X 1.75"	2-1/16" centred	1/2"	Rib
200-014	10" X 2.75"	2-1/4" offset	5/8"	Rib HD wheel
200-022	10" X 2.75"	2-1/4" offset	3/4"	Rib HD wheel
200-030	10" X 3.25"	2-3/4" offset	5/8"	Rib HD wheel
<small>Note: 200-030 has an oilite bushing. See MTD heading for more information</small>				

ARIENS

Part#	O.E.M	Application
210-203	34717 03471700	
Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.		


ARIENS continued

Part#	O.E.M	Application
175-125	71301 07130100	
<p>Deck Wheel Deck wheel assembly; fits Ariens 1232 and 1440 Zoom Sport on 36", 40", 50" and 60" walk behinds. Deck wheel assembly; (Uses our 215-184 roller bearing kit). Size: 9" X 3.50" - 4" - 4 Ply tire with tube, 3 piece rim, 3-1/4" centered hub with 3/4" open cage roller bearing & zerk fitting.</p>		

AYP - Sears / Roper / Husqvarna


Part#	O.E.M	Application
210-314 NEW	188606 Husqvarna# 532 18 86-06	
<p>Deck Wheel For AYP built mowers. Rounded on one side and flat on the other, with a 6 spoke hub. Size: 5" X 1-7/8"; Hub Style: 1-17/32" offset, Bore: 1/2"; Tread: Smooth. (Uses our 235-044 Axle Bolts). Also see our 210-312 deck wheel. (Two images shown for reference)</p>		


AYP - Sears / Roper / Husqvarna


210-088	109729X	
<p>Deck Wheel Plastic deck wheel for most models Size: 3" X 1-3/4"; Hub Style: 1-7/8" centered, Bore: 7/16"; Tread: Smooth</p>		


210-311 NEW	174873 Husqvarna# 532 17 48-73	
<p>Deck Wheel Heavy duty rounded plastic deck wheels. Replaces AYP Deck Wheel. Size: 5" X 2-1/2"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		


210-313	176066	
<p>Deck Wheel Fits AYP / Husqvarna mowers. Found on models: YTH2242 / YTH2242TDF (96041017300), Product No 960 41 01-73 etc. Size: 3" X 6.812"; Hub Style: 7-3/8" centered, Bore: 1/2"; Tread: Smooth.</p>		

210-203	133957	
<p>Deck Wheel. Heavy duty rounded plastic deck wheels. Replaces AYP Deck Wheel Set# 174873 if (Qty: 2) ordered. Fits Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		

210-207	132264 Husqvarna# 532 13 22-64 Poulan# 530-132264	
<p>Deck Wheel Fits models GTH220, HAGTH220B, HALT150E, LT150 (1999 and older), PP1644J, PP1644JA, PP18H44J, PP18H44JA, PP20H50J, PP20H50JA (1994), PP1844K, PP1844KA, PP22H50K and PP22H50KA (1995). Size: 3" X 9.625"; Hub Style: 9-13/16" centered, Bore: 1/2"; Tread: Smooth.</p>		


205-456	107707X 702245 702245R Husqvarna# 532 08 69-43	
<p>Drive Wheel Plastic drive wheel for Roper, Sears, Husqvarna and AYP self propelled mowers. White rim, 20 tooth gear drive. Size: 8" X 1.750"; Hub Style: 1-7/8" offset, Bore: 1/2"; Tread: Bar.</p>		

210-047	105455X	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Horse mowers. Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		

205-001	150340 Husqvarna# 532 15 03-40	
<p>Plastic Drive Wheel. (Black Rim) Old style doesn't include backing plate found with OEM; wheel with gear. Size: 8" X 2.00"; Hub Style: 1-9/16" offset, Bore: 1/2"; Tread: Bar. Black rim, 53 Tooth gear drive. Fits front self propelled mowers. (Uses our 235-051 axle bolt).</p>		

AYP - Sears / Roper / Husqvarna AYP - Sears / Roper / Husqvarna

Part#	O.E.M	Application
205-003	193144 / 701575 Husqvarna# 532 19 31-44	
<p>Plastic Drive Wheel. (Yellow Rim) Fits rotary mowers (1995 thru 1999) and 22" rear bagger lawnmowers (1999 and older). Size: 8" X 2.00"; Hub Style: 1-9/16" offset, Bore: 1/2"; Tread: Bar. 53 Tooth gear drive.</p>		
205-458	700953 Husqvarna# 532 70 09-53	
<p>Plastic Drive Wheel Gear Drive. (White rim). Size: 8" X 2.00"; Hub Style: 1-9/16" offset, Bore: 1/2"; Tread: Bar. 53 Tooth gear drive. (Uses our 235-051 Axle bolt).</p>		
205-033	194231X427	
<p>NEW Plastic Wheel - Gear Drive Plastic Drive Wheel. Fits AYP built self propelled mowers. Size: 8" X 2.00"; Hub Length: 1-5/8", Bore: 1/2"; Tread: Modified Bar. 53 Tooth gear drive.</p>		
205-000	189403	
<p>NEW Wheel Dust Cover Fits many self propelled AYP built mowers with the 53 tooth inner drive gear. Size: 6-5/8" OD, 6-3/8" ID</p>		
205-111	702236 86691 87729 Husqvarna# 532 70 22-36	
<p>Drive Wheel Plastic drive wheel for self propelled walk behind mowers. Fits Sears models 917.372490 and 917.374400, gray rim, 20 tooth gear drive. Size: 8" X 2.00"; Hub Style: 1-7/8" offset, Bore: 1/2"; Tread: Bar.</p>		
205-006	180773	
<p>NEW Plastic Drive Wheel Gear Drive. Size: 8" X 2.00"; Hub Length: 2-1/2", Bore: 1/2". Colour: White.</p>		
205-007	180775	
<p>NEW Plastic Drive Wheel Gear Drive. Size: 8" X 2.00"; Hub Length: 1-9/16", Bore: 1/2". Colour: Black.</p>		

Part#	O.E.M	Application
205-066	194387X460 431880X460 Husky# 433499X460	
<p>NEW Plastic Wheel For AYP / Husqvarna. Size: 12" OD X 1-3/4" hub length.</p>		

BOBCAT, RANSOMES & BUNTON

175-109	Bobcat# 38012N Bunton# PL0642	
<p>Deck Wheel Fits Bobcat / Ransomes, Bunton, Exmark and Kees 32" thru 48" cut mid-size mowers, heavy duty steel deck wheel with grease fitting. Size: 6" X 1.750"; Hub Style: 2-1/4" centered, Bore: 5/8"; Tread: Rib.</p>		
205-112	Bobcat# 76167 Bobcat# 76096C1	
<p>Deck Wheel Front and rear wheel for Bobcat 18" and front wheel for Bobcat 21", zerk fitting ball bearing. Steel ball bearing wheel for Lawn Boy / Sensation commercial applications, zerk fitting. Size: 8" X 1.750"; Hub Style: 2" offset, Bore: 1/2"; Tread: Rib.</p>		
205-120	Bobcat# 76168 Bobcat# 760962C	
<p>Deck Wheel Rear 10" wheel for 21" Bobcat mowers, zerk fitting ball bearing. Steel ball bearing wheel for Lawn Boy / Sensation commercial applications, zerk fitting. Size: 10" X 1.750"; Hub Style: 2" offset, Bore: 1/2"; Tread: Rib.</p>		

CASE

210-047	C25139 C26736	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		


CASE continued

Part#	O.E.M	Application
210-054	C25140 C26737	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Found on Case, John Deere, Lawn Boy, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		
210-062	C25682	
<p>Deck Wheel Plastic heavy duty deck wheel. Size: 6" X 2.00"; Hub Style: 2-1/4" centered, Bore: 5/8"; Tread: Smooth.</p>		

CUB CADET

210-203	734-3058B 753-04856A	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-199	903-1890 703-1890	
<p>Deck Wheel Heavy duty rounded plastic deck wheel with bronze bushings and grease zerk. Fits Cub Cadet models: LT48, GT48, GT46, GT48, GT54, 44A and 50S. Size: 5" X 2.500"; Hub Style: 2-3/8" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-180	734-04039 734-04155	
<p>Deck Wheel - Plastic Heavy duty rounded plastic deck wheel with plastic zerk fitting built in. Fits Cub Cadet & MTD lawn tractors. Size: 5" X 2-5/8", Hub Length: 2-3/8" offset, Bore: 1/2"</p>		
210-054	734-3000 144-398C1	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Found on Case, John Deere, Lawn Boy, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		

EXCEL

Part#	O.E.M	Application
210-203	031997	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		

EXMARK


210-162	103-8415	
<p>Deck Wheel - Anti Scalp roller Fits Exmark Triton decks. NOTE: For this deck wheel with hardware kit see our 210-171. Size: 5/8" ID X 3-1/4" W X 5" OD; Hub Length: 2-1/2". Hub protrudes: 1/4"; Overall height: 3-1/2".</p>		
210-165	603299 1-603299	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Found on Exmark models: Explorer, Metro, Turf Ranger, Viking and Lazer Z models. Kubota models: BX series sub-compact tractor mower decks and ZD series zero turn mowers. Size: 5" X 2-5/8"; Hub Style: 2-1/2" offset, Bore: 5/8"; Tread: Smooth. Hub protrudes: 1/4"; Overall height: 3"</p>		
175-109	303201 Encore# 323008	
<p>Deck Wheel Fits Bobcat / Ransomes, Bunton, Exmark and Kees 32" thru 48" cut mid-size mowers, heavy duty steel deck wheel with grease fitting. Size: 6" X 1.750"; Hub Style: 2-1/4" centered, Bore: 5/8"; Tread: Rib.</p>		
210-169	103-3168 103-4051	
<p>Plastic Deck Wheel Kit Fits Exmark models: Explorer, Metro, Turf Ranger, Turf Tracer, Viking and Lazer Z. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 5/8"; Tread: Smooth.</p>		


EXMARK continued

Part#	O.E.M	Application
210-171	109-2098	 <p>Deck Wheel and Hardware Kit Fits Exmark models with Triton decks. Includes our 210-162 deck wheel + hardware kit. Size: 5" X 3-1/4"; Bore: 5/8"; Tread: Smooth.</p>

GILSON see LAWN BOY


GRAVELY

175-117	011386 11386	 <p>Steel Deck Wheel Steel heavy duty deck wheel, fits Gravely 40" and 50" cut decks - mid-size mowers. Size: 6" X 2.00"; Hub Style: 2-1/2" centered, Bore: 3/4"; Tread: Rib.</p>
----------------	-----------------	---

175-125	37797 / 5890320 45205 / 52586 Grasshopper# 483800 Grasshopper# 483803 Grasshopper# 603924 Grasshopper# 603925 Grasshopper# 603927	 <p>Deck Wheel Deck wheel assembly; fits Gravely Promaster 50" & 60" decks; also Pro 36", 40", 50" and 60" cut mowers. Fits 200 and 300 series Pro walk behind mowers, Grasshopper models 2144, 6144, 6152 and 6161. (Uses our 215-184 roller bearing kit). Size: 9" X 3.50" - 4" - 4 Ply tire with tube, 3 piece rim, 3-1/4" centered hub with 3/4" open cage roller bearing & zerk fitting.</p>
----------------	---	---


HUSQVARNA see AYP


HONDA

205-470	44700-VK6-010ZA	 <p>Front wheel assembly For Honda mowers. Fits models: HRC216.</p>
----------------	-----------------	---


205-471 NEW	42700-VK6-010ZA 42700-VK6-020ZA	 <p>Rear wheel assembly Fits models: HRC216, Includes our 240-030. (Front and back images shown)</p>
------------------------------	------------------------------------	--


HONDA continued


Part#	O.E.M	Application
240-030	23511-VB3-801 Code# 2756716	 <p>Wheel Ratchet Holder Fits Honda models: HRC215, HRC216, SXA and HXA. For 21" cut decks, commercial units. (Code# 2756716)</p>


205-472	42700-VK6-010ZA 42700-VK6-020ZA	 <p>Tire skin For Honda 9" wheels. Fits front and rear wheels on Honda mower models: HRC216K2. For our 205-470 and 205-471 wheels.</p>
----------------	------------------------------------	--

JOHN DEERE






210-018	M113955	 <p>Deck Wheel Plastic deck wheel used on John Deere mowers. Models: F525 with 46" and 48" decks, G100 with 54" deck, Z465 with 62" convertible deck and many others. Size: 3" X 2-1/2"; Hub Style: 3" centered, Bore: 11/16"; Tread: Smooth.</p>
----------------	---------	--

210-224	M115245	 <p>Deck Wheel Plastic deck wheel used on all John Deere 48", 54" and 60" mid-size walk behinds and Tractors 1600, 1600 Turbo and 1620 Front Mounts with 62" decks. Size: 3-13/16" X 3-7/8"; Hub Style: 3-7/8" centered, Bore: 5/8"; Tread: Smooth.</p>
----------------	---------	--

210-243	M89339	 <p>Deck Wheel Plastic deck wheel; fits John Deere models with 30" cut decks. Size: 3-7/8" X 1-7/16"; Hub Style: 1-5/16" offset, Bore: 1/2"; Tread: Smooth.</p>
----------------	--------	---

210-047	AM33718	 <p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Horse mowers. Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>
----------------	---------	---

JOHN DEERE continued


Part#	O.E.M	Application
210-119	GX10168	
<p>Deck Wheel Plastic deck wheel for John Deere 42", 48" and 72" decks. Found on G100, L100, L105, L107, L110, L120, L130, D100, D110, D120, D140, D160, D170, Z225, Z245 and Z425 series mowers. Size: 5" X 2.00"; Hub Style: 1-3/4" offset, Bore: 5/8"; Tread: Smooth.</p>		
210-203	M84690 AM116299 AM133602	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-014	AM104126	
<p>Deck Wheel Plastic deck wheel for John Deere 50", 60" and 72" front mount decks; Includes roller bearing, 17/32" reducer bushing, spacers and zerck fitting. Size: 5" X 2.00"; Hub Style: 2-7/16" centered, Bore: 17/32"; Tread: Smooth.</p>		
210-015	AM107558	
<p>Deck Wheel Plastic deck wheel used on John Deere 60" and 72" front cut mowers. Includes roller bearing, 5/8" ID reducer bushing, spacers and grease fitting. Size: 6" X 2.00"; Hub Style: 2-7/16" centered, Bore: 5/8"; Tread: Smooth.</p>		
210-020	M111489 AM116299	
<p>Deck Wheel. Plastic deck wheel fits 38" and 48" mower decks. Size: 5" X 2.00"; Hub Style: 2-5/8" offset, Bore: 5/8"; Tread: Smooth. Note: For deck wheel WITH hardware order our 210-250.</p>		


JOHN DEERE continued

Part#	O.E.M	Application
210-250	AM116299 AM133602 M111489	
<p>Deck Wheel Kit Plastic deck wheel kit for John Deere 38" and 48" decks, includes bushings and hardware. Note: For deck wheel WITHOUT hardware order our 210-020. Size: 5" X 2.00"; Hub Style: 2-5/8" offset, Bore: 5/8"; Tread: Smooth.</p>		
210-054	AM32639 AM54223 AM54243	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Found on Case, John Deere, Lawn Boy, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		
210-098	AM107560	
<p>Deck Wheel Plastic deck wheel fits John Deere 48", 54", 60" and 72" mower decks. Includes: roller bearing, 9/16" reducer bushing, spacers and grease fitting. Size: 6" X 1.500"; Hub Style: 1-7/8" centered, Bore: 9/16"; Tread: Smooth.</p>		
210-099	AM107561	
<p>Deck Wheel Plastic deck wheel used on John Deere 60" and 72" front mount cut decks and 50", 60" & 72" standard decks. Includes roller bearing, 5/8" ID reducer bushing, spacers and grease fitting. Size: 8" X 2.00"; Hub Style: 2-7/16" centered, Bore: 5/8"; Tread: Smooth.</p>		
205-315	AM115138	
<p>Deck Wheel Plastic Wheel 8" - Yellow colour. Found on John Deere push mower models: 12PB, 12SB, 14PB, 14PT, 14SB, 14SE, 14ST, JA65, JE75 (before serial number 200,000) and JX75 (before serial number 200,000). Size: 8" X 2.00"; Hub Style: 1-1/2" offset, Bore: 1/2" X 5/16"; Tread: Bar. For models: 1/2" ID bushing in the front face of wheel with a 5/16" ID bearing inserted in the back side of wheel hub (bearing# 608RS) where it contacts the mower deck. Plastic wheel - yellow.</p>		


JOHN DEERE continued

KUBOTA continued


Part#	O.E.M	Application
175-100	AM101589 Ariens# 01588100 Ariens# 07100124 Bobcat# 2722233 Dixon# 17080 Gravely# 01588100 Gravely# 07100124 Jacobsen# 1002473	
<p>Caster Wheel Assembly Found on Ariens, Bobcat, Gravely, Jacobsen, John Deere, Toro and many other commercial units. Size: 11 X 400-5. (4 ply) tube type smooth tread tire. 5" centered hub length, 3/4" roller bearings. Includes: grease zerker. 1 piece rim, Painted white.</p>		

Part#	O.E.M	Application
175-170 NEW	K5668-42100	
<p>Deck Wheel. Heavy duty rounded plastic deck wheel with metal bushing. Fits Kubota models: ZD321, ZD326 with 60" & 72" decks. Size: 5" OD X 3-5/8" Hub Length, Bore: 5/8"; Tread: Smooth.</p>		

KEES

175-300	101904	
<p>Wheel Assembly with flat proof tire Fits 32", 36", 48", 54" and 61" cut midsized walk behind mowers. Found on Kees model Kutter and others. Size: 9" X 3.50" - 4" - Flat Proof Tire, 1 piece rim, 4" centered hub with 3/4" open cage roller bearing and zerker fitting. Tread: Smooth</p>		


LAWN BOY


210-047	740280 Gilson# 210453	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Horse mowers. Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		


210-165	682730 710138	
<p>Deck Wheel Heavy duty rounded plastic deck wheel. Found on older Lawn Boys and Toro / Wheel Horse. Size: 5" X 2-5/8"; Hub Style: 2-1/2" offset, Bore: 5/8"; Tread: Smooth. Hub protrudes: 1/4"; Overall height: 3".</p>		


KUBOTA

175-165	76505-46250	
<p>Deck Wheel Plastic deck roller with metal bushing. Fits Kubota 44", 48" and 54" cut mowers. Models G-series, B1550, 1750 & 2350. Size: 2.562"; Hub Style: 3-29/32" centered, Bore: 12mm (brass); Tread: Smooth.</p>		

175-167	76543-46250 76559-46250	
<p>Deck Wheel Plastic deck roller with metal bushing. Fits Kubota models: RC40G, G4200, G5200 for 40", 44" and 48" decks. Size: 3.875"; Hub Style: 3-7/8" centered, Bore: 12mm; Tread: Smooth.</p>		

210-165	K5371-42110 K5351-42110	
<p>Deck Wheel Plastic H.D. Deck Wheel. Kubota models: BX series sub-compact tractor mower decks and ZD series zero turn mowers.. Size: 5" X 2-5/8"; Hub Style: 2-1/2" offset, Bore: 5/8"; Tread: Smooth. Hub protrudes: 1/4"; Overall height: 3".</p>		

210-054	705533 Gilson# 208918	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Found on Case, John Deere, Lawn Boy, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		

205-153	678636	
<p>Deck Wheel Steel ball bearing wheel for Lawn Boy push mowers. Size: 6" X 1.500"; Hub Style: 1-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		

205-211	678513 681979	
<p>Deck Wheel Steel ball bearing wheel for Lawn Boy commercial mowers, zerker fitting, painted orange hub. Size: 6" X 1.500"; Hub Style: 2" offset, Bore: 1/2"; Tread: Smooth.</p>		

LAWN BOY continued

MTD

Part#	O.E.M	Application
210-062	702804 Gilson# 89471 Gilson# 208736	
<p>Deck Wheel Plastic heavy duty deck wheel. Size: 6" X 2.00"; Hub Style: 2-1/4" centered, Bore: 5/8"; Tread: Smooth.</p>		
205-161	678638 682972 682974	
<p>Deck Wheel Steel ball bearing wheel for Lawn Boy push mowers. Note: This wheel has the soft rubber compound for both push and self propelled mowers. Size: 8" X 1.75"; Hub Style: 1-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
205-229	678406 681980	
<p>Deck Wheel Steel ball bearing wheel for Lawn Boy commercial mowers, zerk fitting, painted orange hub. Size: 8" X 1.75"; Hub Style: 2" offset, Bore: 1/2"; Tread: Smooth.</p>		
205-112	153800	
<p>Deck Wheel Front and rear wheel for Bobcat 18" and front wheel for Bobcat 21", zerk fitting ball bearing. Steel ball bearing wheel for Lawn Boy / Sensation commercial applications, zerk fitting. Size: 8" X 1.75"; Hub Style: 2" offset, Bore: 1/2"; Tread: Rib.</p>		
205-670	921042	
<p>Deck Wheel Fits Lawn Boy Silver series models 10310 & 10324; 21" self-propelled; 43 tooth drive wheel gear, gear is made of steel, wheel hub is plastic. Size: 8" X 2.25"; Hub Style: 1-3/4" offset, Bore: 1/2"; Tread: Radial.</p>		
205-120	153802 Sensation# 083107	
<p>Deck Wheel Rear 10" wheel for 21" Bobcat mowers, zerk fitting ball bearing. Steel ball bearing wheel for Lawn Boy / Sensation commercial applications, zerk fitting. Size: 10" X 1.750"; Hub Style: 2" offset, Bore: 1/2"; Tread: Rib.</p>		

Part#	O.E.M	Application
210-319	731-3005	
<p>Deck Wheel Heavy duty solid plastic deck roller for MTD mowers. Size: 2-1/2" X 6"; Hub Style: 6" centered, Bore: 9/16"; Tread: Smooth.</p>		
210-203	734-04039 734-3058B 753-04856A	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-179	734-0973	
<p>Deck Wheel Plastic heavy duty deck wheel, fits MTD 32", 38" and 48" cut. Fits Toro / Wheel Horse models: 13AX60RG744, 13AX60RH744, 14AP80RP744 and 13AP60RP744. Size: 5" X 1.375"; Hub Style: 1-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-187	734-0974	
<p>Deck Wheel Plastic heavy duty deck wheel. Fits MTD 800 and 900 series, 44" rear discharge decks, 1990 and older. Size: 6" X 1.375"; Hub Style: 1-3/8" offset, Bore: 5/8"; Tread: Smooth.</p>		
210-039	734-0225	
<p>Deck Wheel Steel heavy duty deck wheel, 5/8" steel oilite bushing. Found on older MTD mower decks. Size: 6" X 1.750"; Hub Style: 1-3/4" offset, Bore: 5/8"; Tread: Rib.</p>		
		(While Quantities Last)
195-016	734-0480	
<p>Universal Plastic Wheel Used on MTD 21" and 22" push mowers, as well as many others. Size: 7" X 1.50"; Hud Style: 1-3/8" offset, Bore: 1/2"; Tread: Diamond.</p>		

MTD continued

Part#	O.E.M	Application
200-030	734-0510 934-0510	
<p>Universal Steel Wheel with ball bearing - Heavy Duty Steel heavy duty front wheel assembly for MTD Riders. 5/8" oilite bushing. Also ideal for use on applications that carry heavy loads. Painted white hub Size: 10" X 3.25"; Hub Style: 2-3/4" offset, Bore: 5/8"; Tread: Rib</p>		
200-024 NEW	51-2751 734-1976	
<p>Plastic Wheel 14" Plastic Spoke Wheel. For MTD mowers. Size: 14" X 1.75"; Hub Style: 2-3/8" centred, Bore: 1/2"; Tread: Diamond. Used on many newer MTD built mowers.</p>		
205-008 NEW	734-04223	
<p>Plastic Drive Wheel Gear Drive. (Black Rim). Fits MTD built mowers. Size: 8" X 2.00"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Modified Bar. 53 Tooth gear drive. (Uses our 235-028 axle bolt).</p>		

MURRAY

210-004	23203	
<p>Deck Wheel Plastic deck roller on Murray 42" decks, mid 1970's thru 1991. Middle roller Size: 2-1/2"; Hub Style: 4-3/16" centered, Bore: 11/16"; Tread: Smooth.</p>		
210-005	23257	
<p>Deck Wheel Plastic deck roller on Murray 42" decks, mid 1970's thru 1991. Outer rollers. Size: 3" X 1.437"; Hub Style: 1-1/2" centered, Bore: 13/32"; Tread: Smooth.</p>		
210-087	92683	
<p>Deck Wheel Fits Murray units after the year 2000. Uses the same wheel bolt as our deck wheel 210-203. (Banta Saw wheel bolt# 235-200) Size: 5" X 2.00"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		

MURRAY continued

Part#	O.E.M	Application
210-203	092265 92265 92683	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
195-032	20105	
<p>Universal Plastic Drive Wheel Plastic gear tread drive wheel for Murray self propelled mowers; also found on some older AYP and Noma mowers. Size: 8" X 1.75"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Gear.</p>		
205-414	71132	
<p>Deck Wheel Front or rear wheel on Murray mowers, also used as front wheel on self propelled mowers. (Uses our 235-010 wheel bolt) Size: 8" X 2.00"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Lugged Rib.</p>		
205-413	71133 071133	
<p>Deck Wheel Rear drive wheel on Murray self propelled mowers. Gear lugs inside of the wheel hub. > 50 Tooth Gear Drive, (Uses our 235-028 wheel bolt) Size: 8" X 2.00"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Lugged Rib.</p>		

NOMA

210-112	36576 39605 41585	
<p>Deck Wheel Universal Steel Wheel with oilite bushing. Universal applications - mower decks etc; also used on some small push type snowblowers - Noma etc. Size: 5" X 1.25"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Rib.</p>		

NOMA continued

Part#	O.E.M	Application
210-142	302611 52584	
<p>Deck Wheel Plastic deck wheel, fits Noma models: 5288-4100 and 5288-4000. Size: 5-7/8 X 1.50"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-054	52204	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Found on Case, John Deere, Lawn Boy, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		
210-138	39831 52584	
<p>Deck Wheel Found on MTD, Noma mower decks. Size: 6" X 1.375"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Smooth.</p>		
195-024	54446	
<p>Universal Plastic Wheel Used on many economy push mowers, 19" thru 22". Size: 8" X 1.75"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Diamond.</p>		
195-032	56324	
<p>Universal Plastic Drive Wheel Plastic gear tread drive wheel for Murray self propelled mowers; also found on some older AYP and Noma mowers Size: 8" X 1.75"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Gear.</p>		

SCAG

210-102	482295	
<p>Anti-Scalp deck wheel Fits Scag Turf Tiger models. Size: 3" X 3-15", Hub Style: 3-5/16, Bore: 5/8". Tread: Smooth</p>		
210-225	481632	
<p>Deck Wheel Fits most Scag units including Turf Tiger. Includes bronze bushing. Size: 4-1/2" X 3.00"; Hub Style: 3" centered, Bore: 3/8"; Tread: Smooth.</p>		

SCAG continued

Part#	O.E.M	Application
175-301	48307 4800601	
<p>Wheel Assembly with flat proof tire Fits Scag 32", 36", 48", 54" and 61" cut midsized walk behind mowers. Size: 9" X 3.50" - 4" - Flat Proof Tire, 1 piece rim, 4" centered hub with 5/8" open cage roller bearing and zerk fitting.</p>		

SEARS see AYP

SIMPLICITY

210-203	1700184	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-002	1668487	
<p>Deck Wheel For Simplicity. Tread: Smooth. Heavy duty plastic deck roller found on 3100, 4108, 4211, 4212, 5200 and LTG12 decks. Size: 3-1/2" OD X 1-11/16" Wide (Long) with a 5/8" ID. Tread: Smooth</p>		

SNAPPER

205-005	18189	
<p>Deck Wheel Plastic wheel found on Snapper push mowers. Size: 7" X 1-1/2"; Hub Style: 1-5/8" offset, Bore: 9/16"; Tread: Diamond.</p>		
205-039	11083	
<p>Steel Deck Wheel Steel wheel found on Snapper push mowers. Size: 7" X 1-1/2"; Hub Style: 1-5/8" offset, Bore: 7/16"; Tread: Diamond.</p>		
205-013	18190	
<p>Deck Wheel Plastic wheel found on Snapper push mowers. Size: 8" X 1-3/4"; Hub Style: 1-5/8" offset, Bore: 9/16"; Tread: Diamond.</p>		

SNAPPER continued

Part#	O.E.M	Application
205-047	11082	
<p>Deck Wheel Steel wheel found on Snapper push mowers. Size: 8" X 1-3/4"; Hub Style: 1-5/8" offset, Bore: 7/16"; Tread: Diamond.</p>		
205-104	12579	
<p>Deck Wheel Plastic wheel found on Snapper push mowers. Size: 9" X 1-3/4"; Hub Style: 1-5/8" offset, Bore: 9/16"; Tread: Diamond.</p>		
205-021	12496	
<p>Deck Wheel Plastic drive wheel found on Snapper self propelled mowers with "D-Hole" center hub. Size: 9" X 1-3/4"; Hub Style: 1-3/4" offset, Bore: 9/16" X 7/16" D-Hole; Tread: Diamond.</p>		
205-054	12603 / 14607	
<p>Deck Wheel Steel wheel found on Snapper push mowers. Size: 9" X 1-3/4"; Hub Style: 1-5/8" offset, Bore: 7/16"; Tread: Diamond.</p>		
175-224	50618 51449 / 52267 52268 / 7052267	
<p>Front Wheel Assembly Found on Snapper riders 1989 and older. Tubeless tire, one piece steel rim with grease fitting. Size: 410-350-4"; Hub Style: 3-1/4" offset, Bore: 3/4" ID; Tread: Stud</p>		

TORO / WHEEL HORSE

210-148	294820	
<p>NEW Deck Wheel Found on Toro equipment. Size: 2-3/4" OD X 3" Long; Hub Style: 3" centered, Bore: 1/2"; Tread: Smooth.</p>		
210-146	108798	
<p>Deck Wheel Plastic deck roller for Toro / Wheel Horse 300, 400 and 500 series decks for 36", 42" and 48" cut. Size: 3" X 3.312"; Hub Style: 3-5/8" centered, Bore: 1/2"; Tread: Smooth.</p>		

TORO / WHEEL HORSE

Part#	O.E.M	Application
210-147	701756	
<p>NEW Deck Wheel Found on Toro 44" Recycler (1995) and many other models. Size: 4" OD X 1-1/2" Wide; Hub Style: 1-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-179	1120037 1120337	
<p>Deck Wheel Plastic heavy duty deck wheel, fits MTD 32", 38" and 48" cut. Fits Toro / Wheel Horse models: 13AX60RG744, 13AX60RH744, 14AP80RP744 and 13AP60RP744. Size: 5" X 1.375"; Hub Style: 1-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-203	1120677	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Cub Cadet and Excel 38", 40" and 50" cut decks. For John Deere 38", 40" and 50" cut decks. For MTD, Murray, Simplicity, Toro etc. For 38", 40", 46" and 50" decks; Toro / Wheel Horse models: 13AP60RP744 and 14AP90RP744. For Murray application after the year 2000, use Banta part# 210-087 deck wheel. Both deck wheel use the same Banta wheel bolt # 235-200. Size: 5" X 2-3/4"; Hub Style: 2-1/2" offset, Bore: 1/2"; Tread: Smooth.</p>		
210-165	68-2730	
<p>Deck Wheel Heavy duty rounded plastic deck wheel for Toro models: 60" and 72" Grounds Master, Timecutter Z4200, Z4202, Z4220, Z4235, Z5000, Z5020, Z5030, Z5035, Z5040, Z5060, ZX440, ZX525, SS4200, SS4235, SS4260, SS5000, SS5060, ZX525, Titan Z4800, Z5200, ZX4800, ZX4820, ZX4825, ZX4880, ZX5000, ZX5020, ZX5400, ZX5420, ZX5450, ZX5840, ZX6000, ZX6020, ZX6030, ZX6050. Size: 5" X 2-5/8"; Hub Style: 2-1/2" offset, Bore: 5/8"; Tread: Smooth. Hub protrudes: 1/4"; Overall height: 3".</p>		
210-047	61-9760	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Horse mowers. Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth.</p>		

TORO / WHEEL HORSE

Part#	O.E.M	Application
210-013	5305 110506	
<p>Deck Wheel Heavy duty steel deck wheel, oilite bushing, zerk fitting. Found on many of the older Wheel Horse mowers with 42" and 48" decks. Size: 6" X 1.750"; Hub Style: 1-5/8" offset, Bore: 1/2"; Tread: Rib.</p>		
210-156	63-8400 Cub Cadet# 7343195	
<p>Deck Wheel Fits Toro mid sized mowers; 3/4" OCRB, centred white wheel with grease fitting. Size: 6-1/4" X 3"; Bore: 3/4" (centred); Tread: Rib.</p>		
205-146	11-1309 11-1389 26-2960	
<p>Deck Wheel Steel drive wheel for Toro / Wheel Horse; 1/4" wide sprocket, 42 tooth gear on hub, ball bearing. Size: 8" X 1.750"; Hub Style: 1-3/8" offset, Bore: 1/2"; Tread: Diamond.</p>		
205-187	38-2930	
<p>Deck Wheel Steel drive wheel for Toro / Wheel Horse; double sprocket (3/8"), 42 tooth gear on hub, ball bearing. Size: 8" X 1.750"; Hub Style: 1-5/8" offset, Bore: 1/2"; Tread: Diamond.</p>		
205-467	100-2860 74-1720	
<p>Steel Drive Wheel Rear drive wheel with gear assembly. Fits Toro 21" cut Commercial PRO LINE mowers. Found on recycler models: 22166, 22167, 22168. 21" heavy duty recycler, rear bagger mowers. 2003 and newer. Also found on Exmark models: METRO 21. Size: 8" OD X 3/8" ID / Bore X 2" Wide; Hub: 1-1/4" Centered, Tread: Diamond. Drive gear measures: 2-3/4" OD; 42 tooth gear.</p>		
205-272	105-1815	
<p>NEW Drive Wheel - Plastic. Drive wheel found on Toro models: 22" Recycler 20001, 20003, 20072, 20072A, 20086, 20087, 20094, 20110 and 20111. Size: 8" X 2"; Hub Style: 1-3/4" centered, Bore: 1/2"; Tread: Radial.</p>		

TORO / WHEEL HORSE

Part#	O.E.M	Application
205-268	105-1816	
<p>NEW Rear Wheel - Plastic. Rear wheel found on Toro models: 22" Recycler 20012, 20016 (20002 thru 2005) and 20019. Size: 12" X 2"; Hub Style: 1-3/4" centered, Bore: 1/2"; Tread: Radial.</p>		
175-102	110-6785	
<p>Front Caster Wheel & Tire Assembly Fits model: TIME CUTTER Z. Size: 3/4" ID X 4-1/4" Hub Length. Tread: Smooth, 4.10 / 3.50 - 4". Includes grease zerk. Painted white, 1 piece rim.</p>		
175-104	117-7386	
<p>Front Caster Wheel & Tire Assembly Fits TIME CUTTER Z models: 74360, 65, 66, 80, 81 and 74398. Found on 42" and 50" units. Size: 3/4" ID X 4-1/4" Hub Length. Tread: RIBBED, 4.10 / 3.50 - 4". Includes grease zerk. Painted white, 1 piece rim.</p>		
175-100	104-1170	
<p>Wheel Assembly Caster Wheel Assembly. Found on Toro and many other commercial units. Size: 11 X 400-5. (4 ply) tube type smooth tread tire. 5" centered hub length, 3/4" roller bearings. Includes: grease zerk. 1 piece rim, Painted white.</p>		
TROY BILT		
210-047	1735583 1758846	
<p>Deck Wheel Plastic heavy duty deck wheel with 1/2" steel bushing. Fits older style John Deere 38" and 46" decks; also found on some Toro / Wheel Horse mowers. Size: 5" X 1-3/8"; Hub Style: 1-1/2" centered, Bore: 1/2"; Tread: Smooth</p>		

WHEEL BOLTS


Part#	OEM	Shoulder Length	Overall Length	Thread Length
235-002	Universal	1-5/16"	2-1/16"	5/8"
(Sold in multiples of 10)				
235-010	Noma# 23763 Noma# 22557 Murray# 9X10 Murray# 9X10Z Southland# 582	1-3/8"	2-1/8"	5/8"
(Sold in multiples of 10)				
235-028	Noma# 27142	1-7/16"	2-3/16"	5/8"
(Sold in multiples of 10)				
235-036	Universal	1-1/2"	2-1/4"	5/8"
(Sold in multiples of 10)				
235-101	Lawnboy# 603441	1-17/32"	1-31/32"	3/8"
(Sold in multiples of 10)				
235-044	Universal	1-9/16"	2-5/16"	5/8"
(Sold in multiples of 10)				
235-051	MTD# 738-0144 MTD# 938-0144 Noma# 22996	1-5/8"	2-3/8"	5/8"
(Sold in multiples of 10)				
235-069	MTD# 738-0119 Noma# 47516	1-3/4"	2-1/2"	5/8"
(Sold in multiples of 10)				
235-077	Noma# 47762	1-7/8"	2-5/8"	5/8"
(Sold in multiples of 10)				
235-085	Noma# 47516 Snapper# 1-1720	2"	2-3/4"	5/8"
(Sold in multiples of 10)				
235-093	Universal	2-1/4"	3"	5/8"
(Sold in multiples of 10)				

Note: Above are 1/2" DIA., 3/8"-16 THREAD

WHEEL BOLTS continued

Part#	OEM	Shoulder Length	Overall Length	Thread Length
235-200	AYP# 137644 AYP# 184219 Cub Cadet# 938-3056 John Deere # M84691 / M90937	2-9/16"	3-5/16"	3/4"
(Sold Individually)				
For deck wheels on AYP, Cub Cadet, John Deere lawnmowers. Size: 1/2" diameter. Fits our 210-203 and 210-087 deck wheels on 38", 40", 46" and 50" mowers. Thread type: 3/8"-16 thread.				
235-274	Toro# 99-2842 Exmark# 513547	2-5/8"	4-1/4"	5/8"
(Sold Individually)				
For deck wheels on Exmark and Toro Lazer Z and Master models with anti-scalp roller wheels. Size: 5/8" OD.				
235-155	Toro# 325-19 Exmark# 800354 Exmark# 325-20	3-1/2"	5-1/4"	1-1/2"
(Sold Individually)				
Fits Toro commercial mid size 36", 37", 44", 52", 62" cut deck, models 30136, 30137, 30144, 30152, 30162. Fits Toro wheel 68-8970. Thread type: 1/2"-13 thread.				

WHEEL BOLTS & NUTS

Part#	OEM	Shoulder Length	Overall Length	Thread Length
235-119	Universal	9/16" thru 2-1/4"	2-1/2"	-----
(Sold in multiples of 10)				
Fits all wheels with 1/2" bore. Thread size: 3/8"-16, Shoulder length adjusts from 9/16" to 2-1/4"				
235-127	3/8-16"			
(Sold in multiples of 10)				
Washer Nut - Fits all of our above wheel bolts.				
Sold in multiples of 10				

For "LOW SPEED and "HEAVY DUTY" replacement "WHEEL BEARINGS" - see our "Bearings and BUSHINGS" section, page 03-01